SUBJECT INDEX, VOLUME 58, 1965*

AC (See Amer. Cyan.)
Acacia, control of *Psylla uncatoides* on, 1171
Acalymma vittata, 376
Acanthoscelides obtectus, 1043
Aceratagallia curvata, 148
Aceria neocynodonis, 783
Acetone, effect on house fly fecundity, longevity, and food intake, 60
Achaetoneura frenchii, 68
Acheta domesticus, 831
Achrysocharis sp., 443
Acropimpla alboricta, 864
Aculus cornutus, 634
Acyrthosiphon pisum, 140, 147, 365, 950
  control of with Di-Syston, 763
Adalia bipunctata, 1172
Addendum, 592
Adelphocoris rapidus, 1005
Adenosine triphosphatases, inhibition, 392
Aedes aegypti, 400, 469, 549, 696, 850
  queen substance effect on, 185
  resistance to DDT substitutes in, 255
  var. *queenslandensis*, 695
Aedes africanus, 469
  dorsalis, 1044
  spp., 815
Aerial sprays: against rangeland grasshoppers, 559
  on parasites of lodgepole needle miner, 226
Aeropedellus clavatus, 78
Aerosols, chemosterilization by, 678
Agapostemon sp., 969
  texanus, 63
Ageneotettix deorum, 78, 561
Agrothereutes lophyri, 926
Air-blast sprayer, design and performance of, 576
Aircraft, control of cereal leaf beetle, 11
  malathion applied by, 1170
  malathion and Guthion application against boll weevil, 414
Alabama argillacea, 517, 666, 781, 784, 792, 881
Albizia, control of *Psylla uncatoides* on, 1171
Alcidodes bubo, 1168
Aldrichina grahami, 308, 498
Aldrin, as seed rice treatment, 354
  cabbage maggot resistance to, 163
  corn rootworm resistance to, 296
  effect on vegetable growth, 777
  honey bee repellent, 1101
  humidity effect on volatilization of residues, 243
  interference on bioassay of Bidrin, 844
  residues in soils, 266
  toxicity to Louisiana red crawfish to use of in rice culture, 958
Aldrin against: alfalfa weevil, 34
  Argentine ant, 430
  black vine weevil, 116
  cabbage maggot, 948
  cereal leaf beetle, 43
  face flies, 675
  house flies, 840
  Hypera, 483
  onion maggot, 1076
  root maggot, 1013
  southern corn rootworm, 639
  white-fringed beetles, 896
Aldrin-treated soil, cucumbers and alfalfa grown in, 742
Aldrin+dieldrin, residues in soils, 269
Alfalfa, improved laboratory storage methods, 1161
  insecticidal residues in, 742
  lindane residues on, 218
  Megachile rotundata pollinator of, 284
  native insects as pollinators of, 63
  non-preference as mechanism of resistance to aphids, 566
  screening against insect pests, 147
Alfalfa resistance: of aphids in, 140
  to potato leafhopper, 435
Alfalfa weevil, *Bathyplectes curculionis* parasite on, 1154
  resistance to oviposition of *Medicago* sp., 245
  tannic acid repellent to larvae, 372
Alfalfa weevil control: by single insecticide application, 527
  of in New York, 940
  with insecticidal granules, 34
Alkali bee, soil moisture effect on survival of prepupae, 472
Allethrin, effects of oxygen and synergists on, 643
  toxicity to *Prodenia* larvae, 93
Alsophila pometaria, 1044
Amblyomma americanum, 85, 1131
Amblyseius elongatus, 282
  fallacis, 340
  finlandicus, 340
  hibisci, 282
  largoensis, 282
  limonicus, 282
  similoides, 282
  sp. nr. *cucumeris*, 340
  swirskii, 282
American cockroach, parathion activation enzymes, 500
Amer. Cyan.: 12008 against stored-grain pests, 19
  12008 against two-spotted spider mite, 1093
  12009 against oriental rat flea, 86
  12013 against stored-grain pests, 19
  12503 against oriental rat flea, 84
  18706 against oriental rat flea, 84
  CL-26691 against oriental rat flea, 84
  CL-28865 against oriental rat flea, 84
  CL-38064 against oriental rat flea, 85
  CL-38106 against oriental rat flea, 84
Amer. Cyan. CL-43064, not active in synergism, 1158
Amer. Cyan. 43064 against: alfalfa weevil, 527
  cabbage insects, 28
  cotton insects, 666, 1120
  green peach aphid, 224
  southern corn rootworm, 639
  tobacco flea beetle, 224
Amer. Cyan.: 43073 against green peach aphid, 1129
Amer. Cyan. CL-47031, effect on boll weevil fecundity and longevity, 790
Amer. Cyan. 47031 against: alfalfa weevil, 527
  cabbage insects, 28
  clover seed weevil, 859
  cotton insects, 666, 1120
  Douglas-fir insects, 1020
Amer. Cyan.: 47300 against cabbage insects, 28
Amer. Cyan. 47470 against: alfalfa weevil, 527, 940
  cabbage insects, 28
  clover seed weevil, 860
  corn pests, 138
  cotton insects, 666
Amer. Cyan.: 47772 against alfalfa weevil, 941
  52160 against alfalfa weevil, 941
Anachaetopsis tortricis, 864
Anagasta kühniella, 579, 1043
Anagrus epos, overwintering refuge of, 586
Anagyrus thyridopterygis, 864
Anasa tristis, 164, 1044
Anastrepha ludens, 26
Andrena regularis, 777
Aneuclis sp., 1167
Angoumois grain moth, feeding and oviposition of, 177
  larval development of, 220
Animal systemic insecticides, evaluation of, 773
Animert against European red mite, 812
Anobiidae, 480, 578
Anoetidae, 1163
Anopheles gambiae, 852
  quadrimaculatus, 899
  stephensi mysorensis, swarming of, 821
Anthidium (A.) maculifrons, 1030
Anthocoris antevolens, 973
Anthomyia sp., 68
Anthomyiidae, 480
Anthonomus grandis, 119, 127, 164, 174, 249, 309, 357, 360, 366, 414, 588, 659, 666, 693, 746, 757, 784, 790, 792, 867, 951, 977, 985, 990, 1024, 1035, 1124, 1157
Anthrenus flavipes, 917
Anuraphis helichrysi, 750
  rosea, 1031
Aonidiella aurantii, 907
Apanteles californicus, 226
  sp., 1034, 1112
Aphaenogaster rudia, 925
Aphaereta pallipes, 68
Aphid, colonization of yellows-infested asters by, 537
  control of on prune trees, 749
  cotton resistance to, 209
  devices for rearing, 365
  flights, apparatus for recording, 1034
  predators, feeding tests of, 1169
Aphidius smithi, 950
Aphis fabae, 112, 1043
  gossypii, 112, 151, 200, 210, 349, 666, 746, 1119
  pomi, 634, 1031, 1144
Apholate, and related chemicals, properties of, 929
  chemosterilant of plum curculio, 802
  chemosterilant for fall armyworm, 883
  effects of on house flies, 157
Apholate against: gypsy moth, 650
  house flies, 944, 1079
Aphrophora saratogensis, malathion against, 942
Aphytis melinus, 295
  mytilaspidis, 673
Apis mellifera, 64, 143, 389, 857, 878, 951, 968, 990, 1028, 1029, 1043, 1094
Apple, *Atractotomus* and *Campylomma* on, 1031

* Compiled by Gladys O. Visel

SUBJECT INDEX, VOLUME 58, 1965*

AC (See Amer. Cyan.)
Acacia, control of *Psylla uncatoides* on, 1171
Acalymma vittata, 376
Acanthoscelides obtectus, 1043
Aceratagallia curvata, 148
Aceria neocynodonis, 783
Acetone, effect on house fly fecundity, longevity, and food intake, 60
Achaetoneura frenchii, 68
Acheta domesticus, 831
Achrysocharis sp., 443
Acropimpla alboricta, 864
Aculus cornutus, 634
Acyrthosiphon pisum, 140, 147, 365, 950
  control of with Di-Syston, 763
Adalia bipunctata, 1172
Addendum, 592
Adelphocoris rapidus, 1005
Adenosine triphosphatases, inhibition, 392
Aedes aegypti, 400, 469, 549, 696, 850
  queen substance effect on, 185
  resistance to DDT substitutes in, 255
  var. *queenslandensis*, 695
Aedes africanus, 469
  dorsalis, 1044
  spp., 815
Aerial sprays: against rangeland grasshoppers, 559
  on parasites of lodgepole needle miner, 226
Aeropedellus clavatus, 78
Aerosols, chemosterilization by, 678
Agapostemon sp., 969
  texanus, 63
Ageneotettix deorum, 78, 561
Agrothereutes lophyri, 926
Air-blast sprayer, design and performance of, 576
Aircraft, control of cereal leaf beetle, 11
  malathion applied by, 1170
  malathion and Guthion application against boll weevil, 414
Alabama argillacea, 517, 666, 781, 784, 792, 881
Albizia, control of *Psylla uncatoides* on, 1171
Alcidodes bubo, 1168
Aldrichina grahami, 308, 498
Aldrin, as seed rice treatment, 354
  cabbage maggot resistance to, 163
  corn rootworm resistance to, 296
  effect on vegetable growth, 777
  honey bee repellent, 1101
  humidity effect on volatilization of residues, 243
  interference on bioassay of Bidrin, 844
  residues in soils, 266
  toxicity to Louisiana red crawfish to use of in rice culture, 958
Aldrin against: alfalfa weevil, 34
  Argentine ant, 430
  black vine weevil, 116
  cabbage maggot, 948
  cereal leaf beetle, 43
  face flies, 675
  house flies, 840
  Hypera, 483
  onion maggot, 1076
  root maggot, 1013
  southern corn rootworm, 639
  white-fringed beetles, 896
Aldrin-treated soil, cucumbers and alfalfa grown in, 742
Aldrin+dieldrin, residues in soils, 269
Alfalfa, improved laboratory storage methods, 1161
  insecticidal residues in, 742
  lindane residues on, 218
  Megachile rotundata pollinator of, 284
  native insects as pollinators of, 63
  non-preference as mechanism of resistance to aphids, 566
  screening against insect pests, 147
Alfalfa resistance: of aphids in, 140
  to potato leafhopper, 435
Alfalfa weevil, *Bathyplectes curculionis* parasite on, 1154
  resistance to oviposition of *Medicago* sp., 245
  tannic acid repellent to larvae, 372
Alfalfa weevil control: by single insecticide application, 527
  of in New York, 940
  with insecticidal granules, 34
Alkali bee, soil moisture effect on survival of prepupae, 472
Allethrin, effects of oxygen and synergists on, 643
  toxicity to *Prodenia* larvae, 93
Alsophila pometaria, 1044
Amblyomma americanum, 85, 1131
Amblyseius elongatus, 282
  fallacis, 340
  finlandicus, 340
  hibisci, 282
  largoensis, 282
  limonicus, 282
  similoides, 282
  sp. nr. *cucumeris*, 340
  swirskii, 282
American cockroach, parathion activation enzymes, 500
Amer. Cyan.: 12008 against stored-grain pests, 19
  12008 against two-spotted spider mite, 1093
  12009 against oriental rat flea, 86
  12013 against stored-grain pests, 19
  12503 against oriental rat flea, 84
  18706 against oriental rat flea, 84
  CL-26691 against oriental rat flea, 84
  CL-28865 against oriental rat flea, 84
  CL-38064 against oriental rat flea, 85
  CL-38106 against oriental rat flea, 84
Amer. Cyan. CL-43064, not active in synergism, 1158
Amer. Cyan. 43064 against: alfalfa weevil, 527
  cabbage insects, 28
  cotton insects, 666, 1120
  green peach aphid, 224
  southern corn rootworm, 639
  tobacco flea beetle, 224
Amer. Cyan.: 43073 against green peach aphid, 1129
Amer. Cyan. CL-47031, effect on boll weevil fecundity and longevity, 790
Amer. Cyan. 47031 against: alfalfa weevil, 527
  cabbage insects, 28
  clover seed weevil, 859
  cotton insects, 666, 1120
  Douglas-fir insects, 1020
Amer. Cyan.: 47300 against cabbage insects, 28
Amer. Cyan. 47470 against: alfalfa weevil, 527, 940
  cabbage insects, 28
  clover seed weevil, 860
  corn pests, 138
  cotton insects, 666
Amer. Cyan.: 47772 against alfalfa weevil, 941
  52160 against alfalfa weevil, 941
Anachaetopsis tortricis, 864
Anagasta kühniella, 579, 1043
Anagrus epos, overwintering refuge of, 586
Anagyrus thyridopterygis, 864
Anasa tristis, 164, 1044
Anastrepha ludens, 26
Andrena regularis, 777
Aneuclis sp., 1167
Angoumois grain moth, feeding and oviposition of, 177
  larval development of, 220
Animal systemic insecticides, evaluation of, 773
Animert against European red mite, 812
Anobiidae, 480, 578
Anoetidae, 1163
Anopheles gambiae, 852
  quadrimaculatus, 899
  stephensi mysorensis, swarming of, 821
Anthidium (A.) maculifrons, 1030
Anthocoris antevolens, 973
Anthomyia sp., 68
Anthomyiidae, 480
Anthonomus grandis, 119, 127, 164, 174, 249, 309, 357, 360, 366, 414, 588, 659, 666, 693, 746, 757, 784, 790, 792, 867, 951, 977, 985, 990, 1024, 1035, 1124, 1157
Anthrenus flavipes, 917
Anuraphis helichrysi, 750
  rosea, 1031
Aonidiella aurantii, 907
Apanteles californicus, 226
  sp., 1034, 1112
Aphaenogaster rudia, 925
Aphaereta pallipes, 68
Aphid, colonization of yellows-infested asters by, 537
  control of on prune trees, 749
  cotton resistance to, 209
  devices for rearing, 365
  flights, apparatus for recording, 1034
  predators, feeding tests of, 1169
Aphidius smithi, 950
Aphis fabae, 112, 1043
  gossypii, 112, 151, 200, 210, 349, 666, 746, 1119
  pomi, 634, 1031, 1144
Apholate, and related chemicals, properties of, 929
  chemosterilant of plum curculio, 802
  chemosterilant for fall armyworm, 883
  effects of on house flies, 157
Apholate against: gypsy moth, 650
  house flies, 944, 1079
Aphrophora saratogensis, malathion against, 942
Aphytis melinus, 295
  mytilaspidis, 673
Apis mellifera, 64, 143, 389, 857, 878, 951, 968, 990, 1028, 1029, 1043, 1094
Apple, *Atractotomus* and *Campylomma* on, 1031

* Compiled by Gladys O. Visel

lead arsenate retention on, 272
miticides and insecticides against mites on, 335
Apple aphid, *Bacillus thuringiensis* against, 1144
Apple insects control, 766
Apple maggot, artificial diets for, 542
culturing of, 1056
labeling with strontium, 89, 168
Apple trees, *Bacillus thuringiensis* against pests on, 1144
Aramite against: hymenopterous parasites and coccinellid predators, 295
Tetranychus cinnabarinus, 1108
two-spotted spider mite, 1093
Archips argyrospilus, 1146
Argentine ant control on citrus, 428
Argyrotaenia velutinana, 766, 1146
Army cutworm control on wheat, 418
Arthropods, aspirator for collecting, 1031
Aryloxyalkylamines, synergism of carbamates on house flies by, 451
Asiatic rice borer, benzene hexachloride against, 331
Aspirator for arthropod collecting, 1031
Assessment cards, spray pattern with, 1159
Aster yellows control, 135
Asters, yellows-infested, colonization by aphids, 537
Athecerus pinifoliate, 226
Atomacera decepta, pest of *Hibiscus*, 161
Atractotomus mali on apples, 1031
Attagenus piceus, 917, 1043
Attractants, honey bee, 1094
Aulocara elliotti, 78, 561
Australian sheep blow fly, mutant studies in, 380
Autographa californica, 523
Autoplusia egena, 523
Azinphosmethyl against: green peach aphid, 1128
northern fowl mite, 1117
sugarcane borer, 1123
two-spotted spider mite, 1091
Azinphosmethyl-DDT against cotton insects, 1125
Aziridine chemicals against house fly, 1079
Aziridine-1-carboxylic acid, chemosterilant activity of, 574

B (See Bayer)
Bacillus larvae, 878
thuringiensis, 527, 1144
thuringiensis on apples, 1144
Bacillus thuringiensis against: dipterous pests of cattle, 363
green peach aphid, 1128
little house fly, 705
lodgepole needle miner, 1005
Bagworm, natural control of, 863
Bakthane against cattle pests, 364
Bakthane 5B against cabbage insects, 28
Bakthane L-69 against cabbage insects, 28
Banks grass mite on dates, 531
Banol against: alfalfa weevil, 941
cereal leaf beetle, 11
oystershell scale, 673
tobacco flea beetle, 730
Baris lepidii, 1088
Bark beetle, bionomics of, 913
Bathyplectes curculionis dispersal, 1154
Bayer: 16450 against stored-grain pests, 19
17364 against oriental rat flea, 86
18341 against oriental rat flea, 86
19596 against oriental rat flea, 86
Bayer 22408 against: stored-grain pests, 19
ticks, 1131
Bayer 23655 against: oriental rat flea, 84
stored-grain pests, 19
Bayer 25141 against: alfalfa weevil, 527, 941
army cutworm, 419
cabbage maggot, 948
carrot rust fly, 424
clearwinged cottonwood leaf aphid, 818
clover seed weevil, 860
corn pests, 138
cotton thrips, 1120
Douglas-fir insects, 1020
green peach aphid, 224
Hippelates gnats, 656
southern corn rootworm, 639
stored-grain pests, 19
tobacco flea beetle, 224
Bayer 25198 against: oriental rat flea, 84
stored-grain pests, 19
Bayer: 30911 against stored-grain pests, 19
36205 against prune-tree aphids, 750
Bayer 37289 against: alfalfa weevil, 527, 941
cabbage maggot, 948
corn pests, 138
cotton thrips, 1120
Douglas-fir insects, 1020
green peach aphid, 1129
Hippelates gnats, 656
rice water weevil, 1053
Bayer 37341 against: blow flies, 774
cattle grubs, 773
ticks, 1131
Bayer 37342 against: blow flies, 774
cattle grubs, 773
oriental rat flea, 85
ticks, 1131
Bayer 37344 against: boll weevil, 693
bollworm, 693
cabbage insects, 28
European red mite, 812
face fly, 104, 675
fly larvae, 204
German cockroach, 47
gray garden slug, 158
pink bollworm, 693
plum curculio, 1116
stored-grain pests, 19
two-spotted spider mite, 1091
Bayer 37829 against: green peach aphid, 224
tobacco flea beetle, 224
Bayer 38156 against: green peach aphid, 224
Hippelates gnats, 656
tobacco flea beetle, 224
Bayer 39007, effect on house fly fecundity, longevity, and food intake, 59
Bayer 39007 against: alfalfa weevil, 527
cabbage insects, 28
clearwinged cottonwood leaf aphid, 818
fly larvae, 204
German cockroach, 47
grasshoppers, 78
prune-tree aphids, 750
root maggot, 1013
stable fly, 685
stored-grain pests, 19
sweetclover weevil, 989
Bayer 39731 against stored-grain pests, 19
Bayer 41831 against: alfalfa weevil, 941
house fly, 291
stored-grain pests, 19
Bayer 44646 against: boll weevil, 693
bollworm, 693
cabbage insects, 28
pink bollworm, 693
stored-grain pests, 19
tobacco flea beetle, 730
Bayer 47043: against pear psylla, 634
effects on two-spotted spider mite by tree-trunk injection, 632
Bayer: 47185, effects on two-spotted spider mite by tree-trunk injection, 633
47416, effects on two-spotted spider mite by tree-trunk injection, 633
Baygon against tobacco flea beetle, 730
Beans, seed treatments for control of root maggot in, 1012
Beauvaria bassiana, 377, 925
Bee poisoning vs. clover seed weevil control in seed white Dutch clover, 857
Bees, pollen collecting activities among peanut flowers, 1028
Beet armyworm, migration of larvae, 188
Bentone 38, effects on two-spotted spider mites by tree-trunk injection, 633
Benzene hexachloride, honey bee repellent, 1101
residues in soil, 1027
translocation in rice, 331
Benzene hexachloride against: alfalfa weevil, 528
black turpentine beetle, 358
Sitka-spruce weevil, 572
Benzene hexachloride isomers, electron affinity and animal toxicity of, 1164
metabolism of, 383, 602
Bermudagrass mite, Diazinon against, 783
Bidrin, analogue of SD 9129, 658
criterion for synergism, 1158
detoxication and synergism of, 845
effects on two-spotted spider mite by tree-trunk injection, 632
laboratory tests with, 112
recovery in celery extracts, 844
stability, 841
systemic activity in cotton, 200
techniques in, 838
Bidrin against: cabbage insects, 28
clearwinged cottonwood leaf aphid, 818
cotton insects, 666, 1120
Douglas-fir insects, 1020
European red mite, 812
fly larvae, 204
grasshoppers, 78
green peach aphid, 1128
house flies, 839
oriental rat flea, 85
pear psylla, 634
Sitka-spruce weevil, 572
sweetclover weevil, 989
two-spotted spider mites, 113, 1091
Binapacryl against: European red mite, 812
two-spotted spider mite, 1091
Biological activities of harvester ant, 484
Biology of: irregular pine scale, 727
Leucinodes orbonalis, 448
Oligonychus platani, 687

peach tree borer, notes on, 228
Prosapia bicincta, 275
southern corn rootworm, 637
Spanogonicus albofasciatus, 664
Bionomics of bark beetle, 913
Biotrol against: cabbage insects, 28
cattle pests, 364
Black turpentine beetle, benzene hexachloride against, 358
Black vine weevil control on grapes, 115
Blacklight trap for single tree sampling, 800
Blatta orientalis, 1033
Blattella germanica, 5, 46, 162, 389, 403, 455, 479, 580, 956, 977, 1028, 1032, 1043
cross resistance in, 872
dichlorvos in resin strips for control of, 570
Blattidae, 480
Blattisocidae, 1163
Blissus leucopterus, 1045
Blister beetles on cotton, 792
Blow flies, hydroxylation as a resistance factor in, 74
Blueberry, pollinators and bloom period of, 777
Boll weevil, Amer. Cyan. CL-47031 effect on, 790
artificial diet pellets production, 1024
cottonseed-meal diet for, 867
feeding deterrent from *Hibiscus*, 985
from hibernation to fruiting cotton, 357
insecticides against, 693
marking field populations, 1035
noncotton hosts of, 784
population estimation, 757
radiophosphorus in, 119
seasonal diapause and hibernation, 309
sterile male releases against, 127
temperature effect on winter survival, 174
Boll weevil attractant, extraction from atmosphere, 588
Boll weevil control: of overwintered, 360
with malathion by aircraft, 414
Boll weevil eggs, implanting in cotton squares, 366
Bollworm, control with insecticides, 1030
dosage-mortality data on, 14
Encarsia lutea parasite on eggs, 1148
host specific strains, 525
insecticides against, 693
resistance to insecticides, 732
sesame host for, 1003
Bombus spp., 1029
ternarius, 777
terricola, 777
Bomyl against: clover seed weevil, 859
rice water weevil, 1054
Bostrichidae, 480
Bovicola bovis, coumaphos and trichlorfon sprays against, 585
Brachymeria o. ovata, 864
Brachyrhinus sulcatus, 115
Bracon erythrostictus, 1167
greeni, 1167
mellitor, 779
Brachonidae, 578
Brinjal fruit borer, biology and control of, 448
1-Bromo against alfalfa weevil, 529
1-bromochlordene residues against European corn borer, 371
Bruchidae, 480
Bulan against stored-grain pests, 19
Bunch beans, resistance to potato leafhopper, 681
Burley tobacco, insecticide effect against *Myzus persicae* on, 1127
Butazolidin against oriental rat flea, 86
Butonate against: cattle grubs, 773
oriental rat flea, 84

Cabbage looper, chemosterilants and fertility of, 635
Encarsia lutea parasite on eggs, 1148
feeding damage and control on cabbage, 28
rearing on meridic diet, 377
Cabbage maggot, control on radish, 947
resistance to aldrin, 163
Cage, expandable, for feeding tests of aphid predators, 1169
material to secure entrances, 787
California red scale, re-formed oil against, 907
Calliphoridae, 480
Calocalpe undulata, 67
Calosoma scrutator, 68
Camnula pellucida, 78, 562
Campsomeris plumipes, 63
Campylomma verbasci on apples, 1031
Cantaloups, honey bee visitors to, 968
Captan against mites on apples, 336
Carbamate insecticide, acaricides, new class of, 154
Carbamate molluscicide, control of gray garden slug with, 158
Carbaryl, effect on house fly fecundity, longevity, and food intake, 59
interference on bioassay of Bidrin, 844
stability of, 841
temperature effects of on house flies, 514
tests on western hemlock looper, 1006
uptake and toxicity for large milkweed bug eggs, 614
weight loss for humidities, 1037
Carbaryl against: alfalfa weevil, 34, 527
apple insects, 768
aster yellows virus, 136
boll weevils, 360, 693
bollworm, 15, 693, 1031
budworm, 15
cabbage insects, 28
cereal leaf beetle, 12, 43
corn pests, 138, 207
face fly, 40
green peach aphid, 1128
hog louse, 378
house flies, 840
hymenopterous parasites and coccinellid predators, 295
Hypera, 482
little house fly, 705
mites on apples, 336
oriental rat flea, 86
oystershell scale, 674
pink bollworm, 693
sheep ked, 37
Sitka-spruce weevil, 572
spittlebug, 277
sugarcane borer, 1123
sweetclover weevil, 989
ticks, 1131
tobacco flea beetle, 731
Carbon dioxide, preconditioning confused flour beetles with prior to gamma irradiation, 179
production of stored-product insects, 660
Carbophenothion, uptake and toxicity for large milkweed bug eggs, 614
Carbophenothion against: alfalfa weevil, 527
army cutworm, 419
Banks grass mite, 533
clover seed weevil, 858
corn pests, 138
green peach aphid, 1128
Hippelates gnats, 655
house flies, 840
onion maggot, 1076
spittlebug, 277
Tetranychus cinnabarinus, 1108
ticks, 1131
two-spotted spider mite, 1091
Carbowax 4000, effects on two-spotted spider mites by tree-trunk injection, 633
Cardiochiles nigriceps, host selection by, 869
Carpet beetle larvae, Kepone and Mirex against, 916
Carpocapsa pomonella, 114, 229, 576, 971, 1144
Carrot rust fly, contact toxicity of insecticides to, 423
Carrots, aster yellows control in, 135
Cattle, absence of residues of insecticides in milk after application to, 155
Bacillus thuringiensis against dipterous pests of, 363
Ciodrin sprays for fly control on, 910
fly control on, by mist spray Ciodrin, 815
heel fly control on, 1
horn fly and face fly control on, 379
Cattle and parasites, coumaphos salt mixtures effect on, 197
Cattle grubs, coumaphos against, 1017
ronnel against, 836
Ruelene against, 361
Cattle lice, coumaphos and trichlorfon sprays against, 585
Cellocize QP4400 against cabbage insects, 28
Centrinaspis penicellus, observations on, 796
Cephus cinctus, 303
pygmaeus, 303
tabidus, 303
Ceratitis capitata, 178, 374, 683, 796, 1169
Ceratocystis fagacearum, bark beetle vector of, 913
Cereal leaf beetle, aircraft control of, 11
insecticides against, 41
Ceresan as seed rice treatment, 354
Chaetocnema confinis, 581
pulicaria, 139
Chaitophorus populellus, 818
Chaoborus punctipennis as pest in drinking water, 902
Charitopodinus muellneri, 1167
Chauliognathus basalis, 63
pennsylvanicus, 1046
Chelonus (Microchelonus), 779
Chemagro B-37344 against oystershell scale, 673
Chemosterilant activity, 574
Chemosterilization: by aerosols, 678
of house fly, 1079
of three tephritids, 682
Chicken body louse, attractiveness of poultry to, 8
Chicks, toxicity to fly larvae of droppings from, 203

Chilo suppressalis, benzene hexachloride against, 331
Chionodes mediofuscella, 68
Chipcote as seed rice treatment, 354
Chipman RP-11783 against oystershell scale, 673
Chlorbenside against mites on apples, 336
Chlordane, effect on vegetable growth, 777
residues in soil, 1027
Chlordane against: alfalfa weevil, 34, 528
Argentine ant, 430
German cockroach, 47, 1049
grasshoppers, 1048
house flies, 840
southern corn rootworm, 639
Chlorinated hydrocarbon insecticide residues in soils, 1026
Chlorobenzilate against European red mite, 812
Chlorogenus callistephi, 135
Chloropidae, 480
Chloropropylate against: European red mite, 813
two-spotted spider mite, 1092
Chlorthion against house flies, 840
Cholesterol analog utilization by grasshoppers, 1015
Chorizagrotis auxiliaris, 418
Chromaphis juglandicola, 114
Chrysanthemum cinerariaefolium, 548
Chrysocharis ainesliei, 443
parksi, 443
sp., 442
Chrysomyia megacephala, 203
Chrysopa californica, 999
carnea, 973, 999
larvae, artificial diets for, 999
plorabunda, 999
spp., 750
Ciodrin: sprays for fly control, 815, 910
stability of, 841
Ciodrin against: face fly, 40
fly larvae, 204
hog louse, 378
house flies, 840
little house fly, 705
stable fly, 685
ticks, 1131
Citrus, Argentine ant control on, 428
Yuma spider mite on, 534
Citrus red mite, noninclusion virus against, 1136
response to phosphoramidate or phosphoramidothioate, 466
Citrus red mite eggs, petroleum oils toxicity to, 595
re-formed oil against, 907
Clearwinged cottonwood leaf aphid, systemics for control of, 818
Closterocerus cinctipennis, 442
Clover head weevil control on crimson clover, 481
Clover seed weevil control vs. bee poisoning in seed white Dutch clover, 857
Coastal bermudagrass, residues on when treated with endosulfan, 160
spittlebug control in, 275
Coccinella californica, 1171
Coccinellid predators, of aphids, feeding tests of, 1169
pesticide repellent effects, 294
Coccophagus lycimnia, 1104
Cochlicella snails, fumigants against, 690
Cochliomyia hominivorax, 4, 85, 373, 544, 645, 649, 678, 773
macellaria, 374, 773
Cockroach, detoxication of dimetilan in, 403
in business establishments, 1032
Codling moth pupae, sex determination of, 576
Coleoptera, 480, 578, 994, 1162
Collyria calcitrator, parasite of wheat stem sawfly, 303
Colotrechnus (Zanonina) viridis, 1167
Confused flour beetle, confining in gelatin capsules for gamma irradiation, 175
preconditioning prior to gamma irradiation, 179
Conioscinella hinkleyi, 68
Conoderus vespertinus, 1155
Conotrachelus nenuphar, 336, 672, 766, 802, 1043, 1116, 1144
Contarinia oregonensis, 1020
sorghicola, detection of, 938
washingtonensis, 1020
Copidosoma deceptor, 226
Corn, 1-bromochlordene residues against European corn borer on, 371
seed treatments for control of root maggot in, 1012
Corn earworm, control in sorghum heads, 207
sequential sampling plan re status of, 651
Corn insects, controlled by granulated insecticides, 137
Corn rootworm beetles, aldrin resistance in, 296
Corn stalk weevil, observations on, 796
Corynetidae, 480
Cothonaspis (Erisphagia) sp., 443
Cotton, blister beetles on, 792
bollworm control on, 1030
Di-Syston against thrips on, 364
Di-Syston uptake by, 349
egg parasite of bollworm and cabbage looper on, 1148
extraction of boll weevil attractant from atmosphere near, 588
fruiting, boll weevil movement from hibernation to, 357
Heliothis larvae on, 1152
predicting thrips on, 1013
resistance to spider mites, leafhoppers, and aphids, 209
systemic activity of Bidrin in, 200
Tetranychus cinnabarinus on, 1106
thrips effect on yields, 1118
Cotton insects, insecticide application schedules for, 1124
systemics against, 666
Cotton-insects control by: malathion applied by aircraft, 1170
UC-21149, 746
Cotton leafworm, noncotton hosts, 784
Cotton leaves, metabolism of Di-Syston by, 249
Cotton plant, dimethoate affected by light and humidity in, 415
resistance to Lepidoptera on, 516
Cotton squares, boll weevil egg implanting in, 366
Cottonseed-meal diet for boll weevil, 867
Coumaphos, interference on bioassay of Bidrin, 844
stability of, 841
toxicity to little house fly larvae in droppings of hens, 709
weight loss for humidities, 1037
Coumaphos against: cattle grubs, 773, 1017
face fly, 40, 104
Hippelates gnats, 655
house flies, 840
little house fly, 705
oriental rat flea, 86
prune-tree aphids, 750
rice water weevil, 1055
sheep ked, 37
stable fly, 685
stored-grain insects, 20
ticks, 1131
Coumaphos salt mixtures, effect on cattle and their parasites, 197
Coumaphos spray for control of cattle lice, 585
Crambus mutabilis, 586
teterrellus, 586
trisectus, 586
Crematogaster lineolata, 925
lineolata cerasi, 864
Crimson clover, weevil control on, 481
Crioceris sp., 42
Cryptolaemus montrouzieri, 295
Cryptolestes pusillus, 579
Cryptophagidae, 578
Cucujidae, 480, 578
Cucumbers, insecticidal residues in, 742
Culex pipiens quinquefasciatus, 1151
spp., 815
Culex tarsalis, DDT resistance in, 1064
parathion and malathion as substitutes against, 953
Culex tritaeniorhynchus, dyed waters attractive to as oviposition sites, 1172
Curculionidae, 480, 578
Cyclethrin, toxicity to *Prodenia* larvae, 93
Cycloheximide against prune-tree aphids, 750
Cycloneda sp., 1044
Cyrtoptyx lichtensteini, 1167
sp., 1167
Cytological studies on effects of Ruelene, 511

Dacus cucurbitae, 178, 374, 519, 683, 796
dorsalis, 143, 178, 374, 683, 796, 961, 1169
tryoni, 1023
Dahlbominus fuscipennis, 926
Danaus plexippus, 164
Daphnia magna, 549
DDE, residues in soil, 1027
DDT, *Culex tarsalis* resistance to, 1064
dehydrochlorination of, 606
fly resistance to, 74
honey bee repellent, 1101
honey bee resistance to, 990
pink bollworm resistance to, 590
pink bollworm resistance increase to, 781
residual effectiveness against smaller European elm bark beetle, 165
spotted root maggot resistance to, 608
tests on western hemlock looper, 1006
DDT, residue in: milk, 922
soil, 1027
DDT, translocation in: soybeans, 161
peach seedlings, 632
DDT against: alfalfa weevil, 34, 529
apple insects, 768
army cutworm, 419
bollworms, 15, 733, 1031
budworm, 15
carrot rust fly, 424

cereal leaf beetle, 43
clover seed weevil, 858
corn pests, 138, 207
cotton thrips, 1120
face fly, 40, 675
German cockroach, 47
green peach aphid, 224
house flies, 840, 1048
hymenopterous parasites and coccinellid predators, 295
Hypera, 482
onion maggot, 1076
oystershell scale, 673
root maggot, 1013
Saratoga spittlebug, 943
Sitka spruce weevil, 572
spittlebug, 277
stable fly, 794
tobacco budworm, 733
tobacco flea beetle, 224, 731
walnut aphids, 114
DDT dust: deposition, electrostatic dusting effect on, 1016
residues on sweet corn following application by electrostatic duster, 73
DDT effect on: green peach aphid, 80
house fly fecundity, longevity, and food intake, 59
two-spotted spider mite by tree-trunk injection, 633
vegetable growth, 777
DDT residues, granular formulations and, 55
DDT-resistance in house flies, 584
DDT-resistant spotted root maggot, 824
DDT substitutes, resistance to in *Aedes aegypti*, 255
DDT+malathion against aster yellows virus, 136
DDT+pyrethrum against corn earworm, 207
DDT+toxaphene against lygus bugs, 125
DEF, against northern fowl mite, 1118
synergistic insecticide, 1158
Demeton, interference on bioassay of Bidrin, 844
stability of, 841
translocation of SD 9129 from, 659
Demeton against: alfalfa weevil, 528
clearwinged cottonwood leaf aphid, 818
cotton insects, 667
Douglas-fir insects, 1020
European red mite, 813
house flies, 840
prune-tree aphids, 750
two-spotted spider mites, 113, 1091
Demeton effect on: green peach aphid, 80
two-spotted spider mite by tree-trunk injection, 632
Dendroctonus brevicomis, 509
pseudotsugae, 440
terebrans, 358
Dermacentor albipictus, 1131
Dermestidae, 480, 578
Deroceras reticulatum, 158
Derostenus agromyzae, 443
arizonensis, 443
fullawayi, 443
varipes, 443
Desert grasshoppers, parthenogensis in, 173
Diabrachys cavus, 864
Diabrotica longicornis, 296, 376, 470, 1044, 1076
undecimpunctata howardi, 637
u. undecimpunctata, 848
virgifera, 296, 375, 389
Diaphania nitidalis, 893
Diapheromera femorata, 587
Diatraea saccharalis, 799, 1122
Diazinon, corn rootworm beetle resistance to, 296
dissipation of residues in wheat, 996
effect on house fly fecundity, longevity, and food intake, 59
grain protectant against *Sitophilus oryzae*, 410
humidity effect on volatilization of residues, 242
interference on bioassay of Bidrin, 844
stability of, 841
Diazinon against: alfalfa weevil, 34, 529, 941
apple insects, 768
bermudagrass mite, 783
Blattella, 873
cabbage maggot, 948
carrot rust fly, 424
cereal leaf beetle, 43
clover seed weevil, 859
corn pests, 138
face fly, 40, 675
German cockroach, 957, 1049
grasshoppers, 1048
green peach aphid, 224, 1128
Hippelates gnats, 655
house flies, 840, 1048
little house fly, 705
onion maggot, 1076
oriental rat flea, 85
root maggot, 1013
seed-corn maggot, 370
sheep ked, 37
southern corn rootworm, 639
stable fly, 685
sweetclover weevil, 989
ticks, 1131
tobacco flea beetle, 224, 731
Diazinon-resistant *Blattella germanica*, 872
Diazinon+methoxychlor against alfalfa weevil, 942
Diazoxon, uptake and toxicity for large milkweed bug eggs, 614
Dibrachys cavus, 68
Dibrom, humidity effect on volatilization of residues, 243
Dicapthon against: green peach aphid, 1128
little house fly, 705
Dichlorvos, interference on bioassay of Bidrin, 844
stability of, 841
uptake and toxicity for large milkweed bug eggs, 614
Dichlorvos against: alfalfa weevil, 529
house fly, 291, 840
sheep ked, 38
stable fly, 685
two-spotted spider mite, 1091
Dichlorvos resin strips for control of cockroach, 570
Dicofol, honey bee repellent, 1101
Dicofol against: *Tetranychus cinnabarinus*, 1108
two-spotted spider mite, 1091
Dicofol+tetrasul against two-spotted spider mite, 1092
Dicymolomia julianalis, 864
Dieldrin, fate of in insects, 849
fly resistance to, 74
honey bee repellent, 1101
interference on bioassay of Bidrin, 844
recovery from cucumbers and alfalfa grown in aldrin- or heptachlor-treated soil, 745
residues in soil, 1027
resistance in spotted root maggot, 609
stability of, 841
translocation into peach seedlings, 632
Dieldrin against: alfalfa weevil, 34, 529
Argentine ant, 430
army cutworm, 419
black vine weevil, 116
boll weevils, 360
cabbage maggot, 948
cereal leaf beetle, 43
corn earworm, 112
face flies, 675
German cockroach, 47
grasshoppers, 77, 1048
house fly, 112, 840
Hypera, 483
onion maggot, 1076
plum curculio, 1117
rangeland grasshoppers, 559
seed-corn maggot, 370
sheep ked, 37
Sitka-spruce weevil, 572
southern armyworm, 112
stable fly, 794
sweetclover weevil, 989
white-fringed beetles, 896
Dieldrin effect on: house fly fecundity, longevity, and food intake, 59
two-spotted spider mite by tree-trunk injection, 633
Dieldrin-resistant spotted root maggot, 824
Dieldrin-DDT against: boll weevil, 693
bollworm, 693
pink bollworm, 693
Diets, artificial, for rearing *Heliothis zea* larvae, 1163
Differential grasshoppers, parthenogensis in, 173
Diglyphus websteri, 443
Dikrella cruentata, 586
Dilan, honey bee repellent, 1101
Dilan against: clover seed weevil, 858
hog louse, 378
house flies, 840
ticks, 1131
Dimetan against stored-grain pests, 20
Dimethoate, absence in milk after application to cattle, 155
affected by light and humidity in cotton, 415
effects on two-spotted spider mite by tree-trunk injection, 632
in soils and toxicity to *Drosophila melanogaster*, 106
interference on bioassay of Bidrin, 844
recovery in celery extracts, 844
stability of, 841
translocation into peach seedlings, 632
Dimethoate against: alfalfa weevil, 529, 942
aster yellows virus, 136
blow flies, 774
boll weevils, 360
cabbage insects, 28, 948
clearwinged cottonwood leaf aphid, 818
clover seed weevil, 859
corn earworm, 207
Douglas-fir insects, 1020

European red mite, 812
face fly, 40, 675
grasshoppers, 78
green peach aphid, 1128
house flies, 840
little house fly, 705
lygus bugs, 125
oriental rat flea, 84
prune-tree aphids, 750
seed-corn maggot, 370
Sitka-spruce weevil, 572
stable fly, 683
sweetclover weevil, 989
two-spotted spider mite, 1091
western flower thrips, 793
Dimetilan, detoxication in cockroaches and house flies, 403
effect on house fly fecundity, longevity, and food intake, 59
uptake and toxicity for large milkweed bug eggs, 614
Dimetilan against: face fly, 40, 104, 675
little house fly, 705
stored-grain pests, 20
Dimite against: *Culex tarsalis*, 1064
two-spotted spider mite, 1091
Dimmockia incongrua, 68
Dinocap against: European red mite, 812
hymenopterous parasites and coccinellid predators, 295
Dioxathion against: alfalfa weevil, 941
clover seed weevil, 858
European red mite, 812
face flies, 675
house flies, 840
oystershell scale, 674
sheep ked, 37
Tetranychus cinnabarinus, 1108
ticks, 1131
Diprion similis, 465
Diptera, 480, 578
maintaining, 1023
Dipterous pests of cattle, *Bacillus thuringiensis* against, 363
Disbudding, effects on maples, 23
Discomyza maculipennis, 479
Disulfoton against: cotton thrips, 1120
Hessian fly, 1083
Di-Syston, effects on green peach aphid, 80
interference on bioassay of Bidrin, 844
metabolism of, 249
stability of, 841
uptake by cotton plant, 349
Di-Syston against: alfalfa weevil, 34
aster yellows virus, 136
cabbage maggot, 948
clearwinged cottonwood leaf aphid, 818
corn pests, 138
cotton insects, 666, 747
house flies, 840
pea aphid, 763
prune-tree aphids, 750
rice water weevil, 1054
seed-corn maggot, 370
southern corn rootworm, 639
thrips on cotton, 364
tobacco flea beetle, 730
western flower thrips, 793
DMSO, translocation of insecticides into leaves of peach seedlings by, 632
DN-111 against hymenopterous parasites and coccinellid predators, 295
Douglas fir, insecticide test to control insects against, 1020
Douglas-fir beetle, delayed emergence of, 440
Dow ET-15 against: oriental rat flea, 86
stored-grain pests, 19
two-spotted spider mite, 1093
Dowco 169 against prune-tree aphids, 750
Dri-die against alfalfa weevil, 941
Dri-die+Guthion against alfalfa weevil, 942
Dri-die+malathion+methoxychlor against alfalfa weevil, 942
Drosophila, control of *Histiostoma* in cultures, 156
Drosophila melanogaster, 156, 389, 745, 839, 850
toxicity of phorate and dimethoate to, 106
toxicity to of phorate-treated soils, 491
Drosophila sp., 869, 1028
Drosophilidae, 480
Dursban, laboratory tests with, 1043
Dursban against: American cockroach, 1050
brown-banded cockroach, 1050
German cockroach, 1049
grasshoppers, 1048
house fly, 1047
stored-grain insects, 1048
Du-Ter against tobacco flea beetle, 730
Dyed waters, oviposition sites to *Culex tritaeniorhynchus*, 1172

Eastern: subterranean termite response from *Lenzites*-invaded wood, 420
tent caterpillar, natural control of, 66
Egg mortality of omnivorous leaf roller, 1168
Egging receptacles for tephritid flies, 177
Eggs, tonnel residues in, 1160
Egyptian cotton leafworm, susceptibility to insecticides, 93
E. I.: 18706 against green peach aphid, 1128
43064 against aster yellows virus, 136
47031 against aster yellows virus, 136
47772 against cotton insects, 666
Ekatin against *Tetranychus cinnabarinus*, 1106
Elasmopalpus lignosellus, 779, 1156
Electron affinity of benzene hexachloride isomers, 1164
Electronic counting apparatus for use in olfactometers, 1166
Electrostatic duster, evaluation of, 71
Elm spanworm: instars, 629
Telenomus an egg parasite of, 702
Empoasca decipiens, 210
fabae, 147, 435, 623, 681
fasciata, 210
Encarsia lutea on bollworm and cabbage looper, 1148
Endasys subclavatus, 926
Endomychidae, 578
Endoparasitic wasps, marking with P^{32}, 278
Endosulfan, as seed rice treatment, 354
granular, residues on Coastal bermudagrass when treated with, 160
interference on bioassay of Bidrin, 844
metabolism in house fly, 286
oxidation product of, 356
stability of, 841
translocation into peach seedlings, 632
weight loss for humidities, 1037
Endosulfan against: army cutworm, 419
cabbage insects, 28
clover seed weevil, 858
corn earworm, 207
green peach aphid, 1128
house flies, 840
Sitka-spruce weevil, 574
spittlebug, 277
stored-grain pests, 20
sugarcane borer, 1123
tobacco flea beetle, 731
Endrin, granular formulations on control of European corn borer, 1060
interference on bioassay of Bidrin, 844
stability of, 841
Swiss albino mice response to injection of, 178
weight loss for humidities, 1037
Endrin against: alfalfa weevil, 34, 528
army cutworm, 419
black vine weevil, 116
boll weevils, 360
cabbage insects, 28
cereal leaf beetle, 43
clover seed weevil, 858
green peach aphid, 1128
house flies, 840
Hypera, 482
onion maggot, 1076
plum curculio, 336
spittlebug, 277
tobacco flea beetle, 731
Endrin-methyl parathion against cotton insects, 1125
English grain aphid, effect on triumph wheat yield, 778
Ennomos subsignarius, 629
Telenomus an egg parasite of, 702
ENT 22,335 against two-spotted spider mite, 1093
Entomophthora aphidis, 1021
fresenii, 1021
Environment chambers, controlled, 236
Eotetranychus yumensis on citrus, 534
Ephestia cautella, 552
elutella, 552
Ephydridae, 480
Epicauta pestifera, 1046
Epilachna varivestis, 112
Epitrimerus pyri, 973
Epitrix hirtipennis, 224, 730
EPN against: alfalfa weevil, 527
Blattella, 873
house flies, 840
two-spotted spider mite, 1093
Eradex against fly droppings, 204
Ereynetidae, 1163
Ereynetoides nr. *scutulis*, 1163
Eriosoma lanigerum, 634
Errata, 1037
Erythroneura comes, 114
elegantula, 586
Esterases in parathion poisoning of large milkweed bug eggs, 188
Estigmene acrea, 666, 881
Ethion, weight loss for humidities, 1037
Ethion against: *Hippelates* gnats, 655
house flies, 840
onion maggot, 1076
two-spotted spider mite, 1091
Ethyl Guthion against: alfalfa weevil, 527
cotton insects, 666
Hippelates gnats, 657
stored-grain pests, 19

Ethylene dibromide, susceptibility of *Tribolium* to, 551
Ethylenimine derivatives, chemosterilization of house flies with, 699
Euceros spp., 926
Eucoilidea sp., 443
Eucosma monitorana, 1033
sp. larvae, from cones of *Pinus resinosa*, 1033
Euexorista futilis, 68
Eupelmella vesicularis, 1167
Eupelmus cyaniceps, 68
cyaniceps amicus, 864
c. cyaniceps, 864
European corn borer, against field corn, 932
1-bromochlordene residues against, 371
flight and oviposition, 300
granular endrin on control of, 1060
temperature and development of, 344
European red mite control with summer acaricides, 811
Eurotoma pini, 864
Eurytoma pigra, 1167
sp., 1167
Euscepes postfasciatus, 1088
Eusisyropa virilis, 864
Euxesta notata, 824
DDT resistance in, 608
sp., 523
Evarthrus sodalis, 587
Exenterus canadensis, 925
Exosoma lusitanica, 1086
Eye-spotted bud moth, pupal development limitation, 359

Face fly, comparative susceptibility of, 674
control on beef cattle, 379
habits, 711
illumination effect on life cycle, 368
marking for dispersal studies, 584
oviposition studies, 716
propagation of *Nasonia vitripennis* on, 159
ronnel against, 836
transmission of *Moraxella bovis* by, 444
Face fly control by: dusting stations and self-applicatory devices, 39
self-applicating devices, 103
Fall armyworm, apholate and tepa as chemosterilants for, 883
larvae, uptake of Telodrin, 87
Famophos against: blow flies, 774
cattle grubs, 773
oriental rat flea, 84
Famphur, uptake and toxicity for large milkweed bug eggs, 614
Fannia canicularius, 308, 498, 704, 709
femoralis, 498
pusio, 203
sp., 697
Fatty acids, toxicity to house fly larvae, 400
Feed mills, insects found in, 578
Feeding tests of aphid predators, 1169
Fenthion against: cattle grubs, 773
clearwinged cottonwood leaf aphid, 818
face fly, 40, 104
German cockroach, 957
house flies, 840
little house fly, 705
oriental rat flea, 84
oystershell scale, 673
prune-tree aphids, 750
southern corn rootworm, 639
stored-grain pests, 20
ticks, 1131
Field collecting mass numbers of insects, equipment for, 949
Field corn, affected by European corn borer, 932
granular endrin control of European corn borer on, 1060
Fir engraver beetle, mortality factors of, 1162
Flies, controlled by Ciodrin, 910
immobilizing by chilling, 379
sampler for immature, 697
sterile, melon fly eradication by, 519
tephritid, egging receptacles for, 177
5-fluoroorotic acid effect on house fly, 888
control costs, 306
control on cattle by mist spray Ciodrin, 815
larvae droppings from chicks, toxicity to, 203
populations, sticky fly tapes used for sampling, 497
Food plants, effect on migratory grasshopper, 475
Formicidae, 480
Frankliniella exiguia, 746
fusca, 746, 1118
occidentalis, 793, 1013
sp., 148, 349, 357, 364
tritici, 746, 1118
Fruit fly, and parasites, gamma radiation effect on, 1169
identifying dye-marked, 374
Sesbania as host, 796
Fumigants against snails, 690
Fumigation, equipment for silo bins, 1011
of imported vegetables, 1086
time-temperature effects on, 611
FW-152 against two-spotted spider mite, 1094

Galerucella xanthomelaena, 164
Galleria mellonella, 1043
Gamma irradiation: confining confused flour beetles in gelatin capsules for, 175
effect on *Hippelates pusio*, 555
of fruit flies and fruit fly parasites, 1169
of omnivorous leaf roller, 1168
preconditioning of confused flour beetles prior to, 179
Ganaspidium pusillae, 443
sp., 442
Gastrophysa cyanea, 792
sp., 164
General Chemical (See GC)
GC: 876 against two-spotted spider mite, 1094
3582 against stored-grain pests, 19
3583 against stored-grain pests, 19
GC 3707 against: alfalfa weevil, 527
Blattella, 873
green peach aphid, 1129
stored-grain pests, 19
GC 4072 against: cabbage maggot, 948
Hippelates gnats, 657
prune-tree aphids, 750
southern corn rootworm, 639
stored-grain pests, 19
Geigy 13005 against oystershell scale, 673
Geigy G-27202 against oriental rat flea, 86
Gelatin capsules, confining confused flour beetles in for gamma irradiation, 175
Gelechiidae, 480, 578
Gelis tenellus, 67
Genetic studies on effects of Ruelene, 511
Genite 923 against: hymenopterous parasites and coccinellid predators, 295
mites on apples, 336
Geocorus spp., 950
German cockroach, activity of malathion-poisoned, 580
dichlorvos in resin strips for control of, 570
water loss in malathion-intoxicated, 162
German cockroach resistance: of a Hawaiian strain, 46
to organophosphates, 956
Gibbium psylloides, 864
Goniozus indicus, parasite of sugarcane borer, 799
Grain elevators, insects found in, 578
Grain protectant, diazinon against *Sitophilus oryzae*, 410
Granary weevil, hydrogen phosphide toxicity to, 324
in wheat, 979
Granular applicator, metering, 121
Grapes, black vine weevil control on, 115
Graphognathus leucoloma fecundus, 896
Grapholitha conversana, 863
molesta, 229
Grasshoppers, cholesterol analog utilization by, 1015
control, insecticides for, 77
rangeland, aerial spraying for control of, 559
Gray garden slug, control of with carbamate molluscicide, 158
Green peach aphid, distribution in seed-potato areas, 150
effects of insecticides on, 79
insecticides in soil against, 224
GS-12968 against seed-corn maggot, 370
GS 13005 against: rice water weevil, 1054
seed-corn maggot, 370
tobacco flea beetle, 730
Guinea pigs, insecticides in against oriental rat flea, 83
Guthion, applied by aircraft against boll weevil, 414
effects on two-spotted spider mite by tree-trunk injection, 633
translocation into peach seedlings, 632
Guthion against: alfalfa weevil, 34, 527, 941
apple insects, 768
boll weevils, 360
cereal leaf beetle, 43
clover seed weevil, 859
corn earworm, 207
cotton insects, 666
European red mite, 812
face fly, 40
Hippelates gnats, 654
house flies, 840
Hypera, 482
oystershell scale, 673
pear psylla, 172
Sitka-spruce weevil, 572
spittlebug, 277
sweetclover weevil, 989
tobacco flea beetle, 730

Guthion+DDT against boll weevils, 361
Guthion-Ethyl Guthion against: cotton insects, 667
thrips on cotton, 365
Guthoxon, uptake and toxicity for large milkweed bug eggs, 614
Gyplure masked by impurities, 370
Gypsy moth, evaluation of chemosterilants against, 649

H^3-dimethoate in insects, 831
H^3-ethyl parathion, synthesis of, 1025
Habrocytus cupreus, 1167
sp., 1167
thyridopterigis, 68, 864
Haematobia irritans, 197, 363, 379 (twice), 776, 815, 836, 910, 922, 1018
Haematopinus suis, control of, 378
Halticoptera patellana, 442
Haplomyza sp., 442
Haplozetidae, 1163
Harpalus pennsylvanicus, 587
Harvester ant, biological activities of, 484
Heel fly, control by Ruelene, 1
Heliothis larvae, seasonal occurrence on cotton, 1152
phloxiphaga, 523
Heliothis spp., 517
evaluation of organotin compounds against, 583
Heliothis virescens, 249, 516, 523, 525, 693, 732, 870, 881, 1003, 1124, 1153
dosage-mortality data on, 14
sex attractants of, 1023
Heliothis zea, 112, 207, 249, 378, 516, 523, 525, 651, 658, 732, 746, 869, 870, 881, 990, 1003, 1030, 1033, 1051, 1060, 1076, 1124, 1148, 1152, 1157, 1170
dosage-mortality data on, 14
sex attractants of, 1023
Heliothis zea larvae, comparison of diets for rearing, 1163
Hemerobius angustus, 973
Hemiptera, flight range of, 1004
Hemisarcoptes malus, 673
Hen eggs, insecticide residues in, 904
Heptachlor, as seed rice treatment, 355
residues in soil, 1027
translocation in soybeans, 161
Heptachlor against: alfalfa weevil, 34, 527
Argentine ant, 430
house flies, 840
Hypera, 482
onion maggot, 1076
Sitka-spruce weevil, 572
sweetclover weevil, 989
white-fringed beetles, 896
Heptachlor epoxide, against house flies, 840
interference on bioassay of Bidrin, 844
recovery from cucumbers and alfalfa grown in aldrin- or heptachlor-treated soil, 745
stability of, 841
weight loss for humidities, 1037
Heptachlor-treated soil, cucumbers and alfalfa grown in, 742
Heraeus plebejus, 1005
Hercules 3895 against stored-grain pests, 19
Hercules 5727, against stable fly, 686
effect on house fly fecundity, longevity, and food intake, 59
Hessian fly control, 1083
Heterographis morrisonella, 1110
Heteroptera, 1031
Hibiscus, Atomacera decepta pest of, 161
Hibiscus syriacus, boll weevil feeding deterrent from, 985
Hippelates collusor, 654
hermsi, 654
pusio, gamma radiation effect on, 555
Hippelates gnats, organophosphates for control of, 654
Hippodamia ambigua, 1172
convergens, 1172
spp., 750, 1044
Histeridae, 578
Histiostoma genetica, 156
laboratorium, control of in *Drosophila*, 156
Hoechst: 2813 against rice water weevil, 1054
2836 against two-spotted spider mite, 1092
Hog louse control, 378
Hoja blanca virus, vection of, 539
Holcomb 326 against two-spotted spider mite, 1094
Honey bee, attractants and repellents, 1094
drugs in larval food of, 878
effects of mite control measures on, 481
resistance studies on, 990
set of cantaloups by, 968
Hooker: HRS 1422 against house fly, 291
HRS 1635 against alfalfa weevil, 941
HRS 1654 against European red mite, 812
HRS 1671 against alfalfa weevil, 941
Hormisca tatianae, 1112
Horn fly, ronnel against, 836
Host plants, response of insects to water extracts of, 164
Host specificity of *Heterographis fulvobasella*, 1110
House fly, apholate against, 944
chemosterilization of, 669, 699, 1079
competition between DDT-resistant and susceptible, 584
compounds causing sterility in, 446
control of, 291, 379
effects of apholate on, 157
endosulfan metabolism in, 286
evaluating potency of chemosterilants against, 796
5-fluoroorotic acid effect on, 888
hydroxylation as a factor in resistance in, 74
parathion and malathion as substitutes against, 953
purification and stereospecificity of enzymes, 602
reserpine effects on, 782
serology of, 1070
synergism of carbamates on, 451
temperature effects of synergized carbamates on, 513
House fly adenosine triphosphatases and their inhibition, 392
House fly detoxication: and synergism of Bidrin in, 845
of dimetilan to, 403
House fly fecundity, carbamate effects on, 58
House fly larvae, toxicity of fatty acids to, 400
HRS (See Hooker)
Human populations, attractiveness to mosquitoes, 694
Humidity volatilization of insecticides, 1037
Hyalopterus pruni, 750
Hydrocyanic acid, susceptibility of *Tribolium* to, 551
Hydrogen cyanide, effects of oxygen and synergists on, 643
Hydrogen phosphide toxicity to granary weevil, 324
Hydroxylation as a resistance factor in flies, 74
Hylemya, testing for insecticide resistance, 719
Hylemya antiqua, 719, 1074
response to hydrolized proteins, 425
Hylemya brassicae, 163, 719
control on radish, 947
Hylemya cilicrura, 369
liturata, seed treatment for control of, 1012
Hymenolepis diminuta, 479
nana, 479
Hymenoptera, 480, 578, 586
Hymenopterous parasites, pesticide repellent effects, 294
Hypera brunneipennis, 950
meles, 481
nigrirostris, 481
Hypera postica, 34, 245, 372, 527, 1154, 1161
control of in New York, 940
Hypoderma bovis, 1
lineatum, 1, 51, 1017
spp., 361, 773, 836, 1017
Hyposoter fugitivus fugitivus, 67
Hysteroneura setariae, 750

Ichneumonidae, 578
Igepal against alfalfa weevil, 941
Imidan, degradation in soils, 875
fate of in a steer, 51
hydrolysis of, 875
Imidan against: alfalfa weevil, 34, 527, 941
black vine weevil, 116
boll weevil, 693
bollworm, 693
cattle grubs, 773
clover seed weevil, 859
face fly, 40
oystershell scale, 673
pink bollworm, 693
plum curculio, 1116
stored-grain pests, 19
Tetranychus cinnabarinus, 1108
ticks, 1131
two-spotted spider mite, 1091
Imidazole against stored-grain pests, 21
Imidoxon, hydrolysis of, 875
Imported cabbage worm, feeding damage and control on cabbage, 28
Imported vegetable fumigation, 1086
Indian-meal moth, sound inhibition of reproduction of, 920
Inostemma lintneri, 166
Insect sampler, portable suction, 791
Insecticide applicator, low-volume aerosol, 780
Insecticides, evaluation of animal systemic, 773
IPC, temperature effects of on house flies, 514
Iphiseius degenerans, 282
Ips confusus, lindane against, 994
Iridomyrmex humilis, 428
Irregular pine scale, biology of, 727
control of, 1102
Isobenzan against green peach aphid, 1128

Isodrin against: house flies, 840
oriental rat flea, 86
Isolan, effect on house fly fecundity, longevity, and food intake, 59
interference on bioassay of Bidrin, 844
recovery in celery extracts, 844
stability of, 841
Isolan against: green peach aphid, 224
house flies, 840
stored-grain pests, 19
tobacco flea beetle, 224
Isopropyl parathion, insecticidal action of, 143
Itoplectis conquisitor, 68, 864
Ixodes affinis, new record of, 369
ricinus scapularis, 1130

Jasmolin II, isolation from pyrethrum, 548

Kelthane, effects on two-spotted spider mite by tree-trunk injection, 633
response of mites to, 466
translocation into peach seedlings, 632
Kelthane against: Banks grass mite, 533
European red mite, 812
Histiostoma laboratorium, 156
hymenopterous parasites and coccinellid predators, 295
tobacco flea beetle, 730
Kepone, effect on reproduction of mouse, 754
Kepone against: alfalfa weevil, 527
cabbage insects, 28
carpet beetle larvae, 916
corn pests, 138
German cockroach, 47
rice water weevil, 1054
stored-grain pests, 19
Khapra beetle larvae, reactions of, 212

Labrorychus analis, 68
Lachesilla pedicularia, 389
Lamachus spp., 925
Lambdina fiscellaria lugubrosa, 1006
Lampetia equestris, 1086
Lampides boeticus, 796
Lamprotorma sp., 1168
Laphygma frugiperda, 87, 869
Large milkweed bug, esterases in parathion poisoning of eggs, 188
eggs, uptake and toxicity of organophosphates relation for, 614
Lathridiidae, 578
Lead arsenate, retention on apples, 272
Lead arsenate against: apple insects, 768
mites on apples, 336
oystershell scale, 673
Leaf-cutter bee, induction of emergence in, 284
sex ratios in, 965
Leafhopper, cotton resistance to, 209
Leaf miner, *Liriomyza munda*, parasitism of, 442
Lema trilineata, 42
Lenzites trabea, response of eastern subterranean termite to, 420
Lepidoptera, 480, 578, 1110
plant resistance to on cotton, 516
Lepidopterous cotton insects, seasonal abundance of, 880
Lepidopterous larvae, vacuum-pencil technique for manipulating, 785
Lepidosaphes ulmi, 672
Lepismatidae, 480
Leptinotarsa decemlineata, 42, 831, 1044
Leptocoris trivittatus, 1044
Leptoglossus corculus, 1005
Lespesia frenchii, 68
Lesser clover leaf weevil control on crimson clover, 481
Lesser cornstalk borer, life history of, 1156
parasites of, 779
Lettuce, aster yellows control in, 135
Leucinodes orbonalis, biology and control of, 448
Leucophaea maderae, 389
Life history of: *Heterographis fulvobasella*, 1110
lesser cornstalk borer, 1156
Telenomus alsophilae, 702
three-cornered alfalfa hopper, 1057
Life history stages of pear psylla, susceptibility of, 456
Light trap, for moths, 1000
walk-in, 1010
Light-trap collecting, sample-changing device for, 170
Lima beans, lygus bugs on, 124
seed-corn maggot control in, 369
Limothrips cerealium, 746
Lindane, humidity effect on volatilization of residues, 242
interference on bioassay of Bidrin, 844
residues on alfalfa and in milk, 218
stability of, 841
translocation into peach seedlings, 632
Lindane against: alfalfa weevil, 942
carrot rust fly, 424
cereal leaf beetle, 43
face flies, 675
German cockroach, 47
house flies, 840, 1049
Ips confusus, 994
onion maggot, 1076
rice water weevil, 1055
seed-corn maggot, 370
stored-grain insects, 1048
Lindorus lophanthae, 294
Lipelmus atropurpureus, 1167
Liposcelidae, 578
Liriomyza munda, parasitism of, 442
spp., 950
Lissorhoptrus oryzophilus, 1053
Little house fly larvae, control of, 704
toxicity of droppings from coumaphos-fed hens to, 709
Livestock, tick control on, 1131
Lobopoda spp., 925
Lodgepole needle miner, aerial sprays on parasites of, 226
Bacillus thuringiensis against, 1005
Louisiana red crawfish, toxicity to pesticides, 958
Lucilia cuprina, 380, 1023
LVC sprayer, 1050
Lygus bugs on lima beans, 124
Lygus elisus, 124
hesperus, 124, 148, 950, 1170
lineolaris, 1044
lineolaris, flight range of, 1004

Macrosiphum avenae, 778
euphorbiae, 151
rosae, 113
Macrosteles fascifrons, 135, 538
Malacosoma americanum, 66, 1008
disstria, nuclear-polyhedrosis virus against, 1008
pluviale, 67, 1008
Malathion, absence in milk after application to cattle, 155
aircraft applied, 414, 1170
honey bee repellent, 1101
spray pattern with spray-deposit assessment cards, 1159
substitute against house fly and mosquito, 953
synergism in spider mites, 312
translocation into peach seedlings, 632
uptake and toxicity for large milkweed bug eggs, 619
Malathion against: alfalfa weevil, 527
apple insects, 768
aster yellows virus, 136
Blatella, 873
boll weevils, 360
carrot rust fly, 424
cereal leaf beetle, 12, 43
clover seed weevil, 859
face fly, 40, 104, 379, 675
German cockroach, 47, 957, 1049
green peach aphid, 1128
horn fly, 379
house flies, 840, 1048
Hypera, 482
little house fly, 705
lygus bugs, 125
northern fowl mite, 1117
onion maggot, 1076
oriental rat flea, 86
rangeland grasshoppers, 559
Saratoga spittlebug, 942
sheep ked, 37
Sitka-spruce weevil, 572
spittlebug, 277
stable fly, 794
stored-grain pests, 19, 1048
sweetclover weevil, 989
Tetranychus cinnabarinus, 1108
ticks, 1131
Malathion-intoxicated German cockroaches, water loss in, 162
Malathion-poisoned cockroaches, activity of, 580
Malathion-resistant *Blattella germanica*, 872
Malathion+Guthion against alfalfa weevil, 942
Malathion+methoxychlor against alfalfa weevil, 942
Mallophaga, 8
Mango, tepa-sterilized Mexican fruit fly in grove, 26
Mansonia fuscopennata, 469
Maples, effects of disbudding on, 23
Maruca testulalis, 796
Mastrus aciculatus, 926
Mayetiola destructor, 1083
Mealybug, *Pipersia oryzae*, control of, 621
Meat, flavor evaluations of from Ruelene-treated animals, 169
Medicago carstiensis, 246
falcata, 246
globosa, 246
intertexta, 246
murex var. *sorentinii*, 246
polymorpha, 246
sativa var. *gaetula*, 245
sp., resistance to oviposition by alfalfa weevil, 245
tornata, 246
Mediterranean fruit fly, chemosterilants against, 682
Megachile (Litomegachile) mendica, 1030
Megachile rotundata, induction of emergence in, 284
sex ratios in, 965

Megachile sp., 969
(Litomegachile) texana, 1030
Megalotomus quinquespinosus, 1005
Megastigmus spermotrophus, 1021
M. E. Guthion against alfalfa weevil, 527
Melanophthalma (M.) distinguenda, 68
(M.) pumila, 68
Melanoplus bivittatus, 78, 1016
infantilis, 78, 561
sanguinipes, 78, 475, 561
sp., 78, 1044
Melissodes comptoides, 63
sp., 969, 1029
Melon fly, chemosterilants against, 682
eradication by sterile flies, 519
Melophagus ovinus, 37
Menacanthus stramineus, attractiveness of poultry to, 8
Menazon against: cattle grubs, 773
fly larvae, 204
Meridic diet, rearing cabbage looper on, 377
Merphos, synergistic insecticides, 1158
Mesostigmata, 1163
Metabolism of benzene hexachloride isomers, 383, 602
Metacide against two-spotted spider mite, 1094
Metaisosystox against *Tetranychus cinnabarinus*, 1106
Metaphycus luteolus, 295
Meta-Systox-R against: clearwinged cottonwood leaf aphid, 818
corn pests, 138
Douglas-fir insects, 1020
oriental rat flea, 85
prune-tree aphids, 750
Sitka-spruce weevil, 572
Metator pardalinus, 78
Meteorus hyphantriae, 68
pinifoliae, 226
Metepa, house fly chemosterilization with, 701
pink bollworm sterilization with, 1018
Metepa against: gypsy moth, 650
house fly, 1079
Methocel MC-4000 against cabbage insects, 28
Methods and procedures: *Aedes* resistance to DDT substitutes, 256
aerial spray effect on parasites of lodgepole needle miner, 226
aerial spraying against rangeland grasshoppers, 560
aldrin residues in soils, 267
alfalfa resistance to potato leafhopper, 435
alfalfa screening against insects, 148
alfalfa weevil, control, 34, 527, 940
alfalfa weevil, improved laboratory storage methods, 1161
alkali bee, soil moisture effects on prepupae, 472
Amer. Cyan. CL-47031 effect on boll weevil, 790
Angoumois grain moth development, 220
Anopheles, swarming of, 822
aphid control on prune trees, 749
aphid resistance in alfalfa, 140
aphids on yellows-infested asters, 538
apholate and related chemicals, properties of, 929
apholate effects on house flies, 157
apple insects control, 767
apple maggot, artificial diets for, 542
apple maggot, culturing of, 1056
Argentine ant control on citrus, 429
army cutworm control on wheat, 418
aster yellows control, 135
Bacillus thuringiensis on apples, 1145
bagworm, natural control of, 863
benzene hexachloride against black turpentine beetle, 358
benzene hexachloride isomers, 1164
benzene hexachloride isomers, metabolism of, 383, 602
benzene hexachloride translocation in rice, 333
Bidrin, activity in cotton, 200
Bidrin, detoxication and synergism of, 847
biology of *Oligonychus platani*, 687
black vine weevil control on grapes, 115
Blattella germanica, cross resistance in, 872
boll weevil, cottonseed-meal diet for, 867
boll weevil, diapause and hibernation, 309
boll weevil, eggs, implanting in cotton squares, 367
boll weevil, eradication by sterile male release, 127
boll weevil, feeding deterrent, 986
boll weevil, insecticides against, 693
boll weevil, marking field populations, 1035
boll weevil, population estimation, 758
boll weevil, radiophosphorus in, 119
bollworm and budworm, dosage-mortality data on, 14
bollworm and tobacco budworm, host specific strains of, 525
bollworm, control on cotton, 1030
bollworm, insecticides against, 693
bollworm, resistance to insecticides, 733
1-bromochlordene against European corn borer, 371
cabbage loopers and imported cabbageworms on cabbage, 28
cabbage loopers, chemosterilants and fertility of, 635
cabbage maggot control on radish, 947
cabbage maggot resistance to aldrin, 163
carbon dioxide production of stored-product insects, 661
carpet beetle larvae, Kepone and Mirex against, 917
carrot rust fly, toxicity of insecticides to, 423
cattle grubs, coumaphos against, 1017
cereal leaf beetle control, 11, 42
Chaoborus punctipennis as pest in drinking water, 903
chemosterilants, apholate and tepa, of plum curculio, 802
chemosterilization by aerosols, 67–8
chicken body louse, attractiveness of poultry to, 9
chlorinated hydrocarbon insecticide residues in soils, 1026
Chrysopa larvae diet, 999
citrus red mite, noninclusion virus against, 1136
clearwinged cottonwood leaf aphid control, 818
coccinellid predators, pesticide repellent effects, 294
confused flour beetles, confining in gelatin capsules for gamma irradiation, 175
confused flour beetles, preconditioning prior to gamma irradiation, 179
corn earworm control in sorghum, 207
corn pest control, 137
cotton insects, insecticide applications for, 1124
cotton insects, systemics against, 666
cotton resistance to insects, 210
coumaphos and trichlorfon sprays against cattle lice, 585
coumaphos salt mixtures effect on cattle and parasites, 197
cucumbers and alfalfa grown in aldrin- or heptachlor-treated soil, 742
DDT and heptachlor translocation in soybeans, 162
DDT effectiveness against smaller European elm bark beetle, 165
DDT resistance in *Culex tarsalis*, 1064
DDT resistance in spotted root maggot, 608
diazinon against *Sitophilus oryzae*, 410
diazinon residue dissipation in wheat, 996
dichlorvos in resin strips for control of cockroach, 570
Dieldrin fate in insects, 850
dimethoate affected by light and humidity in cotton, 416
dimetilan detoxication in cockroaches and house flies, 403
disbudding effects on maples, 23
Di-Syston, metabolism of, 249
Di-Syston uptake by cotton, 349
douglas fir, insecticide test to control insects against, 1020
Drosophila, toxicity of phorate-treated soils to, 491
Drosophila melanogaster, toxicity of phorate and dimethoate to, 106
Dursban laboratory tests, 1043
eastern subterranean termite response to attractant, 421
eastern tent caterpillar, natural control of, 67
Egyptian cotton leafworm, toxicological studies on, 93
elm spanworm instars, 629
Encarsia lutea on Lepidoptera, 1148
Endoparasitic wasps, marking, 278
Endosulfan metabolism in house fly, 287
esterases in parathion poisoning of large milkweed bug eggs, 188
European corn borer against field corn, 932
European corn borer flight and oviposition, 300
European corn borer temperature and development, 345
European red mite control with summer acaricides, 811
evaluation of insecticides against stored-grain pests, 19
eye-spotted bud moth, pupal development limitation, 359
face fly comparative susceptibility, 675
face fly control with dusting stations and self-applicatory devices, 39
face fly control with self-applicating devices, 104

face fly habits, 711
face fly oviposition studies, 716
fall armyworm, chemosterilants for, 883
fir engraver beetle, mortality factors of, 1162
fly control costs, 306
fly control on cattle by Ciodrin, 815
fly larvae droppings from chicks, toxicity to, 203
food plant effect on migratory grasshopper, 475
fruit tree trunk injections against pests, 632
fumigants against snails, 691
fumigation of imported vegetables, 1086
gamma radiation effect on *Hippelates*, 556
German cockroach resistance, of a Hawaiian strain, 46
German cockroach resistance to organophosphates, 957
granary weevil in wheat, 979
granular applicator metering, 122
grasshopper control by insecticides, 78
grasshoppers, parthenogenesis in, 173
green peach aphid, insecticide effect on, 1127
green peach aphid, insecticides in soil against, 224
green peach aphid, transmission of potato virus Y, 80
gypsy moth, chemosterilants against, 649
H^3-dimethoate in insects, 831
Heliothis larvae on cotton, 1153
Heliothis zea, artificial diets for rearing, 1163
Hessian fly control, 1083
Heterographis fulvobasella, host specificity tests for, 1112
Hippelates gnats, organophosphates for control of, 654
Histiostoma control in *Drosophila* cultures, 156
hoja blanca, vection of, 540
honey bee attractants and repellents, 1095
honey bee, larval food of, 879
honey bee resistance to DDT, 990
honey bee visitors to cantaloups, 968
house fly, apholate against, 944
house fly ATPase preparation and assay, 393
house fly, chemosterilization of, 1079
house fly chemosterilization and mating behavior, 669
house fly chemosterilization with ethylenimine derivatives, 700
house fly control, 291
house fly, 5-fluoroorotic acid effect on, 888
house fly larvae, toxicity of fatty acids to, 400
house fly, parathion and malathion as substitutes against, 953
house fly serology, 1070
hydrogen phosphide toxicity to granary weevil, 325
hydroxylation as a resistance factor in flies, 74
Hylemya antiqua response to hydrolized proteins, 425
hymenopterous parasites, pesticide repellent effects, 294
illumination on life cycle of face fly, 368
Imidan degradation in soils, 875
Imidan fate in a steer, 51
Indian-meal moth, sound inhibition of reproduction of, 921
insects in stored food and food-handling areas of ships, 479
irregular pine scale biology, 728
irregular pine scale control, 1102
isopropyl parathion, insecticidal action of, 143
jasmolin II isolation from pyrethrum, 549
Kepone effect on laboratory mouse, 755
lead arsenate retention on apples, 272
leaf-cutter bee pollinator of alfalfa, 284
leaf-cutter bee, sex ratios in, 965
leaf miner parasitism, 442
Lepidoptera, resistance of cotton to, 517
lesser cornstalk borer, life history of, 1156
Leucinodes orbonalis, biology and control of, 448
lindane against *Ips confusus*, 994
little house fly larvae control, 705
Louisiana red crawfish, toxicity to of pesticides used in rice culture, 958
lygus bugs on lima beans, 124
Malacosoma disstria, nuclear-polyhedrosis virus against, 1008
malathion, spray pattern with spray-deposit assessment cards, 1159
malathion synergism in spider mites, 312
mealybug control on paddy plant, 622
Medicago sp., resistance to oviposition by alfalfa weevil, 245
melon fly eradication by sterile flies, 519
methyl bromide fumigation of *Sitophilus* and *Tribolium*, 611
milk residues, 922
mink myiasis from *Wohlfartia*, 531
mite infestations in tomatoes, 891
mite response to phosphoramidate or phosphoramidothioate, 466
miticides and insecticides against mites on apple, 336
monoterpene vapors effect on western pine beetle, 509
Moraxella bovis transmission by face fly, 444
mosquito, parathion and malathion as substitutes against, 953
native insects as alfalfa pollinators, 63
noctuids, mass-rearing of larvae, 522
noncotton hosts of boll weevil and cotton leafworm, 784
non-preference as mechanism of resistance, 566
northern corn rootworm survival through winters, 470
northern fowl mite, malathion against, 1118
O-alkyl *S*-Aryl alkylphosphonodithioates, properties of new, 735
onion maggot, toxicity of insecticides to, 1075
organophosphates, uptake and toxicity relation for large milkweed bug eggs, 614
organotin compounds against *Heliothis* spp., 583
oriental fruit fly eradication, 962
oxygen and synergists on insecticide action, 643
palm weevil attractants, 1002
parathion activation study, 500
pea aphid control with Di-Syston, 763
peach tree borer, laboratory rearing of, 228
pear psylla, natural control of, 971
pear psylla resistance to insecticides, 172
petroleum oils toxic to citrus red mite eggs, 596
photography in mite counting, 677
phytosciid mites, insectory production of, 283
pickleworm, resistance of squash to, 894
pine sawfly cocoons, candling, 587
pink bollworm competitiveness, 927
pink bollworm, insecticides against, 693
pink bollworm resistance to DDT, 590, 781
pink bollworm sterilization with metepa, 1019
plum curculio, 2 insecticides against, 1116
potato leafhopper, bunch bean resistance to, 681
potato leafhopper feeding effects, 624
queen substance effect on *Aedes*, 185
red-pine needle midge, parasites associated with, 166
rice, seed, compatibility of insecticides and fungicides for treatment of, 353
rice water weevil, ovipositional habits, 1053
ronnel against cattle insects, 836
root maggot, seed treatments for control of, 1012
Ruelene against cattle grubs, 362
Ruelene, cytological and genetic studies on effects of, 511
Ruelene for control of heel fly, 2
sawfly, insect parasite and predator studies in population, 925
screw-worm, artificial selection of adult, 645
screw-worm flies, sexual aggressiveness of male, 544
seed-corn maggot control in lima beans, 369
sheep ked control, 37
Sitka-spruce weevil control, 572
smaller European elm bark beetle, twig feeding by, 134
sod webworm, cyclodiene insecticide influence on, 586
southern corn rootworm control on peanuts, 638
southwestern corn borer eggs, incubation extension, 579
soybean yield and quality, defoliation effect on, 591
Spanogonicus host plants, 323
spider mites, chemosterilant treatment of, 99
spotted root maggot resistance to dieldrin and DDT, 825
stable fly, insecticides against, 686
stable fly mating habits, 490
stable fly resistance determination by tsetse fly kit, 794
strawberry aphid control on virus, 195
sugarcane borer resistance, 1122
sweetclover weevil susceptibility, 989

Swiss albino mice, intraperitoneal injection of Endrin in, 179
synergism of carbamates on house flies, 451
synergism of organophosphorus systemic insecticides, 1157
synergized carbamates, temperature effects of, on house flies, 514
Telenomus life history, 703
Telodrin uptake in fall armyworm, 87
tepa against Mexican fruit fly, 26
Tetranychus cinnabarinus, acaricides against, 1106
thiotepa, metabolism of, 976
three-cornered alfalfa hopper, life history and rearing techniques for, 1058
thrips and mites on potatoes, sampling, 1141
thrips effect on cotton yields, 1119
tobacco budworm resistance to insecticides, 733
tobacco flea beetle control, 730
tobacco flea beetle, insecticides in soil against, 224
tobacco hornworm decline, 771
tobacco wireworm eggs, temperature and moisture effects on, 1155
Tribolium susceptibility, 552
triphenyl tins inhibit insect reproduction, 4
Trogoderma larvae, reactions of, 213
two-spotted spider mite control, 1090
two-spotted spider mite, daily rhythm in, 468
UC-21149 against cotton pests, 746
volitilization of insecticide residues, 241
weevil control on clover, 481
western hemlock looper, tests on, 1007
wheat stem sawfly parasites, 304
Yuma spider mite on citrus, 535
Methoxychlor, honey bee repellent, 1101
Methoxychlor against: alfalfa weevil, 528, 941
cereal leaf beetle, 43
clover seed weevil, 858
face flies, 675
hog louse, 379
house flies, 840
spittlebug, 277
ticks, 1131
Methyl bromide, against snails, 690
susceptibility of *Tribolium* to, 551
Methyl bromide fumigation of: imported vegetables, 1086
Sitophilus granarius and *Tribolium confusum*, 611
Methyl demeton, effects on two-spotted spider mite by tree-trunk injection, 632
Methyl demeton against: green peach aphid, 1129
pear psylla, 634
two-spotted spider mite, 1091
Methyl mercury dicyandiamide (see MMDD)
Methyl para-oxon, against house flies, 840
stability of, 841
Methyl parathion, toxicity to Louisiana red crawfish to use of in rice culture, 959
Methyl parathion against: alfalfa weevil, 34, 529
boll weevils, 360
bollworm, 1031
cotton insects, 667
house flies, 840
Tetranychus cinnabarinus, 1108
Methyl parathion+DDT against boll weevils, 361
Methyl Trithion, effects on two-spotted spider mite by tree-trunk injection, 632
Methyl Trithion against: pear psylla, 634
stored-grain pests, 19
ticks, 1131
two-spotted spider mite, 1091
Mevinphos, effects on green peach aphid, 80
interference on bioassay of Bidrin, 844
recovery in celery extracts, 844
residual toxicity of SD 9129 to two-spotted spider mite, 659
stability of, 841
Mevinphos against: alfalfa weevil, 527
cabbage insects, 28
cereal leaf beetle, 43
corn earworm, 207
house flies, 840
spittlebug, 277
two-spotted spider mites, 113, 1091
Mexican fruit fly, tepa against, 26
MGK 264, used for parathion activation study, 500
Miccotrogus picirostris, 857
Microlarinus lareynii, parasites of, 1167
lypriformis, parasites of, 1167
Microphyllelus sp., 1005
Migratorius differentialis, 173
sanguinipes, 173
Migratory grasshopper, effect of food plants on, 475
parthenogenesis in, 173
Milk, absence of residues in after dimethoate and malathion application to cattle, 155
residues in, 218, 922
Mink myiasis from *Wohlfahrtia vigil*, 529
Mirex against carpet beetle larvae, 916
Miridae, 1031
Mite counting, photography in, 677
Mite populations on apple, miticides and insecticides against, 335
Mites, *Bacillus thuringiensis* against, 1144
on potatoes, sampling methods, 1141
phytoseiid, insectary production of, 282
MMDD, toxicity to Louisiana red crawfish to use of in rice culture, 959
Moniliformis moniliformis, 479
Monodontomerus minor, 68, 864
subobsoletus, 68
Monoterpene vapors, effect on western pine beetle, 509
Monsanto: CP 10502 against stored-grain pests, 19
CP-12432 against oriental rat flea, 84
CP-22258 against cattle grubs, 773
CP-40273 against cabbage insects, 28
CP-40294 against cabbage insects, 29
Moraxella bovis, transmission by face fly, 444
Morestan against: European red mite, 812
two-spotted spider mite, 1091
Mosquito, attractiveness to human populations, 694
olfactometer for study of attractants, 589
parathion and malathion as substitutes against, 953
Mouse, insecticides effects on reproduction of, 754
Moths, light trap for, 1000
Musca autumnalis, 103, 159, 197, 368, 379, 584, 711, 716, 836, 910
comparative susceptivity of, 674
Musca domestica, 4, 39, 58, 74, 143, 157, 159, 203, 286, 291, 308, 363, 389, 393, 400, 403, 446, 452, 479, 498, 501, 513, 549, 584, 658, 669, 697, 699, 776, 782, 796, 816, 831, 839, 845, 850, 888, 929, 977, 990, 1023, 1028, 1043, 1070, 1079, 1151
apholate against, 944
Muscidae, 480
Muscina stabulans, 308
Mycetophagidae, 578
Mymaridae, 586
Myodocha serripes, 1005
Myzus persicae, 224, 537, 634
insecticides against, 1127

N (See Stauffer)
Nabis americoferus, 1044
ferus, 950
Nacoleia diemenalis, light trap for, 1000
NADH2 and NADPH2, used for parathion activation study, 500
Naled, effects on two-spotted spider mite by tree-trunk injection, 633
humidity effect on volatilization of residues, 242
interference on bioassay of Bidrin, 844
stability of, 841
Naled against: alfalfa weevil, 529
Blattella, 873
cabbage insects, 28
carrot rust fly, 424
cereal leaf beetle, 43
corn earworm, 207
German cockroach, 47
house flies, 840
lygus bugs, 125
onion maggot, 1076
spittlebug, 277
ticks, 1131
Naphthalene, fly resistance to, 74
Nasonia vitripennis, propagation of on face fly, 159
Native insects as alfalfa pollinators, 63
Nellite against clearwinged cottonwood leaf aphid, 818
Nemacide against: cabbage maggot, 948
onion maggot, 1074
stored-grain pests, 19
ticks, 1131
Neodiprion excitans, 587
p. pratti, 925
virginianus, 587
Niagara 3514 against prune-tree aphids, 750
Niagara 9203 against: cabbage insects, 29
green peach aphid, 1129
tobacco flea beetle, 730
two-spotted spider mite, 1092
Niagara 9205 against cotton thrips, 1120
Niagara 10242 against: alfalfa weevil, 941
rice water weevil, 1054
seed-corn maggot, 370
Nicotine sulfate, effects on two-spotted spider mite by tree-trunk injection, 632

Nitidulidae, 480, 578
Noctuids, mass-rearing of larvae, 522
Nomia melanderi, 472
Noninclusion virus against citrus red mite, 1136
Non-preference as a mechanism of resistance, 566
Northern corn rootworm, resistance in sweet corn, 1076
  winter survival of eggs, 470
Northern fowl mite, malathion against, 1117
Notoxus calcaratus, 581
NPD against two-spotted spider mite, 1094
Nuchar against cabbage insects, 29
Nuclear-polyhedrosis virus against *Malacosoma disstria*, 1008
Nysius sp., 1005

Oak wilt, bark beetle vector of, 913
O-alkyl *S*-aryl alkylphosphonodithioates, properties of new, 734
Obituary: Arni Paul Arnason, 182
  Klaas van Asperen, 807
  Joseph Neal Crisler, 1040
  Edward Oliver Essig, 1174
  David Timmins Fullaway, 593
  Glenn Washington Herrick, 809
  Frederick George Holdaway, 594
  James Keever Holloway, 808
  Walter F. Morofsky, 805
  William Clinton Pierce, 1039
  Henry Elias Post, 1040
  Arthur Earl Pritchard, 807
  James Abram Garfield Rehn, 805
  Fred Pete Roullard, 1038
  Charles Edward Woodworth, 183
Obrussa ochrfasciella, 23
Oebalus pugnax, 961
Oedaleonotus enigma, 562
Oedocephalum sp., 1162
Olfactometer, electronic counting apparatus for use in, 1166
  for study of mosquito attractants, 589
  insect, 1027
Oligonychus platani, biology of, 687
  pratensis, 531
  pratensis, on dates, 531
Olla abdominalis, 1171
Omnivorous leaf roller, egg mortality after gamma irradiation, 1168
Oncerotrachelus acuminatus, 1005
Oncopeltus, eggs, 617
  fasciatus, 188, 614, 831
Onion maggot, toxicity of insecticides to, 1074
Onions, western flower thrips control on, 793
Opeia obscura, 78
Ophyra leucostoma, 498
Opius aridis, 443
  bruneipes, 443
  dimidiatus, 443
  longicaudatus, 143, 964
  oophilus, 964
  persulcatus, 143
  sp., 442
  suturalis, 442
Organophosphates, uptake and toxicity of relation for eggs of large milkweed bug, 614
Organophosphorus systemic insecticides, synergism of, 1157
Organotin compounds against *Heliothis* spp., 583
Orgilus n. sp., 779
Oribatulidae, 1163
Oriental fruit fly, chemosterilants against, 682
  eradication, 961
Oriental rat flea, insecticides in guinea pigs against, 83
Orius tristicolor, 950
Ornithonyssus sylviarum, 1118
Orthoperus glaber, 68
Orthoptera, 480
Orthotylus ornatus, 1005
Oryzaephilus surinamensis, 479, 552, 579, 1043
Ostomatidae, 578
Ostomidae, 480
Ostrinia nubilalis, 137, 300, 344, 389, 932, 1060
Oulema melanopa, 41, 414
  aircraft control of, 11
Ovex against: European red mite, 813
  Tetranychus cinnabarinus, 1108
Ovipositional habits of rice water weevil, 1053
OW-9 against two-spotted spider mite, 1091
Oxygen, effects on insecticide action, 642
Oystershell scale, control of, 672

P^{32}, marking endoparasitic wasps with, 278
Pacific spider mite, response to phosphoramidate or phosphoramidothioatem, 466
Paddy plant, control of mealybug on, 621
Palaeopus costicollis, 1088
Palm weevil, attractant tests, 1002
Palorus ratzeburgi, 579
Panogen as seed rice treatment, 354
Panonychus citri, 466, 595, 907, 1136
  ulmi, 335, 811, 973, 1144
Paramyelois transitella, 278
Paraolinx typica, 864
Para-oxon, effects of oxygen and synergists on, 643
  interference on bioassay of Bidrin, 844
  recovery in celery extracts, 844
  stability of, 841
  uptake and toxicity for large milkweed bug eggs, 614
  used for parathion activation study, 500
Para-oxon against: American cockroach, house flies, 840
  500
Parasarcophaga argyrostoma, 203
Paratenetus punctatus, 68
Parathion, as substitute against house fly and mosquito, 953
  effects of oxygen and synergists on, 643
  effects on green peach aphid, 80
  poisoning of eggs of large milkweed bug, 188
  residual toxicity of SD 9129 to two-spotted spider mite, 659
  translocation into peach seedlings, 632
  uptake and toxicity for large milkweed bug eggs, 614
Parathion activation enzymes, 500
Parathion against: alfalfa weevil, 34, 527
  aphids, 112
  Blattella, 873
  cabbage insects, 28, 948
  carrot rust fly, 424
  cereal leaf beetle, 43
  clover seed weevil, 859
  corn earworm, 207
  Dacus and *Opius* parasites, 144
  face flies, 675
  house flies, 840
  Mexican bean beetle, 112
  onion maggot, 1076
  plum curculio, 1117
  southern corn rootworm, 639
  spittlebug, 277
  Tetranychus cinnabarinus, 1106
  tobacco flea beetle, 731
  two-spotted spider mite, 112
Parthogenesis in grasshoppers, 173
Patasson sp., 1167
Pea aphid, control of with Di-Syston, 763
  resistance in alfalfa, 140
Peach tree borer, laboratory rearing of, 228
  notes on biology, 228
Peanut flowers, pollen-collecting activities of bees among, 1028
Peanuts, southern corn rootworm control on, 637
Pear psylla, insecticide resistance in, 172
  natural control of, 970
  susceptibility of to oil, 456
Peas, in-furrow treatments with Di-Syston, 763
Pectinophora gossypiella, 516, 590, 688, 693, 781, 881, 927, 1030, 1168
Pediculus humanus humanus, 85
Pediobius nigritarsis, parasite of wheat stem sawfly, 303
  sp., 864
Pentacora sphacelata, 1005
Pentatrichopus fragaefolii, 316
  spp., 195
Peridroma saucia, 523
Periplaneta americana, 389, 403, 500, 831, 1033, 1043
  fuliginosa, 1033
Peritrechus paludemaris, 1005
Perthane, weight loss for humidities, 1037
Perthane against: clover seed weevil, 859
  house flies, 840
  hymenopterous parasites and coccinellid predators, 295
  stored-grain pests, 19
Petroleum oils, toxicity of, 595
Phaenicia sericata, 308, 498
Phanerotoma flavitestacea, 278
Phasdon cochleariae, 549
Phenyl esters, chemosterilant activity of, 574
Philaenus spumarius, 147, 218, 1044
Phlibostroma quadrimaculatum, 78
Phobetes thyridopteryx, 864
Phobocampe clisiocampe, 67
Phonocera claripennis, 587
Phorate, effects on green peach aphid, 81
  in soils and toxicity to *Drosophila melanogaster*, 106
  interference on bioassay of Bidrin, 844
  stability of, 841
Phorate against: alfalfa weevil, 34
  aster yellows virus, 136
  Blattella, 873
  corn pests, 138
  cotton insects, 667, 747, 1120
  green peach aphid, 224
  Hessian fly, 1083
  house flies, 840
  southern corn rootworm, 639

tobacco flea beetle, 224
two-spotted spider mite, 1091
western flower thrips, 793
Phorate-treated soils, toxicity to *Drosophila melanogaster*, 491
Phormia regina, 74, 773
Phorocera claripennis, 864
edwardsii, 68
Phosphamidon, interference on bioassay of Bidrin, 844
recovery in celery extracts, 844
stability of, 841
tests on western hemlock looper, 1006
Phosphamidon against: alfalfa weevil, 529
clover seed weevil, 858
corn earworm, 207
cotton insects, 667
Douglas-fir insects, 1020
European red mite, 812
green peach aphid, 1128
house flies, 839
hymenopterous parasites and coccinellid predators, 295
lygus bugs, 125
stored-grain pests, 21
Tetranychus cinnabarinus, 1108
Phosphoramidate or phosphoramidothioate, response of mites to, 466
Phostex against ticks, 1131
Photography in mite counting, 677
Physostigmine, effect on house fly fecundity, longevity, and food intake, 59
Phyticidae, 1110
Phytoseiulus longipes, 283
macropilis, 283
persimilis, 283
Pickleworm, resistance of squash to, 893
Pieris rapae, 28
Pine sawfly, sex attractant from introduced, 465
Pine sawfly cocoons, candling, 587
Pink bollworm, competitiveness of sterilized, 927
increase in resistance to DDT, 781
insecticides against, 693
resistance to DDT, 590
sterilization with metepa, 1018
Pink bollworm larvae, activity of overwintering, 688
Pinus resinosa, *Eucosma* sp. larvae from cones, 1033
Piophila casei, 481
Piperonyl butoxide, used for parathion activation study, 500
Pirazinon against oriental rat flea, 86
Pissodes sitchensis, control of, 572
Pityophthorus pseudotsugae, 1163
Plagiprospherysa parvipalpis, 779
Planococcus citri, 1043
Plant resistance to Lepidoptera on cotton, 516
Plathypena scabra, 1044
Platygaster (Polygnatus) filicornis, 166
Platynota stultana, 1168
Plectris aliena, 581
Plodia interpunctella, 869
sound inhibition of reproduction of, 920
Plum curculio, apholate and tepa against, 802
two insecticides against, 1116
Plyac against cabbage insects, 29
Podops cinctipes, 1005
Pogonomyrmex occidentalis, 484
owyheei, biological activities of, 484
Pollen-collecting activities of bees, 1028
Popillia japonica, 1101
Porthetria dispar, 370, 649
Potato leafhopper, feeding effects, 623
resistance of alfalfa to, 435
resistance of bunch beans to, 681
Potato leafroll virus in seed-potato areas, 150
Potato plant, effects of potato leafhopper feeding on, 623
Potato virus Y, green peach aphid transmission of, 79
Potatoes, aphid distribution and leafroll virus occurrence in, 150
sampling thrips and mites on, 1141
Poultry, attractiveness to chicken body louse, 8
ronnel residues in eggs of, 1160
Poultry droppings, control of little house fly larvae in, 704
sampler for immature flies in, 697
toxicity to little house fly larvae, 709
Poultry ranches, fly control costs on, 306
Pristomerus pacificus melleus, 779
Procambarus clarkii, 958
Prodenia eridania, 112
litura, 1087
litura, susceptibility to insecticides, 93
ornithogalli, 523
Prolan, against *Culex tarsalis*, 1064
honey bee repellent, 1101
Propyl isome, used for parathion activation study, 500
Prorex against cabbage insects, 29
Prosapia bicincta, 160
biology and control in Coastal Bermuda grass, 275
Protoparce sexta, 771
Prune trees, aphid control on, 749
Psallus seriatus, 1051
Pseudaletia unipuncta, 523, 1052
Pseudencyrtus sp., 167
Pseudocoila sp., 443
Pseudogaurax anchora, 68, 864
Pseudoperichaeta (?), 1112
Pseudopityophthorus pruinosus, bionomics of, 913
spp., 913
Psila rosae, 423
Psocidae, 480
Psocoptera, 480, 578
Psylla pyricola, 172, 456, 970
uncatoides, control on *Acacia* and *Albizia*, 1171
Psyllaephagus sp., 974
Pteromalus puparum, 864
Ptinidae, 578
Puncture vine, weevils feeding on, 1167
Pyemotes nr. *scolyti*, 1163
Pyemotidae, 1163
Pygostolus falcatus, parasite of *Sitona* spp., 798
Pyracantha, biology of *Oligonychus* on, 687
Pyralidae, 480, 578
Pyramat against: army cutworm, 419
oriental rat flea, 86
stored-grain pests, 19
Pyrausta nubilalis, 371
Pyrazoxon against two-spotted spider mite, 1094
Pyrethrins, toxicity to *Prodenia* larvae, 93
Pyrethrum, against carrot rust fly, 424
isolation from of jasmolin II, 548
Pyrethrum synergists, effects on insecticide action, 642
Pyrolan, effect on house fly fecundity, longevity, and food intake, 59
temperature effects of on house flies, 514
Pyrolan against: stable fly, 686
stored-grain pests, 19

Queen substance, effect on *Aedes aegypti*, 185

R (See Stauffer)
Radish, cabbage maggot control on, 947
Rats, metabolism of Di-Syston by, 249
Rearing techniques for three-cornered alfalfa hopper, 1057
Recurvaria milleri, 226
Red-pine needle midge, parasites associated with, 166
Re-formed oil against citrus red mite eggs and California red scale, 907
Repellents, honey bee, 1094
Reserpine, effects on house fly, 782
Resin strips, dichlorvos in, for control of cockroach, 570
Reticulitermes hesperus, 420
virginicus, 422
Rhaconotus sp., 1167
Rhagoletis pomonella, 168, 542, 672, 1144
culturing of, 1056
Rhinacloa forticornis on cotton, 314
Rhopalosiphum padi, 537
Rhyacionia spp., 787
Rhynchophorus palmarum, 1002
Rhyzopertha dominica, 1043
Rice, benzene hexachloride translocation in, 331
seed, compatibility of insecticides and fungicides for treatment of, 353
toxicity of Louisiana red crawfish to pesticides used in culture, 958
Rice water weevil, ovipositional habits, 1053
Rice weevil, flight habits, 155
RICP, virgin entomology, 1152
Ripersia oryzae, control of, 621
Ronnel against: blow flies, 774
cattle grub, 836
face fly, 836
German cockroach, 1049
horn fly, 836
house fly, 1047
Hypera, 482
little house fly, 705
oriental rat flea, 85
prune-tree aphids, 750
sheep ked, 37
stored-grain insects, 1048
ticks, 1133
Ronnel residue in: milk, 922
poultry eggs, 1160
Root maggot, seed treatment for control of, 1012
Rotenone, against hymenopterous parasites and coccinellid parasites, 296
effects on two-spotted spider mite by tree-trunk injection, 633
R.P.: 11783 against alfalfa weevil, 941
11974 against alfalfa weevil, 941
Ruelene, cytological and genetic studies on effects of, 511
Ruelene against: cattle grubs, 361
heel fly, 1
oriental rat flea, 86
prune-tree aphid, 750
stored-grain pests, 19
ticks, 1133
Ruelene-treated animals, flavor evaluations of meat, 169
Ryania against mites on apples, 336

S2-97 against cattle pests, 364
Sanninoidea exitiosa, 228, 614
Saratoga spittlebug, malathion against, 942
Sarcophaga hought, 68
Sawfly, insect parasite and predator studies in population, 925
pest of *Hibiscus*, 161
Scambus (S.) hispae, 68, 864
Scarcoptiformes, 1163
Scatopsidae, 480
Scelionidae, 578
Scenopinidae, 578
Schizaphis graminum, 778, 1044
Schizolachnus piniradiatae, 1021
Schradan against: Douglas-fir insects, 1020
house flies, 840
stored-grain pests, 21
walnut aphids, 114
Scolytidae, 994, 1162
Scolytus multistriatus, 134, 165, 176
ventralis, mortality factors of, 1162
Screw-worm, artificial selection of adult, 645
Screw-worm flies, dispersal of irradiated, 373
sexual aggressiveness of male, 544
SD (See Shell)
Seed-corn maggot control in lima beans, 369
Seed pests, evaluation of insecticides against, 18
Sequential sampling plan, 651
Seriocophanes heidemanni, 1005
Serology of house flies, 1070
Sesame, host for tobacco budworm and bollworm, 1003
Sesamex, used for parathion activation study, 500
Sesbania grandiflora, fruit fly host, 796
Sex attractant from introduced pine sawfly, 465
Sheep ked, control by power dusting, 37
Shell Compound 4072, against hog louse, 378
against ticks, 1133
residue in milk, 922
Shell: SD-3959 against stable fly, 686
SD-4092 against stable fly, 686
SD 4294 against two-spotted spider mite, 1091
SD-4965 against prune-tree aphids, 750
Shell SD 5562, against house flies, 840
interference on bioassay of Bidrin, 844
recovery in celery extracts, 844
stability of, 841
Shell: SD-7394 against cattle grubs, 773
SD-8280 against cattle grubs, 773
Shell SD-8436 against: cattle grubs, 773
oriental rat flea, 86
Shell SD 8447 against: green peach aphid, 1130
house fly, 291
oystershell scale, 673
rice water weevil, 1054
stored-grain insects, 19
tobacco flea beetle, 730
Shell SD-8448 against: cattle grubs, 773
stored-grain pests, 19
Shell SD 9129, evaluation of, 658
interference on bioassay of Bidrin, 844
recovery in celery extracts, 844
stability of, 841
Shell SD 9129 against: Douglas-fir insects, 1020
green peach aphid, 1130
house flies, 840
seed-corn maggot, 370
Ships, insects in stored food and food-handling areas of, 479
Silica Gel 78 against cabbage insects, 29
Silicon-containing carbamate insecticides, 1151
Silo bins, fumigation checking equipment, 1011
Sinea diadema, 1046
Sitka-spruce weevil, control of, 572
Sitona cylindricollis, 988
spp., *Pygostolus falcatus* parasite of, 798
Sitophilus granarius, 19, 552, 579, 642, 661, 1043
hydrogen phosphide toxicity to, 324
in wheat, 979
methyl bromide fumigation of, 611
Sitophilus oryzae, 19, 155, 324, 552
diazinon against, 410
Sitophilus zea-mais, 552
Sitotroga cerealella, 177, 220
Sixenotus insignis, 1005
Slash, lindane against *Ips confusus* in, 994
Smaller European elm bark beetle, DDT residual effectiveness against, 165
seasonal development of, 176
twig feeding by, 134
Snails, fumigants against estivated, 690
trapping device for, 786
Sod webworm, cyclodiene insecticide influence on, 586
Sogata orizicola, 539
Soil, chlorinated hydrocarbon insecticide residues in, 1026
detoxication and synergism of Bidrin in, 845
power tool for sampling for insects, 788
Solenoptes capillatus, coumaphos and trichlorfon sprays against, 585
Sorghum heads, corn earworm control in, 207
Sorghum midge larvae, detection of, 938
Sound, amplified, inhibition of reproduction of Indian-meal moth by, 920
Sour cherry, walkingsticks on, 587
Southern corn rootworm control on peanuts, 637
Southwestern corn borer, rearing on wheat germ, 923
Southwestern corn borer eggs, incubation extension, 579
Soybeans, DDT and heptachlor translocation in, 161
defoliation effect on yield and quality, 591
Spalangia drosophilae, 68
Spanogonicus albofasciatus, 664, 1170
host plants of, 322
on cotton, 314
Spider mites, chemosterilant treatment of, 98
cotton resistance to, 209
Spilochalcis albifrons, 864
mariae, 864
Spilonota ocellana, 359, 1145
Spintherus, 1168
Spissistilus festinus, 148, 1057
Spittlebug, biology and control of in Coastal Bermuda grass, 275
Spodoptera exigua, 168, 523
frugiperda, 883
Spotted alfalfa aphid, alfalfa resistance to, 566
in Wisconsin, 180
resistance in alfalfa, 140
Spotted root maggot, DDT resistance in, 608
resistance to dieldrin and DDT, 824
Spray-deposit assessment cards, spray pattern of malathion with, 1159
Sprayer, for LVC, 1050
laboratory, simulating field spraying equipment, 739
modified high-clearance, 1014
Squash, resistance to pickleworm, 893
Stable fly, insecticides against, 685
mating and oviposition of, 489
tsetse fly kit for determining resistance in, 794
Stauffer ASP-51 against stored-grain pests, 19
Stauffer N-2310 against cattle grubs, 773
Stauffer N-2404 against: fly larvae, 204
house fly, 291
two-spotted spider mite, 1092
Stauffer N-2788 against fly larvae, 204
Stauffer N 2790, uptake and toxicity for large milkweed bug eggs, 614
Stauffer N-2790 against: alfalfa weevil, 941
cabbage maggot, 948
Stauffer: N-3051 against fly larvae, 204
Stauffer: R-3244 against cattle grubs, 773
R-3413 against fly larvae, 204
R-3422 against fly larvae, 204
R-3828 against cattle grubs, 773
Steer, fate of Imidan in, 51
Stenodema vicinum, 1005
Sterile male releases against boll weevil, 127
Sterility in house flies, 446
Sticky fly tapes, collecting for sampling fly populations, 497
Stomatomyia floridensis, 779
Stomoxys calcitrans, 85, 363, 379, 389, 490, 498, 685, 794, 815, 839, 910, 977, 1046
Stored food and food-handling areas of ships, insects in, 479
Stored-grain pests, evaluation of insecticides against, 18
Stored-product insects, carbon dioxide production of, 660
Strawberries, control of two-spotted spider mite on, 1089
Strawberry aphid, and virus transmission, 316
control on virus, 195
Strawberry virus, transmission, 316
Strobane against: boll weevils, 360
house flies, 840
Strontium 89, labeling apple maggot with, 168
Sugarcane borer, *Goniozus indicus* parasite of, 799
resistance, 1122
Sulfoxide, used for parathion activation study, 500
Sulfur against Banks grass mite, 533
Sulfuryl fluoride against snails, 690
Sulphenone against two-spotted spider mite, 1094
Summer acaricides, control of European red mite with, 811
Supella supellectilium, 1032, 1049

Sup. Oil 60 against two-spotted spider mite, 1092
Sweetclover, non-preference as mechanism of resistance to aphids, 566
Sweetclover aphid, sweetclover resistance to, 566
Sweetclover weevil, susceptibility to insecticides, 988
Sweet corn, DDT residues on, 55, 73
  northern corn rootworm resistance in, 1076
  status of corn earworm control in, 651
Sweetpotato roots, pests of, 581
Swiss albino mice, intraperitoneal injection of endrin in, 178
Synanthedon pictipes, 228
Synergism of: carbamates, 451
  organophosphorus systemic insecticides, 1157
Synergists, effects on insecticide action, 643
Synergized carbamates, temperature effects on house flies, 513
Syntomosphyrum clisiocampae, 68
  esurus, 68
Systemics against cotton insects, 666
Systena frontalis, 581
? *Syzeuctus* sp., 1112

Tabanus spp., 815
Tannic acid, repellent to alfalfa weevil larvae, 372
Tapinoma sessile, 68, 925
Tarsonemidae, 1163
Tarsonemus sp., 1163
TCNA against two-spotted spider mite, 1092
TD-227 against fly larvae, 204
TDE, honey bee repellent, 1101
TDE against: apple insects, 768
  clover seed weevil, 859
  Culex tarsalis, 1064
  green peach aphid, 1128
  house flies, 840
Telenomus alsophilae, life history of, 702
  (Telenomus) n. sp., 779
  sp., 1168
Telodrin, stability of, 841
  uptake by fall armyworm larvae, 87
Telodrin against: alfalfa weevil, 34
  bollworm, 15
  budworm, 15
  cabbage insects, 29
  corn earworm, 207
  house flies, 840
  southern corn rootworm, 639
Temperature-time effects on fumigation, 611
Tenebrio molitor, 325, 481, 549, 579
  obscurus, 579
Tenebrionidae, 480, 578
Tenebroides mauritanicus, 325, 579
Tepa, chemosterilant: for fall armyworm, 883
  of plum curculio, 802
Tepa, chemosterilization of house fly sperm, 670
  house fly chemosterilization with, 701
Tepa against: gypsy moth, 650
  Mexican fruit fly, 26
Tepp, uptake and toxicity for large milkweed bug eggs, 614
Tepp against: house flies, 840
  two-spotted spider mite, 1091
Tetanops myopaeformis, 788
Tetradifon, weight loss for humidities, 1037
Tetradifon against: Banks grass mite, 533
  European red mite, 812
  mites on apples, 336
  Tetranychus cinnabarinus, 1106
  two-spotted spider mite, 1091
Tetrahydrofolic acid, used for parathion activation study, 500
Tetranychus cinnabarinus, 99, 349, 666, 746
  susceptibility to acaricides, 1106
Tetranychus marianae infestations in tomato, 891
  pacificus, 283, 466
  sp., 349
Tetranychus telarius, 99, 112, 195, 210, 312, 336, 632, 658, 1043, 1141
  control tests against, 1089
Tetranychus urticae, 467, 1147
Tetrastichus citrinus, 1167
Tetrasul against two-spotted spider mite, 1092
Theba snails, fumigants against, 690
Thecodiplosis piniresinosae, parasites associated with, 166
Therioaphis maculata, 140, 147, 180, 566
  rhiemi, 180, 566
  trifolii, 180
Theronia atalantae fulvescens, 68
Thiocron against: cotton thrips, 1121
  Tetranychus cinnabarinus, 1108
Thioquinox against two-spotted spider mite, 1091
Thiotepa, house fly chemosterilization with, 701
  metabolism of, 976
Thiram, as seed rice treatment, 354
Thiram against: root maggot, 1013
  seed-corn maggot, 370
Three-cornered alfalfa hopper, life-history studies and rearing techniques for, 1057
Thrips, effect on cotton yields, 1118
  on cotton, Di-Syston against, 364
  on cotton, predicting, 1013
  on potatoes, sampling methods, 1141
Thrips tabaci, 793, 1118, 1141
Thuricide against: alfalfa weevil, 527
  cabbage insects, 29
Thyridopteryx ephemeraeformis, 69, 863
Thysanura, 480
Tick, control on livestock, 1131
  new record for *Ixodes affinis*, 369
Time-temperature effects on fumigation, 611
Tineidae, 578
Tineola bisselliella, 917
Tobacco, flea beetle control on, 730
  tobacco hornworm decline on, 771
Tobacco budworm, dosage-mortality data on, 14
  host specific strains, 525
  resistance to insecticides, 732
  sesame host for, 1003
Tobacco flea beetle, control of, 730
  insecticides in soil against, 224
Tobacco hornworm, decline of on tobacco, 771
Tobacco wireworm eggs, temperature and moisture effects on, 1155
Tomato, mite infestations in, 891
Toumeyella numismaticum, 1104
  pinicola, 727, 1102
Toxaphene, effect on vegetable growth, 777
Toxaphene against: army cutworm, 420
  boll weevils, 360
  cabbage insects, 28
  cereal leaf beetle, 43
  clover seed weevil, 858
  corn earworm, 207
  house flies, 840
  lygus bugs, 125
  ticks, 1133
Toxaphene+DDT against: boll weevils, 361
  cotton insects, 1120, 1125
  face fly, 40
Toxaphene+DDT+methyl parathion against thrips on cotton, 365
Toxicity of: benzene hexachloride isomers, 1164
  insecticides to onion maggot, 1074
TPTH against seed-corn maggot, 370
Trapping device for land snails, 786
Trechnites insidiosus, 974
Tree trunk injections against pests, 631
Trialeurodes abutilonea, 1148
  vaporariorum, 1043, 1148
Tribolium castaneum, 240, 549, 579, 661
  susceptibility, 551
Tribolium confusum, 5, 19, 175, 179, 242, 324, 579, 661, 1043
  methyl bromide fumigation of, 611
  susceptibility, 551
Tribolium sp., 552
Tribulus terrestris, 1168
  weevils feeding on, 1167
Trichlorfon, effects on two-spotted spider mite by tree-trunk injection, 632
  interference on bioassay of Bidrin, 844
  recovery in celery extracts, 844
  stability of, 841
  uptake and toxicity for large milkweed bug eggs, 619
Trichlorfon against: alfalfa weevil, 527
  army cutworm, 419
  Blattella, 873
  cattle grubs, 775
  green peach aphid, 1128
  house flies, 840
  hymenopterous parasites and coccinellid predators, 295
  Hypera, 482
  little house fly, 705
  lygus bugs, 125
  oriental rat flea, 84
  pear psylla, 634
  prune-tree aphids, 750
  stable fly, 685
  sweetclover weevil, 989
  ticks, 1133
Trichlorfon spray for control of cattle lice, 585
Trichogramma minutum, 864, 999
  sp., 1148
Trichoplusia ni, 28, 517, 523, 635, 746, 869, 881, 1044, 1148
  rearing on meridic diet, 377
Trigonotylus brevipes, 1005
  uhleri, 1005
Trimerotropis pallidipennis pallidipennis, 173
Triphenyl tins inhibit insect reproduction, 4
Trithion against southern corn rootworm, 639
Triton B-196 against oystershell scale, 674
Triton B-1956 against European red mite, 813
Trogoderma granarium, 212
  parabile larvae, reactions of, 212
Trombidiformes, 1163

Tropaeolum minus, 1043
Trybliographa sp., 68
Tsetse fly kit, use for stable fly resistance determination, 794
Tung Oil against cabbage insects, 29
Two-spotted spider mite, controls against, 1089
  daily rhythm of oviposition in, 467
  effects of tree trunk injection on, 631
  malathion synergism in, 312
Typhlodromus caudiglans, 340
  occidentalis, 283, 340
  pomi, 340
  rickeri, 283
  sp., 634
Tyrophagus putrescentiae, 1048

UC 8305 against: alfalfa weevil, 34
  green peach aphid, 1129
UC 10854 against stored-grain insects, 19
UC 19786 against: European red mite, 812
  oystershell scale, 673
  two-spotted spider mite, 1092
UC 20047 against European red mite, 812
UC 20047-A against two-spotted spider mite, 1092
UC 21149 against: alfalfa weevil, 941
  carrot rust fly, 424
  cotton pests, 746, 1121
United Carbon (See UC)
Uropodidae, 1163

Vacuum-pencil technique for manipulating lepidopterous larvae, 785
Vamidoate against oriental rat flea, 84
Vanessa cardui, 951
Vegetable seedlings, insecticide effect on growth, 777
Venturia inaequalis, 672
Villa sinuosa, 926
Virgin entomology, RICP in, 1152
Virus, strawberry aphid control on, 195
  vectors, control of on prune trees, 749
Viviparae, 1021
Volitilization of insecticide residues, 240

Walkingsticks on sour cherry, 587
WARF anti-resistant, against *Culex tarsalis*, 1064
  used for parathion activation study, 500
Wasp trap nests in elevated locations, 803
Wasps, endoparasitic, marking with P^{32}, 278
Weevils, parasites of two, 1167
Wepsyn against: prune-tree aphids, 750
  tobacco flea beetle, 730
Western corn rootworm, laboratory rearing, 375
Western flower thrips, control on onions, 793
Western hemlock looper, carbaryl, phosphamidon, and DDT tests on, 1006
Western pine beetle, effect of monoterpene vapors on, 509
Wheat, dissipation of diazinon residues in, 996
  effect of English grain aphid on yield, 778
  granary weevil in, 979
  insecticide tests against army cutworm on, 418
Wheat germ, rearing southwestern corn borer on, 923
Wheat stem sawfly parasites, 303
White Dutch Clover grown for seed, bee poisoning vs. clover seed weevil control in, 857
White-fringed beetles, insecticides against, 896
Wohlfartia vigil, mink myiasis caused by, 529
Woolly pine needle aphid, rearing, 1021

Xenopsylla cheopis, 83

Yuma spider mite on citrus, 534

Zeadiatraea grandiosella, 579
  rearing on wheat germ, 923
Zectran, effects on two-spotted spider mite by tree-trunk injection, 633
  interference on bioassay of Bidrin, 844
  stability of, 841
  weight loss for humidities, 1037
Zectran against: boll weevil, 693
  bollworm, 693
  cabbage insects, 29
  carrot rust fly, 424
  corn pests, 138
  grasshoppers, 1048
  house flies, 840
  hymenopterous parasites and coccinellid predators, 295
  pink bollworm, 693
  prune-tree aphids, 750
  Sitka-spruce weevil, 572
  southern armyworm, 1045
  stored-grain pests, 19
  tobacco flea beetle, 730
Zenillia blanda, 864
Zineb against: hymenopterous parasites and coccinellid predators, 295
  tobacco flea beetle, 731
Zinophos against: cabbage maggot, 948
  corn pests, 138
  green peach aphid, 224
  Hippelates gnats, 655
  southern corn rootworm, 639
  tobacco flea beetle, 224
Zytron against: little house fly, 705
  stored-grain pests, 19

Journal of Economic Entomology

Published by
THE ENTOMOLOGICAL
SOCIETY OF AMERICA

Volume 58 • 1965

JOURNAL OF ECONOMIC ENTOMOLOGY

R. H. NELSON, *Executive Secretary*
RALPH W. BUNN, *Managing Editor*
RICHARD H. FOOTE, *Editorial Assistant*
4603 Calvert Road, College Park, Maryland 20740

HOWARD O. DEAY, *Editor*
Department of Entomology, Purdue University,
Lafayette, Indiana 47907

EDITORIAL BOARD

R. D. O'BRIEN, *Chairman,* Ithaca, N.Y. (Section B, 1965)
R. E. PFADT, Laramie, Wyo. (Section D, 1966)
E. I. SCHLINGER, Riverside, Calif. (Section C, 1967)
L. B. REED, Beltsville, Md. (Section F, 1968)
E. J. HAMBLETON, Washington, D. C. (Section E, 1969)

A bimonthly journal published on the 15th of February, April, June, August, October, and December devoted to the interests of economic entomology. The authors are entirely responsible for statements in the JOURNAL, whether of fact or opinion.

TERMS OF SUBSCRIPTION. Non-members in North America and U. S. Possessions—$20.00 a year; elsewhere—$20.00 plus $1.00 postage. Single copies $4.00. **Deliveries overseas** are not guaranteed and foreign mailings are made at the subscriber's risk.

A *single order* for the JOURNAL OF ECONOMIC ENTOMOLOGY and the ANNALS OF THE ENTOMOLOGICAL SOCIETY OF AMERICA, *if sent to the same address,* may be obtained at a **COMBINATION PRICE** of $35.00 per year in North America and U. S. Possessions; $37.00 elsewhere.

LOST NUMBERS. Missing numbers cannot be supplied free of charge unless notice is received within 60 days after the appearance of issues concerned.

BACK NUMBERS. The Executive Secretary will be glad to quote prices upon request.

REPRINTS. No gratis copies are supplied. An order form and schedule of prices which will apply to orders received before the JOURNAL is printed are sent with proof. For price schedule, see BULLETIN OF THE ENTOMOLOGICAL SOCIETY OF AMERICA, Volume 7, No. 1, March 1961, or page 214 of Vol. 54 (1) of the JOURNAL.

BUSINESS COMMUNICATIONS to the Society and **SUBSCRIPTION AND MATTERS PERTAINING TO ADVERTISEMENTS** should be sent to the Executive Secretary, Entomological Society of America, 4603 Calvert Road, College Park, Md. 20740. Changes of address must reach the office of the Executive Secretary 5 days prior to the month of issue to be effective for that month. Members should make use of the postal regulations which provide for forwarding of second class mail if postage upon delivery is guaranteed.

ALL MANUSCRIPTS and other copy for the JOURNAL should be sent to the Executive Secretary. Prompt publication of acceptable matter may be secured by payment of the cost of printing and mailing ($35.00 per page). Before preparing manuscripts for publication in the JOURNAL, authors are urged to consult the Publication Policies and Instructions for Contributors given in the BULLETIN OF THE ENTOMOLOGICAL SOCIETY OF AMERICA Vol. 10 (2): 105-8, June 1964. Reproduction of author's summaries is authorized.

PAGE CHARGES are $20.00 per page, partial pages proportionately. This charge is waived for those papers of 1 printed page or less. See BULLETIN OF THE ENTOMOLOGICAL SOCIETY OF AMERICA Vol. 8 (4): 209, December 1962.

ENTOMOLOGICAL SOCIETY OF AMERICA

OFFICERS FOR 1965

President—J. Everett Bussart,* Wheaton, Illinois
President-Elect—R. L. Usinger, Berkeley, California
Executive Secretary—R. H. Nelson, 4603 Calvert Road, College Park, Maryland

GOVERNING BOARD

J. Everett Bussart,* Wheaton, Illinois (1966)

R. L. Usinger, Berkeley, California (1967)

William H. Anderson, Beltsville, Maryland (A, 1966)

Martin M. Barnes, Riverside, California (F, 1967)

C. M. Beckham, Experiment, Georgia (Southeastern, 1965)

H. C. Coppel, Madison, Wisconsin (C, 1967)

Frank E. Guthrie, Raleigh, North Carolina (B, 1966)

A. C. Hodson, St. Paul, Minnesota (North Central, 1966)

D. E. Howell, Stillwater, Oklahoma (Southwestern, 1967)

George D. Jones, Raleigh, North Carolina (E, 1965)

Herbert C. Knutson, Manhattan, Kansas (D, 1965)

G. S. Langford, College Park, Maryland (Eastern, 1967)

R. H. Nelson, College Park, Maryland (Non-voting)

Paul O. Ritcher, Corvallis, Oregon (Pacific, 1965)

Carroll N. Smith, Gainesville, Florida (1965)

* *Died October 30, 1965*

BRANCH OFFICERS

Chairmen

W. A. Shands—Orono, Maine (Eastern)
J. V. Osmun—Lafayette, Indiana (North Central)
R. W. Harper—Sacramento, California (Pacific)
L. D. Newsom—Baton Rouge, Louisiana (Southeastern)
H. E. Meadows—McAllen, Texas (Southwestern)

Chairmen-Elect

G. C. Schumaker—Glen Ridge, New Jersey (Eastern)
J. Marshall Magner—St. Louis, Missouri (North Central)
Walter Ebeling—Los Angeles, California (Pacific)
John C. Alden—Fort Valley, Georgia (Southeastern)
R. L. Hanna—College Station, Texas (Southwestern)

Secretary-Treasurers

J. Peter Johnson—New Haven, Connecticut (Eastern)
J. G. Rodriguez—Lexington, Kentucky (North Central)
William W. Allen—Berkeley, California (Pacific)
S. R. Morris—New Orleans, Louisiana (Southeastern)
D. A. Lindquist—College Station, Texas (Southwestern)

AUTHOR INDEX TO VOLUME 58

(SN = Scientific Note)

ABID, MOULOOD K., see GEORGE D. BUTLER, JR. (Aug.) 687
ADAMS, A. L., see B. G. HIGHTOWER (SN, April) 373
ADDIS, D. G., see L. A. RIEHL (SN, April) 361
ADELSON, B. J., see J. J. MENN (Oct.) 875
ADKINS, THEODORE R., JR., see JAKIE A. HAIR (Feb.) 39
ADKINS, THEODORE R., JR., and JAKIE A. HAIR—Absence of Residues in Milk After Dimethoate and Malathion Were Applied with Backrubbers to Dairy Cattle (SN, Feb.) 155
ADKISSON, PERRY L., see ABDUL R. CHAUTHANI (SN, Dec.) 1163
ADKISSON, P. L., see W. L. STERLING (Oct.) 867
ADLER, VICTOR E., A. H. YEOMANS, and E. S. FIELDS—Low-Volume Aerosol Ground Insecticide Applicator (SN, Aug.) 780
AGEE, H. R., see E. R. MITCHELL (SN, Oct.) 1030
AHMAD, S. Q., see B. S. LALL (June) 448
ALLEN, T. C., see R. V. SMYTHE (June) 420
ALLEN, W. W.—Arthur Earl Pritchard (1915–1965) (Obit., Aug.) 807
ALLEY, D. A., see B. G. HIGHTOWER (SN, April) 373
ANDERSON, D. L., see C. T. SMITH (SN, Dec.) 1160
ANDERSON, H. L., see R. P. YADAV (Dec.) 1122
ANDERSON, J. R., see V. E. BURTON (April) 306
ANDERSON, JOHN R., and JOHN H. POORBAUGH—Refinements for Collecting and Processing Sticky Fly Tapes Used for Sampling Populations of Domestic Flies (June) 497
ANDRES, L. A., see G. W. ANGALET (SN, Dec.) 1167
ANGALET, G. W., and L. A. ANDRES—Parasites of Two Weevils, *Microlarinus lareynii* and *M. lypriformis*, That Feed on the Puncture Vine, *Tribulus terrestris* L. (SN, Dec.) 1167
ARMBRUST, EDWARD J., and GEORGE G. GYRISCO—Control of the Alfalfa Weevil, *Hypera postica*, in New York (Oct.) 940
ARTHUR, B. W., see J. C. PARISH (Aug.) 699
ARTHUR, B. W., see J. C. PARISH (Oct.) 976
ARTHUR, B. W., see W. G. EDEN (SN, Feb.) 161
ASQUITH, DEAN—Photography in Mite Counting (Aug.) 677

BAGENT, J. L., see J. B. GRAVES (SN, June) 583
BAGENT, J. L., see J. B. GRAVES (SN, Dec.) 1152
BAKER, HOWARD—William Clinton Pierce (1906–1965) (Obit., Oct.) 1039
BALOCK, J. W.—Differential Effect of Gamma Radiation on Fruit Flies and Fruit Fly Parasites (SN, Dec.) 1169
BANERJEE, S. N., see A. C. BASU (Aug.) 621
BARNES, D. K., see R. C. NEWTON (June) 435
BARNES, O. L.—Tests for Parthenogenesis in Migratory, Differential, and Desert Grasshoppers (SN, Feb.) 173
BARNES, O. L.—Further Tests of the Effect of Food Plants on the Migratory Grasshopper (June) 475
BARNES, WILLIAM W., and GEORGE W. WARE—The Absorption and Metabolism of C^{14}-Labeled Endosulfan in the House Fly (April) 286
BARRAS, STANLEY J., and DALE M. NORRIS, JR.—In Vitro Establishment and Development of *Eucosma* sp. Larvae from Cones of *Pinus resinosa* on an Artificial Nutrient Medium (SN, Oct.) 1033
BARTHEL, W. F., see M. C. BOWMAN (Oct.) 896
BARTLETT, ALAN C., see NORMAN MITLIN (Feb.) 119
BARTLETT, B. R.—The Repellent Effects of Some Pesticides to Hymenopterous Parasites and Coccinellid Predators (April) 294
BARTLETT, F. J.—Henry Elias Yost (1906–1965) (Obit., Oct.) 1040
BASS, MAX H., and GEORGE H. BLAKE, JR.—Alfalfa Weevil Control in Alabama Using Fall Applications of Insecticidal Granules (Feb.) 34
BASS, MAX H., and GEORGE H. BLAKE, JR.—Spring Applications of Insecticides for Control of Alfalfa Weevil in Alabama (June) 527
BASU, A. C., and S. N. BANERJEE—The Control of *Ripersia oryzae* Green, a Mealybug of the Paddy Plant in West Bengal (Aug.) 621
BAUMHOVER, A. H.—Sexual Aggressiveness of Male Screw-Worm Flies Measured by Effect on Female Mortality (June) 544
BAUMHOVER, A. H., and G. E. SPATES, JR.—Artificial Selection of Adult Screw-Worms for Extended Survival without Food and Water (Aug.) 645
BEARD, RAIMON L.—Competition Between DDT-Resistant and Susceptible House Flies (SN, June) 584
BEARDS, G. W., see A. A. GRIGARICK (Dec.) 1053
BECK, STANLEY D., see G. MICHAEL CHIPPENDALE (SN, April) 377
BECKER, W. B., and R. A. MANKOWSKY—Twig Feeding by the Smaller European Elm Bark Beetle on Different Kinds of Trees (Feb.) 132
BEGG, J. A.—Seed Treatments for Control of the Cyclodiene-Resistant Root Maggot, *Hylemya liturata*, Attacking Beans and Corn (SN, Oct.) 1012
BEGUM, ANWARA and W. G. EDEN—Influence of Defoliation on Yield and Quality of Soybeans (SN, June) 591
BENJAMIN, D. M., see W. H. KEARBY (SN, Feb.) 166
BENNETT, S. E.—Tannic Acid as a Repellent and Toxicant to Alfalfa Weevil Larvae (SN, April) 372
BENNETT, WILLIAM H.—Benzene Hexachloride Emulsion for Controlling Black Turpentine Beetle in Logging Areas (SN, April) 358
BERGER, R. S., J. M. MCGOUGH, and D. F. MARTIN—Sex Attractants of *Heliothis zea* and *H. virescens* (SN, Oct.) 1023
BERGER, R. S., see W. L. LOWRY (Aug.) 732
BERGER, R. S., see W. L. LOWRY (SN, Aug.) 781
BERGER, ROBERT S., see WILLIAM L. LOWRY (SN, June) 590
BERRY, I. L., see H. V. CLABORN (Oct.) 922
BERRY, I. L., see R. A. HOFFMAN (Oct.) 815
BERTUN, KNUT M. R., see THOMAS E. NELSON (Dec.) 1117
BERUBE, J. A. C., see C. F. NICHOLLS (SN, Dec.) 1169
BIGGER, J. H., see GEORGE C. DECKER (April) 266
BIGGER, J. H., P. E. JOHNSON, and R. O. WEIBEL—Controlling Hessian Fly with Phorate and Disulfoton (Dec.) 1083
BISDEE, H. E., see M. J. P MACKAUER (SN, April) 365
BISHOP, GUY W.—Green Peach Aphid Distribution and Potato Leafroll Virus Occurrence in the Seed-Potato Producing Areas of Idaho (Feb.) 150
BLAKE, GEORGE H., JR., see MAX H. BASS (Feb.) 34
BLAKE, GEORGE H., JR., see MAX H. BASS (June) 527
BLINN, ROGER C., and J. BYRON LOVELL—A Technique for Observing the Spray Pattern of Malathion and Other Organic Phosphate Insecticides Using Spray-Deposit Assessment Cards (SN, Dec.) 1159
BOBB, MARVIN L.—Insect Parasite and Predator Studies in a Declining Sawfly Population (Oct.) 925
BOND, E. J.—Comparative Effects of Oxygen and of

Pyrethrum Synergists on the Action of Certain Insecticides (Aug.) 642
BOND, E. J., see A. H. QURESHI (April) 324
BORDEN, J. H., see R. W. STARK (Oct.) 944
BORDEN, J. H., see R. W. STARK (SN, Dec.) 1162
BOSWELL, A. L., see FLOYD F. SMITH (Feb.) 98
BOSWELL, A. L., see S. W. JACKLIN (SN, Dec.) 1168
BOTTGER, G. T., see ADAIR STONER (April) 314
BOULANGER, L. W.—Integrated and Chemical Control of Oystershell Scale in Maine (Aug.) 672
BOWLING, C. C.—Compatibility of Insecticides and Fungicides for Treatment of Seed Rice (April) 353
BOWMAN, M. C., see E. A. HARRELL (Feb.) 55
BOWMAN, M. C., see E. A. HARRELL (Feb.) 71
BOWMAN, M. C., see E. A. HARRELL (SN, Oct.) 1016
BOWMAN, M. C., see H. C. COX (Feb.) 87
BOWMAN, M. C., H. C. YOUNG, and W. F. BARTHEL—Minimal Concentrations of Aldrin, Dieldrin, and Heptachlor in Soil for Control of White-Fringed Beetles as Determined by Parallel Gas Chromatographic and Biological Assays (Oct.) 896
BOWMAN, M. C., see R. A. BYERS (SN, Feb.) 160
BRADLEY, J. R., see J. B. GRAVES (SN, June) 583
BRADLEY, J. R., JR., see J. B. GRAVES (SN, Dec.) 1152
BRAZZEL, J. R., see J. WENDELL SNOW (June) 525
BRETT, CHARLES H., C. L. MCCOMBS, W. R. HENDERSON, and J. D. RUDDER—Carbohydrate Concentration as a Factor in the Resistance of Squash Varieties to the Pickleworm (Oct.) 893
BRETT, CHARLES H., see RICHARD B. CHALFANT (Feb.) 28
BRINDLEY, T. A., see G. J. MUSICK (Dec.) 1060
BRINDLEY, TOM A., see JAMES L. JARVIS (April) 300
BROGDON, JENNIE L., and ELSIE H. DAWSON—Flavor Evaluations of Meat from Ruelene-Treated Animals (SN, Feb.) 169
BROOKER, P. J., see Q. A. GEERING (June) 574
BROOKS, MARION A., see H. M. KULMAN (SN, Oct.) 1008
BROWN, A. W. A., see G. H. S. HOOPER (Oct.) 824
BROWN, A. W. A., see M. K. K. PILLAI (April) 255
BROWN, LELAND R.—Seasonal Development of the Smaller European Elm Bark Beetle in Southern California (SN, Feb.) 176
BROWN, RUSSELL V.—Control of *Histiostoma laboratorium* in *Drosophila* Cultures (SN, Feb.) 156
BRUCE, W. N., see GEORGE C. DECKER (April) 266
BRYAN, D. E., see P. D. LINGREN (Feb.) 14
BRYDON, HAROLD W.—A Sampler for Immature Flies in Poultry Droppings (Aug.) 697
BUFFAM, PAUL E.—Carbaryl, Phosphamidon, and DDT Tests on the Western Hemlock Looper in Washington (SN, Oct.) 1006
BULL, D. L.—Metabolism of Di-Syston by Insects, Isolated Cotton Leaves, and Rats (April) 249
BULL, D. L., see D. A. LINDQUIST (April) 200
BULL, D. L., D. A. LINDQUIST, and V. S. HOUSE—Synergism of Organophosphorus Systemic Insecticides (SN, Dec.) 1157
BULL, D. L., see R. L. RIDGWAY (April) 349
BURGESS, E. D.—Control of the Boll Weevil with Technical Malathion Applied by Aircraft (June) 414
BURGESS, J. B., see L. A. RIEHL (SN, April) 361
BURKHOLDER, WENDELL E., see ELVIN W. TILTON (SN, Feb.) 175
BURKHOLDER, WENDELL E., see ELVIN W. TILTON (SN, Feb.) 179
BURT, E. C., see T. B. DAVICH (SN, Oct.) 1035
BURTON, V. E., J. R. ANDERSON, and W. STANGER—Fly Control Costs on Northern California Poultry Ranches (April) 306
BURTS, EVERETT C., see F. H. HARRIES (SN, Feb.) 172
BUTCHER, J. W., see JACK E. FAHEY (SN, Oct.) 1026
BUTLER, G. D., JR., and J. L. STROEHLEIN—The Use of Diazinon and Fertilizers for Reducing Bermudagrass Mite Damage and Promoting Grass Growth (SN, Aug.) 783
BUTLER, GEORGE D., JR., and ADAIR STONER—The Biology of *Spanogonicus albofasciatus* (Aug.) 664
BUTLER, GEORGE D., JR., see ADAIR STONER (Dec.) 1148
BUTLER, GEORGE D., JR., and MOULOOD K. ABID—The Biology of *Oligonychus platani* on Pyracantha (Aug.) 687
BUXTON, J. A., see S. H. ROACH (SN, Aug.) 802
BYERS, R. A., D. W. WOODHAM, and M. C. BOWMAN—Residues on Coastal Bermudagrass, Trash, and Soil Treated with Granular Endosulfan (SN, Feb.) 160
BYRNE, H. DESMOND—An Improved Method for Storage of the Alfalfa Weevil in the Laboratory (SN, Dec.) 1161

CALLAHAN, R. A., see C. T. SMITH (SN, Dec.) 1160
CAMPBELL, R. LEE, see C. S. KOEHLER (Dec.) 1102
CAMPBELL, W. V., and J. W. DUDLEY—Differences Among *Medicago* Species in Resistance to Oviposition by the Alfalfa Weevil (April) 245
CARMAN, G. E.—Electrical Trapping Device for Land Snails (SN, Aug.) 786
CARMAN, G. E., see C. H. MUSGROVE (June) 428
CASIDA, J. E., see P. A. JONES (June) 465
CASIDA, JOHN E., see G. R. PIEPER (June) 392
CASIDA, JOHN E., see M. YAMEEN ZUBAIRI (June) 403
CASSIL, C. C., and P. E. DRUMMOND—A Plant Surface Oxidation Product of Endosulfan (SN, April) 356
CHALFANT, RICHARD B.—Resistance of Bunch Bean Varieties to the Potato Leafhopper and Relationship Between Resistance and Chemical Control (Aug.) 681
CHALFANT, RICHARD B., and CHARLES H. BRETT—Cabbage Loopers and Imported Cabbageworms; Feeding Damage and Control on Cabbage in Western North Carolina (Feb.) 28
CHAMBERLAIN, W. F.—A Study of the Dermal Treatment of a Steer with C^{14}-Labeled Imidan (Feb.) 51
CHANG, SHEN CHIN—Chemosterilization and Mating Behavior of Male House Flies (Aug.) 669
CHANG, SHEN CHIN—Improved Bioassay Method for Evaluating the Potency of Chemosterilants Against House Flies (SN, Aug.) 796
CHAPMAN, A. J., see R. L. MCGARR (Aug.) 693
CHAPMAN, GARY A., see FREDERICK W. PLAPP, JR. (Dec.) 1064
CHAPMAN, R. K., see CARL H. SHANKS, JR. (Feb.) 79
CHAUDHANI, ABDUL R., and PERRY L. ADKISSON—Comparison of Two Artificial Diets for Rearing *Heliothis zea* Larvae for Insecticide Tests (SN, Dec.) 1163
CHENG, TIEN-HSI, A. A. HOWER, and R. K. SPRENKEL—Oil-Based and Water-Based Ciodrin Sprays for Fly Control on Dairy Cattle (Oct.) 910
CHIANG, H. C.—Survival of Northern Corn Rootworm Eggs Through One and Two Winters (June) 470
CHIANG, H. C., and F. G. HOLDAWAY—Relationships Between Plant Height and Yield of Field Corn as Affected by the European Corn Borer (Oct.) 932
CHIPPENDALE, G. MICHAEL, and STANLEY D. BECK—A Method for Rearing the Cabbage Looper, *Trichoplusia ni*, on a Meridic Diet (SN, April) 377
CHISHOLM, D., H. B. SPECHT, and J. S. LEEFE—Di-Syston Residues and Control of Pea Aphid, *Acyrthosiphon pisum*, with In-Furrow Treatments of Canning Peas in Nova Scotia (Aug.) 763
CHRISTENSON, L. D., see L. F. STEINER (June) 519
CIESLA, W. M.—Observations on the Life History of *Telenomus alsophilae*, an Egg Parasite of the Elm Spanworm, *Ennomos subsignarius* (Aug.) 702
CLABORN, H. V., H. D. MANN, I. L. BERRY, and R. A. HOFFMAN—Comparisons of Residues in Milk Resulting from Two Types of Spray Applications of DDT, Shell Compound 4072, and Ronnel (Oct.) 922
CLARK, J. C., see G. L. SMITH (SN, April) 357
CLARK, J. C., see G. L. SMITH (SN, April) 360
CLARK, P. H., and M. M. COLE—Laboratory Evaluation of Promising Systemic Insecticides in Guinea Pigs Against Oriental Rat Fleas (Feb.) 83
CLARK, WILLIAM R., see ROBERT E. WAGNER (April) 236

CLEVELAND, T. C., and G. L. SMITH—Field Tests with Di-Syston Granules for Thrips Control on Cotton (SN, April) 364
CLEVELAND, T. C., see G. L. SMITH (SN, April) 357
CLEVELAND, T. C., see G. L. SMITH (SN, April) 360
CLEVELAND, T. C., see T. B. DAVICH (SN, Oct.) 1035
CLOWER, D. F., see J. B. GRAVES (SN, Dec.) 1152
COCHRAN, DONALD G., see MICHAEL J. VAN DEN HEUVEL (Oct.) 872
COGBURN, ROBERT R., see ELVIN W. TILTON (SN, Feb.) 175
COGBURN, ROBERT R., see ELVIN W. TILTON (SN, Feb.) 179
COLE, M. M., see P. H. CLARK (Feb.) 83
COLES, LEON W., see FREDERICK A. STREAMS (April) 303
COLLIER, C. W., and J. E. DOWNEY—Laboratory Evaluation of Certain Chemosterilants Against the Gypsy Moth (Aug.) 649
COMPLIN, JOHN O., see LEE R. JEPPSON (June) 466
CONE, WYATT W.—Control of the Black Vine Weevil on Concord Grapes in Central Washington (Feb.) 115
CONRAD, M. S., and J. T. MEDLER—The Spotted Alfalfa Aphid in Wisconsin (SN, Feb.) 180
COPPEL, H. C., see P. A. JONES (June) 465
COPPEL, H. C., see R. V. SMYTHE (June) 420
COREY, R. A.—Laboratory Tests with Bidrin Insecticide (Feb.) 112
COREY, R. A., W. C. MOYE, and W. E. HALL—Laboratory and Field Evaluation of SD 9129 as an Insecticide (Aug.) 658
COWAN, F. T., see F. E. SKOOG (June) 559
COX, H. C., see J. R. YOUNG (Oct.) 883
COX, H. C., and M. C. BOWMAN—Uptake of Telodrin by Fall Armyworm Larvae Exposed to Residues (Feb.) 87
CROSS, W. H., see T. B. DAVICH (Feb.) 127
CROWELL, H. H., see J. R. WILLARD (June) 484
CRYSTAL, MAXWELL M.—Sexual Sterilization of Insects by Aerosol Administration of Alkylating Agents (Aug.) 678
CURL, L. F.—Joseph Neal Crisler (1899–1964) (Obit., Oct.) 1040
CUTHBERT, F. P., JR., and W. J. REID, JR.—Four Little-Known Pests of Sweetpotato Roots (SN, June) 581

DAHM, P. A., see M. ISHIDA (June) 383
DAHM, P. A., see M. ISHIDA (SN, Dec.) 1164
DAHM, P. A., see MITSUO ISHIDA (Aug.) 602
DAHM, P. A., see T. NAKATSUGAWA (June) 500
DARROCH, J. G., see DAN A. WOLFENBARGER (Aug.) 651
DAVICH, T. B., see D. A. LINDQUIST (June) 415
DAVICH, T. B., D. A. LINDQUIST, and JOSEPH HAGSKAYLO—Implanting Boll Weevil Eggs in Cotton Squares for Systemic Insecticide and Host-Plant-Resistance Studies (SN, April) 366
DAVICH, T. B., D. D. HARDEE, T. C. CLEVELAND, and E. C. BURT—Mass Marking Boll Weevil Field Populations (SN, Oct.) 1035
DAVICH, T. B., see J. C. KELLER (SN, Feb.) 164
DAVICH, T. B., see J. C. KELLER (SN, June) 588
DAVICH, T. B., J. C. KELLER, E. B. MITCHELL, PAUL HUDDLESTON, RAY HILL, D. A. LINDQUIST, GERALD MCKIBBEN, and W. H. CROSS—Preliminary Field Experiments with Sterile Males for Eradication of Boll Weevil (Feb.) 127
DAVIDSON, RALPH H., see WILLIAM F. LYON (SN, Oct.) 1037
DAVIS, A. C., see F. L. MCEWEN (SN, April) 369
DAVIS, A. C., and F. L. MCEWEN—Control of the Cabbage Maggot, *Hylemya brassicae*, on Radish with Insecticides (Oct.) 947
DAVIS, ROBERT—An Apparatus for Continuously Recording Aphid Flights from Their Hosts (SN, Oct.) 1034
DAVIS, ROBERT, see EDSEL HARRELL (SN, Aug.) 791
DAWSON, ELSIE H., see JENNIE L. BROGDON (SN, Feb.) 169
DEAL, A. S., see H. H. SHOREY (Feb.) 124
DEAL, A. S., see L. A. RIEHL (SN, April) 361
DEARMAN, A. V., H. F. POWELL, and R. K. THOMPSON—Portable Sprayer for Aerial LVC Applications (Dec.) 1050
DECKER, G. C., see J. W. MATTESON (April) 344
DECKER, GEORGE C., W. N. BRUCE, and J. H. BIGGER—The Accumulation and Dissipation of Residues Resulting from the Use of Aldrin in Soils (April) 266
DEEMA, PRAYOON, EDWARD C. NABER, and GEORGE W. WARE—Residues in Hen Eggs from Vaporizing Insecticide Tablets (Oct.) 904
DEFOLIART, G. R., see JAMES L. ESCHLE (June) 529
DELYZER, A. J.—Rearing of Woolly Pine Needle Aphid, *Schizolachnus piniradiatae*, Viviparae— (SN, Oct.) 1021
DENNING, D. G.—Arthur Earl Pritchard (1915–1965) (Obit., Aug.) 807
DEPEW, LESTER J.—Insecticide Tests for Control of the Army Cutworm Attacking Wheat in Western Kansas (June) 418
DEWEY, J. E., see BRUCE L. PARKER (Feb.) 106
DEWEY, J. E., and BRUCE L. PARKER—Increase in Toxicity to *Drosophila melanogaster* of Phorate-Treated Soils (June) 491
DIETRICH, HENRY—Glenn Washington Herrick (1870–1965) (Obit., Aug.) 809
DIETRICK, EVERETT J., see VERNON M. STERN (Oct.) 949
DOBSON, R. C., and D. P. SANDERS—Low-Volume, High-Concentration Spraying for Horn Fly and Face Fly Control on Beef Cattle (SN, April) 379
DOBSON, R. C., see G. W. LAMMERS (SN, Oct.) 1011
DOMINICK, C. B.—Experiments with Insecticides Applied in the Soil for Tobacco Flea Beetle and Green Peach Aphid Control (April) 224
DOROUGH, H. W., see W. L. STERLING (Oct.) 867
DORSEY, C. K., see C. O. REXRODE (Oct.) 913
DOTY, A. E., see E. E. KENAGA (Dec.) 1043
DOUTT, R. L., see G. W. RAHALKAR (April) 278
DOUTT, RICHARD L., and JOHN NAKATA—Overwintering Refuge of *Anagrus epos* (Hymenoptera: Mymaridae) (SN, June) 586
DOWNEY, J. E., see C. W. COLLIER (Aug.) 649
DREA, JOHN J., JR., and T. B. O'CONNELL—Life History and Host Specificity Studies of *Heterographis fulvobasella* Ragonot (Lepidoptera: Phycitidae) (Dec.) 1110
DROOZ, ARNOLD T.—Elm Spanworm Head Capsule Widths and Instars (Aug.) 629
DRUMMOND, P. E., see C. C. CASSIL (SN, April) 356
DRUMMOND, R. O.—Further Evaluation of Animal Systemic Insecticides, 1964 (Aug.) 773
DRUMMOND, R. O., and J. G. MEDLEY—Field Tests with Insecticides for the Control of Ticks on Livestock (Dec.) 1131
DRUMMOND, R. O., T. M. WHETSTONE, and S. E. ERNST—Control of Cattle Grubs with Coumaphos Applied by Sprayer and Spray-Dip Machine (SN, Oct.) 1017
DUDLEY, J. W., see W. V. CAMPBELL (April) 245
DUPREE, MINTER—Observations on the Life History of the Lesser Cornstalk Borer (SN, Dec.) 1156
DUPREE, MINTER, see D. B. LEUCK (SN, Aug.) 779
DYSART, RICHARD J., and BENJAMIN PUTTLER—The Alfalfa Weevil Parasite *Bathyplectes curculionis* in Illinois and Notes on Its Disperal (SN, Dec.) 1154

EBELING, WALTER, and ROBERT E. WAGNER—Influence of Humidity on the Volatilization of Insecticide Residues as Affected by Formulation and Substrate (April) 240
EBELING, WALTER, see ROBERT E. WAGNER (April) 236
EDEN, W. G., see ANWARA BEGUM (SN, June) 591
EDEN, W. G., and B. W. ARTHUR—Translocation of DDT and Heptachlor in Soybeans (SN, Feb.) 161
ELBAHRAWI, A. A., see M. E. ELDEFRAWI (Feb.) 93
ELDEFRAWI, M. E., A. A. ELBAHRAWI, A. TOPPOZADA, and M. ZEID—Toxicological Studies on the Egyptian

Cotton Leafworm, *Prodenia litura*. IV. The Toxicity of Pyrethrins, Allethrin, and Cyclethrin to *Prodenia* Larvae and the Effect of Synergists (Feb.) 93
ELDEFRAWI, M. E., A. H. HOSNY, A. TOPPOZADA, and S. HASSAN—Susceptibility to Acaricides of the Mite *Tetranychus cinnabarinus* Infesting Cotton in Egypt (Dec.) 1106
ELKASSABY, FAROUK Y., see SAAD A. KAMEL (April) 209
ELMER, H. S.—Banks Grass Mite, *Oligonychus pratensis* on Dates in California (June) 531
ELMER, H. S.—The Yuma Spider Mite, *Eotetranychus yumensis*, on Citrus (June) 534
ENAN, O., and H. T. GORDON—Temperature Effects on Toxicity of Synergized Carbamate Insecticides on House Flies (June) 513
ERNST, S. E., see R. O. DRUMMOND (SN, Oct.) 1017
ESCHLE, JAMES L., and G. R. DEFOLIART—Control of Mink Myiasis Caused by the Larvae of *Wohlfahrtia vigil* (June) 529
ESTES, P. M.—The Effects of Time and Temperature on Methyl Bromide Fumigation of Adults of *Sitophilus granarius* and *Tribolium confusum* (Aug.) 611
EVANS, BURTON R., and JOHN E. PORTER—The Incidence, Importance, and Control of Insects Found in Stored Food and Food-Handling Areas of Ships (June) 479
EVERETT, T. R., see R. D. HENDRICK (June) 539
EVERETT, TRAVIS R., see RODNEY D. HENDRICK (Oct.) 958
EVERSOLE, JAMES W., J. H. LILLY, and F. R. SHAW—Comparative Effectiveness and Persistence of Certain Insecticides in Poultry Droppings Against Larvae of the Little House Fly (Aug.) 704
EVERSOLE, JAMES W., J. H. LILLY, and F. R. SHAW—Toxicity of Droppings from Coumaphos-Fed Hens to Little House Fly Larvae (Aug.) 709

FAHEY, JACK E., J. W. BUTCHER, and R. T. MURPHY—Chlorinated Hydrocarbon Insecticide Residues in Soils of Urban Areas, Battle Creek, Michigan (SN, Oct.) 1026
FAHEY, JACK E., see R. T. MURPHY (SN, April) 371
FAHMY, M. A., and H. T. GORDON—Selective Synergism of Carbamate Insecticides on House Flies by Aryloxyalkylamines (June) 451
FANCHER, C. C.—Henry Elias Yost (1906–1965) (Obit., Oct.) 1040
FENLEY, WILLIAM R., see ABDUL A. KHAN (Aug.) 694
FIELD, GORDON, and TAKAJI MATSUI—Attractiveness of Dyed Waters as Oviposition Sites to *Culex tritaeniorhynchus* (SN, Dec.) 1172
FIELDS, E. S., see VICTOR E. ADLER (SN, Aug.) 780
FIFE, L. C., and H. M. GRAHAM—Seasonal Activity of Buried Overwintering Pink Bollworm Larvae in Central Texas (Aug.) 688
FLINT, HOLLIS M.—The Effects of Gamma Radiation on the Fertility and Longevity of *Hippelates pusio* (June) 555
FORSYTHE, H. Y., JR.—Present Status in Control of the European Red Mite in Ohio with Summer Acaricides (Oct.) 811
FORSYTHE, H. Y., JR., and ROY W. RINGS—Two Promising Experimental Insecticides for Control of the Plum Curculio (Dec.) 1116
FOSTER, ROBERT E., see S. E. MCGREGOR (Oct.) 968
FRANCLEMONT, J. G.—Glenn Washington Herrick (1870–1965) (Obit., Aug.) 809
FRAZER, E. D., see ROBERT L. HARRIS (SN, April) 379
FREDERICKSON, MARY, see R. L. METCALF (Feb.) 143
FRISHMAN, AUSTIN M., see MERCER P. RUSSELL (June) 570
FUJIMOTO, M. S., see L. F. STEINER (June) 519
FUJIMOTO, M. S., see L. F. STEINER (Oct.) 961
FUKUTO, T. R., see R. L. METCALF (Dec.) 1151
FURNISS, MALCOLM M.—An Instance of Delayed Emergence of the Douglas-Fir Beetle and Its Effect on an Infestation in Southern Utah (June) 440

FYE, R. E.—Methods for Placing Wasp Trap Nests in Elevated Locations (SN, Aug.) 803
FYE, R. L., H. K. GOUCK, and G. C. LABRECQUE—Compounds Causing Sterility in Adult House Flies (June) 446

GAHAN, JAMES B., see GARY A. MOUNT (Aug.) 685
GARCIA, RUBEN S., see MILTON T. OUYE (Oct.) 927
GARCIA, RUBEN S., see MILTON T. OUYE (SN, Oct.) 1018
GAST, R. T.—Mass Producing Artificial Diet Pellets for Adult Boll Weevils (SN, Oct.) 1024
GEERING, Q. A., P. J. BROOKER, and J. H. PARSONS—The Chemosterilant Activity of Some Substituted Phenyl Esters of Aziridine-1-carboxylic Acid (June) 574
GEORGE, BOYD W., and ELDON E. ORTMAN—Rearing the Western Corn Rootworm in the Laboratory (SN, April) 375
GEORGHIOU, G. P.—Effects of Carbamates on House Fly Fecundity, Longevity, and Food Intake (Feb.) 58
GERHARDT, R. R., see E. C. TURNER, JR. (SN, June) 584
GEROLT, PH.—The Fate of Dieldrin in Insects (Oct.) 849
GERRISH, ROBERT R., and JOSÉ M. OSSORIO—New Record of the Tick *Ixodes affinis* in the United States (SN, April) 369
GETZIN, L. W.—Control of the Gray Garden Slug with Bait Formulations of a Carbamate Molluscicide (SN, Feb.) 158
GIBSON, KENNETH E.—A Power Tool for Sampling Soil for Insects (SN, Aug.) 788
GIFFORD, J. R.—*Goniozus indicus* as a Parasite of the Sugarcane Borer (SN, Aug.) 799
GILMORE, J. E.—Preliminary Field Evaluation of a Noninclusion Virus for Control of the Citrus Red Mite (Dec.) 1136
GINGRICH, R. E.—*Bacillus thuringiensis* as a Feed Additive to Control Dipterous Pests of Cattle (SN, April) 363
GIRARDEAU, J. H., JR.—The Occurrence of Dry-Mix-Fed Drugs in Larval Food of the Honey Bee (Oct.) 878
GLASS, E. H.—Vacuum-Pencil Technique for Manipulating Small Lepidopterous Larvae (SN, Aug.) 785
GLICK, P. A., and H. M. GRAHAM—Seasonal Light-Trap Collections of Lepidopterous Cotton Insects in South Texas (Oct.) 880
GODIN, P. J., J. H. STEVENSON, and R. M. SAWICKI—The Insecticidal Activity of Jasmolin II and Its Isolation from Pyrethrum (*Chrysanthemum cinerariaefolium* Vis.) (June) 548
GOOD, ERNEST E., GEORGE W. WARE, and DAVID F. MILLER—Effects of Insecticides on Reproduction in the Laboratory Mouse: I. Kepone (Aug.) 754
GOODHUE, LYLE D., see D. E. HOWELL (SN, Oct.) 1027
GORDON, H. T., see M. A. FAHMY (June) 451
GORDON, H. T., see O. ENAN (June) 513
GORZYCKI, L. J., see R. L. RIDGWAY (Aug.) 666
GOUCK, H. K., and C. E. SCHRECK—An Olfactometer for Use in the Study of Mosquito Attractants (SN, June) 589
GOUCK, H. K., see R. L. FYE (June) 446
GRAHAM, H. M., see L. C. FIFE (Aug.) 688
GRAHAM, H. M., see P. A. GLICK (Oct.) 880
GRAHAM, H. M., see W. L. LOWRY (Aug.) 732
GRAHAM, HARRY M., see MILTON T. OUYE (Oct.) 927
GRAHAM, O. H., see R. A. HOFFMAN (Oct.) 815
GRANETT, PHILIP, see ELTON J. HANSENS (SN, Feb.) 157
GRAVES, J. B., D. F. CLOWER, J. L. BAGENT, and J. R. BRADLEY, JR.—Seasonal Occurrence of *Heliothis* Larvae on Cotton in Louisiana (SN, Dec.) 1152
GRAVES, J. B., and J. R. BRADLEY—Response of Swiss Albino Mice to Intraperitoneal Injection of Endrin (SN, Feb.) 178
GRAVES, J. B., J. R. BRADLEY, and J. L. BAGENT—Laboratory Evaluation of Several Organotin Compounds Against *Heliothis* Spp. (SN, June) 583
GRAVES, J. B., and OTTO MACKENSEN—Topical Appli-

cation and Insecticide Resistance Studies on the Honey Bee (Oct.) 990
GRAYSON, JAMES MCDONALD—Resistance to Three Organophosphorus Insecticides in Strains of the German Cockroach from Texas (Oct.) 956
GREEN, NATHAN, see A. W. WOODROW (Dec.) 1094
GRIGARICK, A. A., and G. W. BEARDS—Ovipositional Habits of the Rice Water Weevil in California as Related to a Greenhouse Evaluation of Seed Treatments (Dec.) 1053
GURNEY, ASHLEY B.—James Abram Garfield Rehn (1881–1965) (Obit., Aug.) 805
GUYER, GORDON—Walter F. Morofsky (1899–1965) (Obit., Aug.) 805
GYRISCO, GEORGE G., see EDWARD J. ARMBRUST (Oct.) 940

HACSKAYLO, JOSEPH, see D. A. LINDQUIST (June) 415
HACSKAYLO, JOSEPH, see T. B. DAVICH (SN, April) 366
HALFHILL, R. L., see H. H. SHOREY (June) 522
HALFHILL, R. L., and H. H. SHOREY—Systemic Insecticides for the Control of Western Flower Thrips on Bulb Onions (SN, Aug.) 793
HALL, N. W., see S. MCDONALD (Aug.) 739
HALL, W. E., see R. A. COREY (Aug.) 658
HALL, W. E., and YUN-PEI SUN—Mechanism of Detoxication and Synergism of Bidrin Insecticide in House Flies and Soil (Oct.) 845
HAMILTON, E. W.—Aldrin Resistance in Corn Rootworm Beetles (April) 296
HAMILTON, K. C., see A. W. WOODROW (Dec.) 1094
HAMMAN, P. J., see G. W. RIVERS (SN, Oct.) 1003
HAMMONS, R. O., see D. B. LEUCK (SN, Oct.) 1028
HANSENS, ELTON J.—Effects of Apholate on Restricted Populations of Insecticide-Resistant House Flies, *Musca domestica* (Oct.) 944
HANSENS, ELTON J., and PHILIP GRANETT—Effects of Apholate on a Restricted Population of House Flies (SN, Feb.) 157
HARDEE, D. D., see T. B. DAVICH (SN, Oct.) 1035
HARDING, JAMES A.—Parasitism of the Leaf Miner, *Liriomyza munda* in the Winter Garden Area of Texas (June) 442
HARDY, J. L., see E. E. KENAGA (Dec.) 1043
HARE, W. W., see E. A. HARRELL (Feb.) 55
HARE, W. W., see E. A. HARRELL (Feb.) 71
HARE, W. W., see E. A. HARRELL (SN, Oct.) 1016
HARLIN, PHILLIP K., see ROBERT L. KIRKPATRICK (Oct.) 920
HARRELL, E. A., M. C. BOWMAN, and W. W. HARE—DDT Residues on Sweet Corn Ear Tips and Silks After Treatment with Dust, Spray, or Granular Formulations (Feb.) 55
HARRELL, E. A., M. C. BOWMAN, and W. W. HARE—Field Evaluation of an Electrostatic Duster (Feb.) 71
HARRELL, E. A., M. C. BOWMAN, and W. W. HARE—An Effect of Electrostatic Dusting on DDT Dust Deposition (SN, Oct.) 1016
HARRELL, EDSEL, and ROBERT DAVIS—An Inexpensive Portable Suction Insect Sampler (SN, Aug.) 791
HARRENDORF, KEITH—A Modified High-Clearance Sprayer for Plot Use (SN, Oct.) 1014
HARRENDORF, KEITH, see ARMON J. KEASTER (Oct.) 923
HARRENDORF, KEITH, and ARMON J. KEASTER—A Walk-in Light Trap Installation with a Moth-Beetle Separator (SN, Oct.) 1010
HARRIES, F. H.—Control of Insects and Mites on Fruit Trees by Trunk Injections (Aug.) 631
HARRIES, F. H., and EVERETT C. BURTS—Insecticide Resistance in the Pear Psylla (SN, Feb.) 172
HARRIS, E. J., see L. F. STEINER (June) 519
HARRIS, E. J., see L. F. STEINER (Oct.) 961
HARRIS, ROBERT L., R. A. HOFFMAN, and E. D. FRAZER—Chilling vs. Other Methods of Immobilizing Flies (SN, April) 379
HARRISON, FLOYD P.—Granulated Insecticides for Control of Some Corn Pests (Feb.) 137
HARTSOCK, JAMES G., see RALPH A. KILLOUGH (Aug.) 711
HASSAN, S., see M. E. ELDEFRAWI (Dec.) 1106
HATCHETT, J. H., see C. F. HENDERSON (April) 207
HAYS, SIDNEY B.—Insecticidal Control of the Clover Head Weevil and the Lesser Clover Leaf Weevil on Crimson Clover, and Effects of Control Measures on Honey Bees (June) 481
HAYS, SIDNEY B.—Some Effects of Reserpine, a Tranquilizer, on the House Fly (SN, Aug.) 782
HAYS, SIDNEY B., and LOY W. MORGAN—Observations on the Biology of the Southern Corn Rootworm and Insecticidal Tests for Its Control on Peanuts in Georgia (Aug.) 637
HELTON, A. W., and R. W. PORTMAN—Chemotherapeutic Control of Potential Virus Vectors on Prune Trees (Aug.) 749
HENDERSON, C. F., H. G. KINZER, and J. H. HATCHETT—Effectiveness of Insecticides Against the Corn Earworm in Sorghum Heads (April) 207
HENDERSON, W. R., see CHARLES H. BRETT (Oct.) 893
HENDRICK, R. D., T. R. EVERETT, H. A. LAMEY, and W. B. SHOWERS—An Improved Method of Selecting and Breeding for Active Vectors of Hoja Blanca Virus (June) 539
HENDRICK, RODNEY D., and TRAVIS R. EVERETT—Toxicity to the Louisiana Red Crawfish of Some Pesticides Used in Rice Culture (Oct.) 958
HENNEBERRY, T. J., see A. F. HOWLAND (Aug.) 635
HENNEBERRY, T. J., see FLOYD F. SMITH (Feb.) 98
HENNEBERRY, T. J., and W. R. SMITH—Malathion Synergism Against Organophosphate-Resistant Two-Spotted Spider Mites (April) 312
HIGHTOWER, B. G., A. L. ADAMS, and D. A. ALLEY—Dispersal of Released Irradiated Laboratory-Reared Screw-Worm Flies (SN, April) 373
HILL, RAY, see T. B. DAVICH (Feb.) 127
HILTON, B. D., and R. D. O'BRIEN—Synthesis of H^3-Ethyl Parathion (SN, Oct.) 1025
HITCHCOCK, STEPHEN W.—The Seasonal Fluctuation of Limnetic *Chaoborus punctipennis* and Its Role as a Pest in Drinking Water (Oct.) 902
HODSON, A. C.—Frederick George Holdaway (1902–1965) (Obit., June) 594
HOFFMAN, R. A., see H. V. CLABORN (Oct.) 922
HOFFMAN, R. A., I. L. BERRY, and O. H. GRAHAM—Control of Flies on Cattle by Frequent, Low-Volume Mist Spray Applications of Ciodrin (Oct.) 815
HOFFMAN, R. A., see ROBERT L. HARRIS (SN, April) 379
HOLDAWAY, F. G., see H. C. CHIANG (Oct.) 932
HOLMES, N. D., D. S. SMITH, S. MCDONALD, G. E. SWAILES, and L. K. PETERSON—Evaluation of Three Alternative Insecticides for Control of Grasshoppers in Alberta (Feb.) 77
HOOPER, G. H. S.—The Mechanism of DDT Resistance in the Spotted Root Maggot *Euxesta notata*— (Aug.) 608
HOOPER, G. H. S., and A. W. A. BROWN—Dieldrin-Resistant and DDT-Resistant Strains of the Spotted

Root Maggot Apparently Restricted to Heterozygotes for Resistance (Oct.) 824
HOOPINGARNER, R., see A. NETHERY (June) 511
HOPKINS, A. R., and H. M. TAFT—Control of Certain Cotton Pests with a New Systemic Insecticide, UC-21149 (Aug.) 746
HOSNY, A. H., see M. E. ELDEFRAWI (Dec.) 1106
HOUSE, V. S., see D. L. BULL (SN, Dec.) 1157
HOWELL, D. E., and LYLE D. GOODHUE—A Simplified Insect Olfactometer (SN, Oct.) 1027
HOWER, A. A., see TIEN-HSI CHENG (Oct.) 910
HOWLAND, A. F., P. VAIL, and T. J. HENNEBERRY—Effect of Chemosterilants on Fertility of Cabbage Loopers (Aug.) 635
HUDDLESTON, P., see J. C. KELLER (SN, June) 588
HUDDLESTON, PAUL, see T. B. DAVICH (Feb.) 127

ISAAK, ALBERT, EDGAR L. SORENSEN, and REGINALD H. PAINTER—Stability of Resistance to Pea Aphid and Spotted Alfalfa Aphid in Several Alfalfa Clones Under Various Temperature Regimes (Feb.) 140
ISAKSON, O. W., see WALLACE E. LABARGE (Feb.) 63
ISHIDA, M., and P. A. DAHM—Metabolism of Benzene Hexachloride Isomers and Related Compounds in Vitro. I. Properties and Distribution of the Enzyme (June) 383
ISHIDA, M., and P. A. DAHM—Electron Affinity and Animal Toxicity of Benzene Hexachloride Isomers (SN, Dec.) 1164
ISHIDA, MITSUO, and P. A. DAHM—Metabolism of Benzene Hexachloride Isomers and Related Compounds in Vitro. II. Purification and Stereospecificity of House Fly Enzymes (Aug.) 602
ISHII, TAKASHI, and MARTIN SHERMAN—Resistance of a Hawaiian Strain of the German Cockroach to Several Insecticides (Feb.) 46
IVERSON, LEO G. K.—RICP—An Experience in Virgin Entomology (SN, Dec.) 1152

JACKLIN, S. W., F. F. SMITH, and A. L. BOSWELL—Egg Mortality After Gamma Irradiation of Adults of Omnivorous Leaf Roller (SN, Dec.) 1168
JACKSON, R. D., see G. J. MUSICK (Dec.) 1060
JACKSON, R. D., see R. T. MURPHY (SN, April) 371
JACOBSON, M., see R. M. WATERS (SN, April) 370
JARVIS, JAMES L., and TOM A BRINDLEY—Predicting Moth Flight and Oviposition of European Corn Borer by the Use of Temperature Accumulations (April) 300
JENKINS, J. N., see J. C. KELLER (SN, June) 588
JENKINS, JOHNIE N., see FOWDEN G. MAXWELL (SN, Aug.) 792
JENKINS, JOHNIE N., see FOWDEN G. MAXWELL (Oct.) 985
JEPPSON, LEE R., MILTON J. JESSER, and JOHN O. COMPLIN—Response of Susceptible Strains of the Pacific Spider Mite and the Citrus Red Mite to *O*-Isopropyl *O*-(2,4,5-Trichlorophenyl) Phosphoramidate or Phosphoramidothioate (June) 466
JESSER, MILTON J., see LEE R. JEPPSON (June) 466
JOHANSEN, CARL—Bee Poisoning Versus Clover Seed Weevil Control in White Dutch Clover Grown for Seed (Oct.) 857
JOHNSON, E. R., see YUN-PEI SUN (Oct.) 838
JOHNSON, NORMAN E.—A Test of 12 Insecticides for the Control of the Sitka-Spruce Weevil, *Pissodes sitchensis* Hopkins (June) 572
JOHNSON, NORMAN E., and J. H. REDISKE—A Test of Systemic Insecticides to Control Douglas-Fir Cone and Seed Insects (SN, Oct.) 1020
JOHNSON, P. E., see J. H. BIGGER (Dec.) 1083
JONES, P. A., H. C. COPPEL, and J. E. CASIDA—Collection of Additional Sex Attractant from the Virgin Female Introduced Pine Sawfly (June) 465
JONES, S. L., see R. L. RIDGWAY (SN, Aug.) 790

KAMASAKI, HITOSHI, see IRVING KEISER (Aug.) 682
KAMEL, SAAD A., and FAROUK Y. ELKASSABY—Relative Resistance of Cotton Varieties in Egypt to Spider Mites, Leafhoppers, and Aphids (April) 209
KATTOULAS, MARIOS E., and C. S. KOEHLER—Studies on the Biology of the Irregular Pine Scale (Aug.) 727
KATTOULAS, MARIOS E., see C. S. KOEHLER (Dec.) 1102
KEARBY, W. H., and D. M. BENJAMIN—Parasites Associated with the Red-Pine Needle Midge *Thecodiplosis piniresinosae* Kearby (SN, Feb.) 166
KEASTER, ARMON J., and KEITH HARRENDORF—Laboratory Rearing of the Southwestern Corn Borer, *Zeadiatraea grandiosella*, on a Wheat Germ Medium (Oct.) 923
KEASTER, ARMON J., see KEITH HARRENDORF (SN, Oct.) 1010
KEHR, W. R., see WALLACE E. LABERGE (Feb.) 63
KEISER, IRVING, L. F. STEINER, and HITOSHI KAMASAKI—Effect of Chemosterilants Against the Oriental Fruit Fly, Melon Fly, and Mediterranean Fruit Fly (Aug.) 682
KELLER, J. C., see NORMAN MITLIN (Feb.) 119
KELLER, J. C., see T. B. DAVICH (Feb.) 127
KELLER, J. C., and T. B. DAVICH—Response of Five Species of Insects to Water Extracts of Their Host Plants (SN, Feb.) 164
KELLER, J. C., T. B. DAVICH, FOWDEN G. MAXWELL, J. N. JENKINS, E. B. MITCHELL, and P. HUDDLESTON—Extraction of a Boll Weevil Attractant from the Atmosphere Surrounding Growing Cotton (SN, June) 588
KENAGA, EUGENE E.—Triphenyl Tin Compounds as Insect Reproduction Inhibitors (Feb.) 4
KENAGA, E. E., W. K. WHITNEY, J. L. HARDY, and A. E. DOTY—Laboratory Tests with Dursban Insecticide (Dec.) 1043
KHAN, ABDUL A., HOWARD I. MAIBACH, WALTER G. STRAUSS, and WILLIAM R. FENLEY—Screening Humans for Degrees of Attractiveness to Mosquitoes (Aug.) 694
KILGORE, WENDELL W., see RUTH R. PAINTER (Oct.) 888
KILLOUGH, RALPH A.—Effect of Different Levels of Illumination on the Life Cycle of the Face Fly (SN, April) 368
KILLOUGH, RALPH A., and DONALD M. MCKINSTRY—Mating and Oviposition Studies of the Stable Fly (June) 489
KILLOUGH, RALPH A., and EDWARD SCOTT MCCLELLAN—Face Fly Oviposition Studies (Aug.) 716
KILLOUGH, RALPH A., JAMES G. HARTSOCK, WAYNE W. WOLF, and JAMES W. SMITH—Face Fly Dispersal, Nocturnal Resting Places, and Activity During Sunset as Observed in 1963 (Aug.) 711
KING, EDWIN W., CHARLES D. PLESS, and JOHN K. REED—An Automatic Sample-Changing Device for Light-Trap Collecting (SN, Feb.) 170
KINZER, H. G., see C. F. HENDERSON (April) 207
KIRK, VERNON M.—Some Flight Habits of the Rice Weevil (SN, Feb.) 155
KIRK, VERNON M.—Observations on the Corn Stalk Weevil *Centrinaspis penicellus* (SN, Aug.) 796
KIRKPATRICK, ROBERT L., and DONALD A. WILBUR—The Development and Habits of the Granary Weevil, *Sitophilus granarius*, within the Kernel of Wheat (Oct.) 979
KIRKPATRICK, ROBERT L., and PHILLIP K. HAREIN—Inhibition of Reproduction of Indian-Meal Moths, *Plodia interpunctella*, by Exposure to Amplified Sound (Oct.) 920
KISHABA, A. N., and G. R. MANGLITZ—Non-Preference as a Mechanism of Sweetclover and Alfalfa Resistance to the Sweetclover Aphid and the Spotted Alfalfa Aphid (June) 566
KNAPP, FRED W.—The Effect of Free-Choice Coumaphos Salt Mixtures on Cattle and Cattle Parasites (April) 197
KNAPP, FRED W.—Low Concentration of Coumaphos

and Trichlorfon Spray Treatments for Control of the Cattle Lice *Solenopotes capillatus* and *Bovicola bovis* (SN, June) 585
KNAPP, FRED W.—Free Choice Feeding of Ronnel Mineral Block and Granules for Face Fly, Horn Fly, and Cattle Grub Control (Oct.) 836
KOEHLER, C. S., see MARIOS E. KATTOULAS (Aug.) 727
KOEHLER, C. S., MARIOS E. KATTOULAS, and R. LEE CAMPBELL—Timing of Treatments for Control of the Irregular Pine Scale (Dec.) 1102
KOMATSU, G. H., see MARTIN SHERMAN (April) 203
KOZUMA, T. T., see L. F. STEINER (Oct.) 961
KREASKY, J. B.—Cholesterol Analog Utilization by Grasshoppers (SN, Oct.) 1015
KULMAN, H. M.—Effect of Disbudding on the Shoot Mortality, Growth, and Bud Production in Red and Sugar Maples (Feb.) 23
KULMAN, H. M.—Natural Control of the Eastern Tent Caterpillar and Notes on Its Status as a Forest Pest (Feb.) 66
KULMAN, H. M.—Natural Control of the Bagworm and Notes on Its Status as a Forest Pest (Oct.) 863
KULMAN, H. M., see C. O. REXRODE (Oct.) 913
KULMAN, H. M., and MARION A. BROOKS—Dosages of Nuclear-Polyhedrosis Virus Effective Against *Malacosoma disstria* with Notes on Interspecies Susceptibility (SN, Oct.) 1008

LABERGE, WALLACE E., O. W. ISAKSON, and W. R. KEHR—Native Insects as Pollinators of Caged Alfalfa Clones and Seedling Performance of the Progeny (Feb.) 63
LABRECQUE, G. C., see R. L. FYE (June) 446
LADD, T. L., JR., and W. A. RAWLINS—The Effects of the Feeding of the Potato Leafhopper on Photosynthesis and Respiration in the Potato Plant (Aug.) 623
LADUE, J. P., see L. A. RIEHL (Oct.) 907
LAFEVER, HOWARD N., see FOWDEN G. MAXWELL (SN, Aug.) 792
LAFEVER, HOWARD N., see FOWDEN G. MAXWELL (Oct.) 985
LALL, B. S., and S. Q. AHMAD—The Biology and Control of Brinjal (Egg-plant) Fruit and Shoot Borer, *Leucinodes orbonalis* (June) 448
LAMEY, H. A., see R. D. HENDRICK (June) 539
LAMMERS, G. W., and R. C. DOBSON—Equipment for Checking Fumigation Effectiveness in Silo Bins (SN, Oct.) 1011
LANDIS, B. J., see D. M. POWELL (Dec.) 1141
LANE, MERTON C.—Charles Edward Woodworth (1897–1964) (Obit., Feb.) 183
LAVIGNE, ROBERT J., and LYNN STEVENS—Systemics for Control of the Clearwinged Cottonwood Leaf Aphid in Southeast Wyoming (Oct.) 818
LAVIGNE, ROBERT J., see ROBERT E. PFADT (Feb.) 37
LEE, SUNG-YANG—Laboratory Studies of the Translocation of Benzene Hexachloride in Rice for Control of the Asiatic Rice Borer, *Chilo suppressalis* (April) 331
LEFFE, J. S., see D. CHISHOLM (Aug.) 763
LEGNER, E. F., and E. R. OATMAN—Limitation on the Pupal Development of the Eye-Spotted Bud Moth in Northeastern Wisconsin (SN, April) 359
LEMBRIGHT, H. W., see L. A. RIEHL (Feb.) 1
LEONARD, DAVID E.—*Atractotomus mali* and *Campylomma verbasci* (Heteroptera: Miridae) on Apples in Connecticut (SN, Oct.) 1031
LEUCK, D. B., and MINTER DUPREE—Parasites of the Lesser Cornstalk Borer (SN, Aug.) 779
LEUCK, D. B., and R. O. HAMMONS—Pollen-Collecting Activities of Bees Among Peanut Flowers (SN, Oct.) 1028
LEVIN, M. D., see S. E. MCGREGOR (Oct.) 968
LEWIS, WILLIAM G., see HARRY O. YATES, III (SN, Aug.) 787
LEWIS, W. J., see S. BRADLEIGH VINSON (Oct.) 869
LIBBY, JOHN L., see EARL R. OATMAN (Aug.) 766
LICHTENSTEIN, E. P., K. R. SCHULZ, R. F. SKRENTNY, and P. A. STITT—Insecticidal Residues in Cucumbers and Alfalfa Grown on Aldrin- or Heptachlor-Treated Soils (Aug.) 742
LILLY, J. H., see JAMES W. EVERSOLE (Aug.) 704
LILLY, J. H., see JAMES W. EVERSOLE (Aug.) 709
LILLY, J. H., see P. C. STEVE (June) 444
LINDGREN, D. L., and L. E. VINCENT—The Susceptibility of Laboratory-Reared and Field-Collected Cultures of *Tribolium confusum* and *T. castaneum* to Ethylene Dibromide, Hydrocyanic Acid, and Methyl Bromide (June) 551
LINDGREN, D. L., see L. E. VINCENT (Aug.) 660
LINDQUIST, D. A., see D. L. BULL (SN, Dec.) 1157
LINDQUIST, D. A., D. L. BULL, and R. L. RIDGWAY—Systemic Activity of Bidrin in the Cotton Plant (April) 200
LINDQUIST, D. A., JOSEPH HACSKAYLO, and T. B. DAVICH—Effect of Light and Humidity on the Absorption and Translocation of Dimethoate in the Cotton Plant (June) 415
LINDQUIST, D. A., see R. L. RIDGWAY (April) 349
LINDQUIST, D. A., see R. L. RIDGWAY (Aug.) 666
LINDQUIST, D. A., see R. L. RIDGWAY (SN, Aug.) 790
LINDQUIST, D. A., see T. B. DAVICH (Feb.) 127
LINDQUIST, D. A., see T. B. DAVICH (SN, April) 366
LINGREN, P. D., and D. E. BRYAN—Dosage-Mortality Data on the Bollworm, *Heliothis zea*, and the Tobacco Budworm, *Heliothis virescens*, in Oklahoma (Feb.) 14
LOAN, C. C.—Status of *Pygostolus falcatus* as a Parasite of *Sitona* spp. Following Releases in Manitoba and Ontario (SN, Aug.) 798
LOFGREN, C. S., see GARY A. MOUNT (Aug.) 685
LONG, CLAUDINE F., and PAUL H. SILVERMAN—Serological Characterization of Five Strains of Insecticide-Resistant and Susceptible House Flies (Dec.) 1070
LONG, W. H., see R. P. YADAV (Dec.) 1122
LOVELL, J. BYRON, see ROGER C. BLINN (SN, Dec.) 1159
LOWRY, W. L., M. T. OUYE, and R. S. BERGER—Rate of Increase in Resistance to DDT in Pink Bollworm (SN, Aug.) 781
LOWRY, W. L., R. L. MCGARR, O. T. ROBERTSON, R. S. BERGER, and H. M. GRAHAM—Bollworm and Tobacco Budworm Resistance to Several Insecticides in the Lower Rio Grande Valley of Texas (Aug.) 732
LOWRY, WILLIAM L., and ROBERT S. BERGER—Investigations of Pink Bollworm Resistance to DDT in Mexico and the United States (SN, June) 590
LUDWIG, P. D., see L. A. RIEHL (Feb.) 1
LUKEFAHR, M. J., and D. F. MARTIN—Additional Noncotton Hosts of the Boll Weevil and Cotton Leafworm (SN, Aug.) 784
LUKEFAHR, M. J., D. F. MARTIN, and J. R. MEYER—Plant Resistance to Five Lepidoptera Attacking Cotton (June) 516
LYON, WILLIAM F., and RALPH H. DAVIDSON—The Effect of Humidity on the Volatilization of Certain Insecticides (SN, Oct.) 1037

MACCREARY, DONALD—Flight Range Observations on *Lygus lineolarius* and Certain Other Hemiptera (SN, Oct.) 1004
MACKAUER, M. J. P., and H. E. BISDEE—Two Simple Devices for Rearing Aphids (SN, April) 365
MACKENSEN, OTTO, see J. B. GRAVES (Oct.) 990
MAIBACH, HOWARD I., see ABDUL A. KHAN (Aug.) 694
MANGLITZ, G. R., see A. N. KISHABA (June) 566
MANKOWSKY, R. A., see W. B. BECKER (Feb.) 132
MANN, H. D., see H. V. CLABORN (Oct.) 922

MANSINGH, AJAI—Water Loss in Malathion-Intoxicated German Cockroaches (SN, Feb.) 162
MANSINGH, AJAI—Cholinesterase Activity of Susceptible and Resistant Strains of Malathion-Poisoned German Cockroaches (SN, June) 580
MARTIN, D. F., see M. J. LUKEFAHR (June) 516
MARTIN, D. F., see M. J. LUKEFAHR (SN, Aug.) 784
MARTIN, D. F., see R. L. MCGARR (Aug.) 693
MARTIN, D. F., see R. S. BERGER (SN, Oct.) 1023
MARTIN, DIAL F., see MILTON T. OUYE (Oct.) 927
MARTIN, DIAL F., see MILTON T. OUYE (SN, Oct.) 1018
MATHIS, W., and H. F. SCHOOF—Studies on House Fly Control (April) 291
MATSUI, TAKAJI, see GORDON FIELD (SN, Dec.) 1172
MATTESON, J. W.—A Modified Aspirator for Collecting Small Arthropods (SN, Oct.) 1031
MATTESON, J. W., and G. C. DECKER—Development of the European Corn Borer at Controlled Constant and Variable Temperatures (April) 344
MAXWELL, C. W., F. A. WOOD, and E. C. PARSONS—Retention of Lead Arsenate on Apple Surfaces When Used with Certain Fungicides (April) 272
MAXWELL, FOWDEN G., HOWARD N. LAFEVER, and JOHNIE N. JENKINS—Blister Beetles on Glandless Cotton (SN, Aug.) 792
MAXWELL, FOWDEN G., see J. C. KELLER (SN, June) 588
MAXWELL, FOWDEN G., WILLIAM L. PARROTT, JOHNIE N. JENKINS, and HOWARD N. LAFEVER—A Boll Weevil Feeding Deterrent from the Calyx of an Alternate Host, *Hibiscus syriacus* (Oct.) 985
MCALLAN, J. W., see G. W. WOOD (SN, Dec.) 1166
MCALLAN, J. W., and W. T. A. NEILSON—Labeling the Apple Maggot with Strontium 89 (SN, Feb.) 168
MCALLAN, J. W., see W. T. A. NEILSON (June) 542
MCBAIN, J. B., see J. J. MENN (Oct.) 875
MCCLELLAN, EDWARD SCOTT, see RALPH A. KILLOUGH— (Aug.) 716
MCCOMBS, C. L., see CHARLES H. BRETT (Oct.) 893
MCDONALD, S., see G. E. SWAILES (Oct.) 988
MCDONALD, S., see N. D. HOLMES (Feb.) 77
MCDONALD, S., and N. W. HALL—A Laboratory Insecticide Sprayer Designed to Stimulate Field Spraying Equipment (Aug.) 739
MCEWEN, F. L., and A. C. DAVIS—Tests with Insecticides for Seed-Corn Maggot Control in Lima Beans (SN, April) 369
MCEWEN, F. L., see A. C. DAVIS (Oct.) 947
MCGARR, R. L., A. J. CHAPMAN, and D. F. MARTIN—Field Tests with Several Insecticides for Control of the Pink Bollworm, Boll Weevil, and Bollworm (Aug.) 693
MCGARR, R. L., see W. L. LOWRY (Aug.) 732
MCGOUGH, J. M., see R. S. BERGER (SN, Oct.) 1023
MCGREGOR, S. E., M. D. LEVIN, and ROBERT E. FOSTER—Honey Bee Visitors and Fruit Set of Cantaloups (Oct.) 968
MCKIBBEN, GERALD, see T. B. DAVICH (Feb.) 127
MCKINSTRY, DONALD M., see RALPH A. KILLOUGH (June) 489
MCMURTRY, J. A., and G. T. SCRIVEN—Insectary Production of Phytoseiid Mites (April) 282
MEDLER, J. T., see M. S. CONRAD (SN, Feb.) 180
MEDLEY, J. G., see R. O. DRUMMOND (Dec.) 1131
MEISCH, M. V., see G. W. RIVERS (SN, Oct.) 1003
MEISCH, M. V., and N. M. RANDOLPH—Life-History Studies and Rearing Techniques for the Three-Cornered Alfalfa Hopper (Dec.) 1057
MENN, J. J., J. B. MCBAIN, B. J. ADELSON, and G. G. PATCHETT—Degradation of *N*-(mercaptomethyl) phthalimide-*S*-(*O*,*O*-dimethylphosphorodithioate) (Imidan) in Soils (Oct.) 875
MENN, J. J., and K. SZABO—The Synthesis and Biological Properties of New *O*-Alkyl *S*-Aryl Alkylphosphonodithioates (Aug.) 734
MESSENGER, K., see F. E. SKOOG (June) 559
METCALF, R. L., and MARY FREDERICKSON—Selective Insecticidal Action of Isopropyl Parathion and Analogues (Feb.) 143
METCALF, R. L., and T. R. FUKUTO—Silicon-Containing Carbamate Insecticides (Dec.) 1151
MEYER, J. R., see M. J. LUKEFAHR (June) 516
MICHELBACHER, A. E.—Edward Oliver Essig (1884–1964) (Obit., Dec.) 1174
MILLER, DAVID F., see ERNEST E. GOOD (Aug.) 754
MILLERS, IMANTS and LOUIS F. WILSON—Suppression of the Saratoga Spittlebug, *Aphrophora saratogensis* (Fitch) with Malathion in Michigan Pine Plantations (Oct.) 942
MILLS, ROBERT B.—Apparatus for Studying Feeding and Oviposition by Angoumois Grain Moth Adults (SN, Feb.) 177
MILLS, ROBERT B.—Early Germ Feeding and Larval Development of the Angoumois Grain Moth (April) 220
MISTRIC, W. J., JR., see E. R. MITCHELL (April) 309
MISTRIC, W. J., JR., see E. R. MITCHELL (Aug.) 757
MITCHELL, E. B., see J. C. KELLER (SN, June) 588
MITCHELL, E. B., see T. B. DAVICH (Feb.) 127
MITCHELL, E. R., H. R. AGEE, and H. M. TAFT—Control of Bollworm Adults on Cotton with Insecticides (SN, Oct.) 1030
MITCHELL, E. R., and W. J. MISTRIC, JR.—Seasonal Occurrence of Diapause and Hibernation of the Boll Weevil in North Carolina (April) 309
MITCHELL, E. R., and W. J. MISTRIC, JR.—Concepts of Population Dynamics and Estimation of Boll Weevil Populations (Aug.) 757
MITCHELL, W. C., see L. F. STEINER (June) 519
MITCHELL, W. C., see L. F. STEINER (Oct.) 961
MITLIN, NORMAN, ALAN C. BARTLETT, and J. C. KELLER—Elimination Rate and Effect on Reproduction of Ingested Radiophosphorus in the Boll Weevil (Feb.) 119
MONRO, H. A. U., see A. H. QURESHI (April) 324
MONTOYA, ERNESTO L.—A Squeeze Device for Detection of the Sorghum Midge, *Contarinia sorghicola* (Coquillett) (Oct.) 938
MOOREFIELD, HERBERT H., see MATHIAS H. J. WEIDEN (SN, Feb.) 154
MORGAN, G. T.—Effects of Strawberry Aphid Control on Virus Spread and Yield (April) 195
MORGAN, JOSEPH W., see FREDERICK W. PLAPP, JR. (Oct.) 953
MORGAN, JOSEPH W., see FREDERICK W. PLAPP, JR. (Dec.) 1064
MORGAN, LOY W., see SIDNEY B. HAYS (Aug.) 637
MOUNT, GARY A.—Use of WHO Tsetse Fly Kit for Determining Resistance in the Stable Fly (SN, Aug.) 794
MOUNT, GARY A., JAMES B. GAHAN, and C. S. LOFGREN—Evaluation of Insecticides in the Laboratory Against Adult and Larval Stable Flies (Aug.) 685
MOYE, W. C., see R. A. COREY (Aug.) 658
MUELLER, ARTHUR, see VERNON M. STERN (Oct.) 949
MULLA, MIR S.—Field Evaluation of Organophosphate Insecticides as Soil Treatments for the Control of Hippelates Gnats (Aug.) 654
MUNRO, J. ALEX—Occurrence of *Psylla uncatoides* on *Acacia* and *Albizia*, with Notes on Control (SN, Dec.) 1171
MURPHY, R. T., JACK E. FAHEY, and R. D. JACKSON—Residues from 1-Bromochlordene Against European Corn Borer on Corn (SN, April) 371
MURPHY, R. T., see JACK E. FAHEY (SN, Oct.) 1026
MUSGROVE, C. H., and G. E. CARMAN—Argentine Ant Control on Citrus in California with Granular Formulations of Certain Chlorinated Hydrocarbons (June) 428
MUSICK, G. J., R. D. JACKSON, and T. A. BRINDLEY—The Effect of Dilution and Particle Size of Granular Endrin Formulations on the Control of European Corn Borers in Field Corn (Dec.) 1060

NABER, EDWARD C., see PRAYOON DEEMA (Oct.) 904
NAEGELE, JOHN A., see BRONISLAW POLCIK (June) 467
NAKAGAWA, S., and T. YAMADA—Two Varieties of *Sesbania grandiflora* as Fruit Fly Hosts (SN, Aug.) 796
NAKATA, JOHN, see RICHARD L. DOUTT (SN, June) 586
NAKATSUGAWA, T., and P. A. DAHM—Parathion Activation Enzymes in the Fat Body Microsomes of the American Cockroach (June) 500
NEILSON, W. T. A.—Culturing of the Apple Maggot, *Rhagoletis pomonella* (Dec.) 1056
NEILSON, W. T. A., see J. W. MCALLAN (SN, Feb.) 168
NEILSON, W. T. A., and J. W. MCALLAN—Artificial Diets for the Apple Maggot. III. Improved, Defined Diets (June) 542
NELSON, THOMAS E., and KNUT M. R. BERTUN—Synergism of Malathion Against the Northern Fowl Mite (Dec.) 1117
NETHERY, A., G. B. WILSON, and R. HOOPINGARNER—Cytological and Genetic Studies on the Effects of Ruelene (June) 511
NEWTON, R. C., and D. K. BARNES—Factors Affecting Resistance of Selected Alfalfa Clones to the Potato Leafhopper (June) 435
NICHOLLS, C. F., and J. A. C. BÉRUBÉ—An Expandable Cage for Feeding Tests of Coccinellid Predators of Aphids (SN, Dec.) 1169
NICKEL, JOHN L., JOHN T. SHIMIZU, and TIM T. Y. WONG—Studies on Natural Control of Pear Psylla in California (Oct.) 970
NIELSON, M. W., and M. H. SCHONHORST—Screening Alfalfas for Resistance to Some Common Insect Pests in Arizona (Feb.) 147
NIEMCZYK, H. D.—Cabbage Maggot Resistance to Aldrin in Ontario (SN, Feb.) 163
NIEMCZYK, H. D.—Contact Toxicity of Ten Insecticides to Adults of the Carrot Rust Fly (June) 423
NIEMCZYK, H. D.—The Response of *Hylemya antiqua* Adults to Hydrolized Proteins and Other Materials: a Laboratory Study (June) 425
NIEMCZYK, H. D., and G. PRINS—Contact Toxicity of 13 Insecticides to Cyclodiene-Susceptible and Cyclodiene-Resistant Strains of the Onion Maggot (Dec.) 1074
NORRIS, DALE M., JR., see STANLEY J. BARRAS (SN, Oct.) 1033
NOWOSIELSKI, JOZEF W., see BRONISLAW POLCIK (June) 467

OATMAN, E. R.—Effects of Preblossom Miticides and Subsequent Insecticide Applications on Mite Populations on Apple in Wisconsin (April) 335
OATMAN, EARL R.—Walkingsticks: An Unusual Pest on Sour Cherry (SN, June) 587
OATMAN, EARL R.—The Effect of *Bacillus thuringiensis* Berliner on Some Lepidopterous Larval Pests, Apple Aphid and Predators, and on Phytophagous and Predaceous Mites on Young Apple Trees (Dec.) 1144
OATMAN, E. R., see E. F. LEGNER (SN, April) 359
OATMAN, EARL R., and EARL RODER—A Blacklight Trap Effective for Single Tree Sampling (SN, Aug.) 800
OATMAN, EARL R., and JOHN L. LIBBY—Progress on Insecticidal Control of Apple Insects (Aug.) 766
O'BRIEN, R. D., see B. D. HILTON (SN, Oct.) 1025
O'BRIEN, R. D., see JUERGEN ZSCHINTZSCH (Aug.) 614
O'BRIEN, R. D., see TETSUO UCHIDA (Oct.) 831
O'BRIEN, RICHARD D.—Klaas van Asperen (1921–1964) (Obit., Aug.) 807
O'CONNELL, T. B., see JOHN J. DREA, JR. (Dec.) 1110
ORCHARD, RICHARD D., see FREDERICK W. PLAPP, JR. (Oct.) 953
ORTMAN, ELDON E., see BOYD W. GEORGE (SN, April) 375
OSBORN, A. W., and E. SHIPP—An Economical Method of Maintaining Adult Diptera (SN, Oct.) 1023
OSGOOD, C. E., see W. P. STEPHEN (April) 284
OSGOOD, CHARLES E., see W. P. STEPHEN (Oct.) 965
OSSORIO, JOSÉ M., see ROBERT R. GERRISH (SN, April) 369
OUYE, M. T., see W. L. LOWRY (SN, Aug.) 781
OUYE, MILTON T., HARRY M. GRAHAM, RUBEN S. GARCIA, and DIAL F. MARTIN—Comparative Mating Competitiveness of Metepa-Sterilized and Normal Pink Bollworm Males in Laboratory and Field Cages (Oct.) 927
OUYE, MILTON T., RUBEN S. GARCIA, and DIAL F. MARTIN—Sterilization of Pink Bollworm Adults with Metepa (SN, Oct.) 1018

PAINTER, REGINALD H., see ALBERT ISAAK (Feb.) 140
PAINTER, RUTH R., and WENDELL W. KILGORE—Chemosterilant Effect of 5-Fluoroorotic Acid on House Flies (Oct.) 888
PARISH, J. C., and B. W. ARTHUR—Chemosterilization of House Flies Fed Certain Ethylenimine Derivatives (Aug.) 699
PARISH, J. C., and B. W. ARTHUR—Mammalian and Insect Metabolism of the Chemosterilant Thiotepa (Oct.) 976
PARKER, BRUCE L., and J. E. DEWEY—Decline of Phorate and Dimethoate Residues in Treated Soils Based on Toxicity to *Drosophila melanogaster* (Feb.) 106
PARKER, BRUCE L., see J. E. DEWEY (June) 491
PARROTT, WILLIAM L., see FOWDEN G. MAXWELL (Oct.) 985
PARSONS, E. C., see C. W. MAXWELL (April) 272
PARSONS, J. H., see Q. A. GEERING (June) 574
PASS, B. C.—Influence of Some Cyclodiene Insecticides on Sod Webworm Populations (SN, June) 586
PASS, B. C., and J. K. REED—Biology and Control of the Spittlebug *Prosapia bicincta* in Coastal Bermuda Grass (April) 275
PATCHETT, G. G., see J. J. MENN (Oct.) 875
PAYNE, LINWOOD K., see MATHIAS H. J. WEIDEN (SN, Feb.) 154
PEMBERTON, C. E.—David Timmins Fullaway (1880–1964) (Obit., June) 593
PENCE, ROY J., and MANUEL S. VIRAY—Tests with Kepone and Mirex for the Control of Carpet Beetle Larvae in Fabric (Oct.) 916
PERLMAN, D., see S. S. RISTICH (Oct.) 929
PERRY, ALBERT S.—Klaas van Asperen (1921–1964) (Obit., Aug.) 807
PETERSON, A. G., see R. S. SAINI (June) 537
PETERSON, D. G.—Arni Pall Arnason (1903–1964) (Obit., Feb.) 182
PETERSON, DAVID M.—A Quick Method for Sex Determination of Codling Moth Pupae (SN, June) 576
PETERSON, L. K., see N. D. HOLMES (Feb.) 77
PFADT, ROBERT E., and ROBERT J. LAVIGNE—Further Tests with Power Dusting to Control the Sheep Ked (Feb.) 37
PHILLEO, W. W., see R. D. SCHONBROD (Feb.) 74
PIEPER, G. R., and JOHN E. CASIDA—House Fly Adenosine Triphosphatases and Their Inhibition by Insecticidal Organotin Compounds (June) 392
PILLAI, M. K. K., and A. W. A. BROWN—Physiological and Genetical Studies on Resistance to DDT Substitutes in *Aedes aegypti* (April) 255
PLAPP, FREDERICK W., JR., GARY A. CHAPMAN, and JOSEPH W. MORGAN—DDT Resistance in *Culex tarsalis* Coquillett: Cross Resistance to Related Compounds and Metabolic Fate of a C^{14}-labeled DDT Analog (Dec.) 1064
PLAPP, FREDERICK W., JR., RICHARD D. ORCHARD, and JOSEPH W. MORGAN—Analogs of Parathion and Malathion as Substitute Insecticides for the Con-

trol of Resistant House Flies and the Mosquito *Culex tarsalis* (Oct.) 953
PLESS, CHARLES D., see EDWIN W. KING (SN, Feb.) 170
POLCIK, BRONISLAW, JOZEF W. NOWOSIELSKI, and JOHN A. NAEGELE—Daily Rhythm of Oviposition in the Two-Spotted Spider Mite (June) 467
POORBAUGH, JOHN H., see JOHN R. ANDERSON (June) 497
PORTER, JOHN E., see BURTON R. EVANS (June) 479
PORTMAN, R. W., see A. W. HELTON (Aug.) 749
POWELL, D. M., and B. J. LANDIS—A Comparison of Two Sampling Methods for Estimating Population Trends of Thrips and Mites on Potatoes (Dec.) 1141
POWELL, H. F., see A. V. DEARMAN (Dec.) 1050
PRINS, G., see H. D. NIEMCZYK (Dec.) 1074
PUTTLER, BENJAMIN, see RICHARD J. DYSART (SN, Dec.) 1154

QUIGLEY, GEORGE D.—Family Differences in Attractiveness of Poultry to the Chicken Body Louse, *Menacanthus stramineus* (Mallophaga) (Feb.) 8
QURAISHI, M. SAYSEED—Swarming, Mating, and Density in Nature of *Anopheles stephensi mysorensis* (Oct.) 821
QURAISHI, M. SAYEED, and A. J. THORSTEINSON—Effect of Synthetic "Queen Substance" and Some Related Chemicals on Immature Stages of *Aedes aegypti* (April) 185
QURAISHI, M. SAYEED, and A. J. THORSTEINSON—Toxicity of Some Straight Chain Saturated Fatty Acids to House Fly Larvae (June) 400
QURESHI, A. H., E. J. BOND, and H. A. U. MONRO—Toxicity of Hydrogen Phosphide to the Granary Weevil, *Sitophilus granarius*, and Other Insects (April) 324

RABB, ROBERT L., see SAM G. TURNIPSEED (SN, Dec.) 1155
RACE, S. R.—Predicting Thrips Populations on Seedling Cotton (SN, Oct.) 1013
RAHALKER, G. W., and R. L. DOUTT—A Comparison of Procedures for Marking Adult Endoparasitic Wasps with P^{32} (April) 278
RAHMATI, H. S., see TETSUO UCHIDA (Oct.) 831
RANDOLPH, N. M., see M. V. MEISCH (Dec.) 1057
RAO, B. SRIPATHI—A Light Trap for Moths of *Nacoleia diemenalis* (SN, Oct.) 1000
RATCLIFFE, R. H., see S. S. RISTICH (Oct.) 929
RATCLIFFE, ROGER H., and SAMUEL S. RISTICH—Insect Sterilant Experiments in Outdoor Cages with Apholate, Metepa, and Four Bifunctional Aziridine Chemicals Against the House Fly (Dec.) 1079
RAWLINS, W. A.—Glenn Washington Herrick (1870–1965) (Obit., Aug.) 809
RAWLINS, W. A., see T. L. LADD, JR. (Aug.) 623
READ, D. C.—Methods of Testing *Hylemya* Root Maggots for Insecticide Resistance (Aug.) 719
REDISKE, J. H., see NORMAN E. JOHNSON (SN, Oct.) 1020
REED, J. K., see B. C. PASS (April) 275
REED, JOHN K., see EDWIN W. KING (SN, Feb.) 170
REID, W. J., JR., see F. P. CUTHBERT, JR. (SN, June) 581
REXRODE, C. O., H. M. KULMAN, and C. K. DORSEY—Bionomics of the Bark Beetle *Pseudopityophthorus pruinosus* with Special Reference to Its Role as a Vector of Oak Wilt, *Ceratocystis fagacearum* (Oct.) 913
RICHARDSON, HENRY H., and HERBERT ROTH—Methyl Bromide, Sulfuryl Fluoride, and Other Fumigants Against Quarantinable *Cochlicella* and *Theba* Snails (Aug.) 690
RICHARDSON, HENRY H., see HERBERT ROTH (Dec.) 1086
RIDGWAY, R. L., see D. A. LINDQUIST (April) 200
RIDGWAY, R. L., D. A. LINDQUIST, and D. L. BULL—Effect of Method of Application on Uptake of Di-Syston by the Cotton Plant (April) 349
RIDGWAY, R. L., L. J. GORZYCKI, and D. A. LINDQUIST—Evaluation of Systemic Insecticides for Cotton Insect Control (Aug.) 666
RIDGWAY, R. L., S. L. JONES, and D. A. LINDQUIST—Effect of American Cyanamid CL-47031 on Fecundity and Longevity of the Boll Weevil (SN, Aug.) 790
RIEHL, L. A., D. G. ADDIS, J. B. BURGESS, and A. S. DEAL—Trials of Ruelene for Cattle Grub Control in Southern California (SN, April) 361
RIEHL, L. A., H. W. LEMBRIGHT, and P. D. LUDWIG—Area Population Control of Heel Flies by Ruelene Pour-on Application Annually to Cattle (Feb.) 1
RIEHL, L. A., J. P. LA DUE, and J. L. RODRIGUEZ—Efficiency of a Re-Formed Oil Against Citrus Red Mite Eggs and California Red Scale (Oct.) 907
RILEY, ROBERT C., DONALD J. SUTHERLAND, and JOHN H. SIMPSON—A Blower-Auger Metering Granular Applicator (Feb.) 121
RINGS, ROY W., see H. Y. FORSYTHE, JR. (Dec.) 1116
RISTICH, S. S., R. H. RATCLIFFE, and D. PERLMAN—Chemosterilant Properties, Cytotoxicity, and Mammalian Toxicity of Apholate and Other P-N Ring Chemicals (Oct.) 929
RISTICH, SAMUEL S., see ROGER H. RATCLIFFE (Dec.) 1079
RIVERS, G. W., M. V. MEISCH, and P. J. HAMMAN—Sesame: A New Host for Tobacco Budworm and Bollworm (SN, Oct.) 1003
RIVIELLO, M. SANCHEZ, see J. G. SHAW (Feb.) 26
ROACH, S. H., and J. A. BUXTON—Apholate and Tepa as Chemosterilants of the Plum Curculio (SN, Aug.) 802
ROAN, C. C., and B. P. SRIVASTAVA—Dissipation of Diazinon Residues in Wheat (Oct.) 996
ROBERTS, R. H.—Studies on the Control of the Hog Louse, *Haematopinus suis* (SN, April) 378
ROBERTSON, O. T., see W. L. LOWRY (Aug.) 732
RODER, EARL, see EARL R. OATMAN (SN, Aug.) 800
RODRIGUEZ, J. L., see L. A. RIEHL (Oct.) 907
ROTH, HERBERT, see HENRY H. RICHARDSON (Aug.) 690
ROTH, HERBERT, and HENRY H. RICHARDSON—Tolerance of Some Imported Vegetables to Methyl Bromide Fumigation and Hot Water Treatments (Dec.) 1086
ROUSELL, P. G.—Comparative Insecticidal Susceptibility of Field-Collected and Laboratory-Reared Face Flies, *Musca autumnalis* (Aug.) 674
RUDDER, J. D., see CHARLES H. BRETT (Oct.) 893
RUPPEL, ROBERT F., see M. CURTIS WILSON (Feb.) 11
RUPPEL, ROBERT F., and Y. MOK YUN—Ground-Applied Insecticides Against the Cereal Leaf Beetle (Feb.) 41
RUSSELL, MERCER P., and AUSTIN M. FRISHMAN—Effectiveness of Dichlorvos in Resin Strips for the Control of the German Cockroach, *Blattella germanica* (June) 570

SAINI, R. S., and A. G. PETERSON—Colonization of Yellows-Infected Asters by Two Species of Aphids (June) 537
SALKELD, E. H., see E. H. SMITH (April) 188
SANDERS, D. P., see R. C. DOBSON (SN, April) 379
SAWICKI, R. M., see P. J. GODIN (June) 548
SBUR, D. E., see R. G. STRONG (Feb.) 18
SBUR, D. E., see R. G. STRONG (June) 410
SCALES, A. L., see G. L. SMITH (SN, Feb.) 174
SCHAEFERS, G. A.—Control Tests Against the Two-Spotted Spider Mite, *Tetranychus telarius* (L.) on Strawberries (Dec.) 1089
SCHONBROD, R. D., W. W. PHILLEO, and L. C. TERRIERE—Hydroxylation as a Factor in Resistance in House Flies and Blow Flies (Feb.) 74
SCHONHORST, M. H., see A. W. WOODROW (Dec.) 1094
SCHONHORST, M. H., see M. W. NIELSON (Feb.) 147
SCHOOF, H. F., see W. MATHIS (April) 291
SCHRECK, C. E., see H. K. GOUCK (SN, June) 589

SCHULZ, K. R., see E. P. LICHTENSTEIN (Aug.) 742
SCONYERS, M. C., see T. F. WATSON (Dec.) 1124
SCRIVEN, G. T., see J. A. MCMURTRY (April) 282
SHANAHAN, G. J.—Black Pupa and White Eye Mutant Studies in the Australian Sheep Blow Fly (SN, April) 380
SHANKS, CARL H., JR.—Seasonal Populations of the Strawberry Aphid and Transmission of Strawberry Viruses in the Field in Relation to Virus Control in Western Washington (April) 316
SHANKS, CARL H., JR., and R. K. CHAPMAN—The Effects of Insecticides on the Behavior of the Green Peach Aphid and Its Transmission of Potato Virus Y (Feb.) 79
SHAW, F. R., see C. T. SMITH (SN, Dec.) 1160
SHAW, F. R., see JAMES W. EVERSOLE (Aug.) 704
SHAW, F. R., see JAMES W. EVERSOLE (Aug.) 709
SHAW, J. G., and M. SANCHEZ RIVIELLO—Effectiveness of Tepa-Sterilized Mexican Fruit Flies Released in Mango Grove (Feb.) 26
SHEETS, L. W., see GEORGE P. WENE (SN, Feb.) 168
SHEETS, L. W., see GEORGE P. WENE (SN, Dec.) 1170
SHERMAN, MARTIN, and G. H. KOMATSU—Toxicity to Fly Larvae of Droppings from Chicks Reared on Insecticide-Treated Feed (April) 203
SHERMAN, MARTIN, see TAKASHI ISHII (Feb.) 46
SHIMIZU, JOHN T., see JOHN L. NICKEL (Oct.) 970
SHIPP, E., see A. W. OSBORN (SN, Oct.) 1023
SHOREY, H. H., A. S. DEAL, and M. J. SNYDER—Insecticidal Control of Lygus Bugs and Effect on Yield and Grade of Lima Beans (Feb.) 124
SHOWERS, W. B., see R. D. HENDRICK (June) 539
SHOREY, H. H., and R. L. HALE—Mass-Rearing of the Larvae of Nine Noctuid Species on a Simple Artificial Medium (June) 522
SHOREY, H. H., see R. L. HALE (SN, Aug.) 793
SILVERMAN, PAUL H., see CLAUDINE F. LONG (Dec.) 1070
SIMANTON, WILLIAM A., and KENNETH TRAMMEL—Design and Performance of a Laboratory Air-Blast Sprayer (SN, June) 576
SIMMONS, PEREZ—Fred Pete Roullard (1884–1965) (Obit., Oct.) 1038
SIMPSON, JOHN H., see ROBERT C. RILEY (Feb.) 121
SKOOG, F. E., F. T. COWAN, and K. MESSENGER—Ultra-Low-Volume Aerial Spraying of Dieldrin and Malathion for Rangeland Grasshopper Control (June) 559
SKRENTNY, R. F., see E. P. LICHTENSTEIN (Aug.) 742
SMITH, C. T., F. R. SHAW, D. L. ANDERSON, R. A. CALLAHAN, and W. H. ZIENER (SN, Dec.) 1160
SMITH, D. S., see N. D. HOLMES (Feb.) 77
SMITH, E. H.—Laboratory Rearing of the Peach Tree Borer and Notes in Its Biology (April) 228
SMITH, E. H.—The Susceptibility of Life History Stages of the Pear Psylla to Oil Treatment (June) 456
SMITH, E. H., and E. H. SALKELD—The Role of Esterases in Parathion Poisoning of Eggs of the Large Milkweed Bug (April) 188
SMITH, E. H., see JUERGEN ZSCHINTZSCH (Aug.) 614
SMITH, F. F., see S. W. JACKLIN (SN, Dec.) 1168
SMITH, FLOYD F., A. L. BOSWELL, and T. J. HENNEBERRY—Chemosterilant Treatment of Two Greenhouse Spider Mites (Feb.) 98
SMITH, G. L., and A. L. SCALES—The Effect of Air and Ground Surface Temperature on Boll Weevil Survival (SN, Feb.) 174
SMITH, G. L., see T. C. CLEVELAND (SN, April) 364
SMITH, G. L., T. C. CLEVELAND, and J. C. CLARK—Boll Weevil Movement from Hibernation Sites to Fruiting Cotton (SN, April) 357
SMITH, G. L., T. C. CLEVELAND, and J. C. CLARK—Field Tests for Control of Overwintered Boll Weevils (SN, April) 360
SMITH, JAMES W., see RALPH A. KILLOUGH (Aug.) 711
SMITH, RICHARD H.—Effect of Monoterpene Vapors on the Western Pine Beetle (June) 509
SMITH, W. R., see T. J. HENNEBERRY (April) 312
SMYTHE, R. V., T. C. ALLEN, and H. C. COPPEL—Response of the Eastern Subterranean Termite to an Attractive Extract from *Lenzites trabea*-Invaded Wood (June) 420
SNOW, J. WENDELL, and J. R. BRAZZEL—Investigations of the Possibility of Host Specific Strains of the Bollworm and Tobacco Budworm in Mississippi (June) 525
SNYDER, M. J., see H. H. SHOREY (Feb.) 124
SORENSEN, EDGAR L., see ALBERT ISAAK (Feb.) 140
SPANGLER, HAYWARD G.—Reactions of the Larvae of the Khapra Beetle and *Trogoderma parabile* to Certain Food Substances and Organic Compounds (April) 212
SPATES, G. E., JR., see A. H. BAUMHOVER (Aug.) 645
SPECHT, H. B., see D. CHISHOLM (Aug.) 763
SPRENKEL, R. K., see TIEN-HSI CHENG (Oct.) 910
SRIVASTAVA, B. P., see C. C. ROAN (Oct.) 996
STANGER, W., see V. E. BURTON (April) 306
STARK, R. W., and J. H. BORDEN—A Field Test of Lindane for Prevention and Control of Attack by *Ips confusus* (LeConte) (Coleoptera: Scolytidae) in Slash (Oct.) 994
STARK, R. W., and J. H. BORDEN—Observations on Mortality Factors of the Fir Engraver Beetle, *Scolytus ventralis* (Coleoptera: Scolytidae) (SN, Dec.) 1162
STEINER, L. F., E. J. HARRIS, W. C. MITCHELL, M. S. FUJIMOTO, and L. D. CHRISTENSON—Melon Fly Eradication by Overflooding with Sterile Flies (June) 519
STEINER, L. F., see IRVING KEISER (Aug.) 682
STEINER, L. F., W. C. MITCHELL, E. J. HARRIS, T. T. KOZUMA, and M. S. FUJIMOTO—Oriental Fruit Fly Eradication by Male Annihilation (Oct.) 961
STEINER, LOREN F.—A Rapid Method for Identifying Dye-Marked Fruit Flies (SN, April) 374
STEPHEN, W. P.—Effects of Soil Moisture on Survival of Prepupae of the Alkali Bee (June) 472
STEPHEN, W. P., and C. E. OSGOOD—The Induction of Emergence in the Leaf-Cutter Bee *Megachile rotundata*, an Important Pollinator of Alfalfa (April) 284
STEPHEN, W. P., and CHARLES E. OSGOOD—Influence of Tunnel Size and Nesting Medium on Sex Ratios in a Leaf-Cutter Bee, *Megachile rotundata* (Oct.) 965
STERLING, W. L., S. G. WELLSO, P. L. ADKISSON, and H. W. DOROUGH—A Cottonseed-Meal Diet for Laboratory Cultures of the Boll Weevil (Oct.) 867
STERN, VERNON M., EVERETT J. DIETRICK, and ARTHUR MUELLER—Improvements on Self-Propelled Equipment for Collecting, Separating, and Tagging Mass Numbers of Insects in the Field (Oct.) 949
STEVE, P. C., and J. H. LILLY—Investigations on Transmissability of *Moraxella bovis* by the Face Fly (June) 444
STEVENS, LYNN, see ROBERT J. LAVIGNE (Oct.) 818
STEVENSON, J. H., see P. J. GODIN (June) 548
STEWART, KENNETH W., and R. R. WALTON—Extension of the Incubation Period of Southwestern Corn Borer Eggs by Refrigeration (SN, June) 579
STITT, P. A., see E. P. LICHTENSTEIN (Aug.) 742
STONER, ADAIR—Host Plants of *Spanogonicus albofasciatus* in Arizona (April) 322
STONER, ADAIR, and GEORGE D. BUTLER, JR.—*Encarsia lutea* as an Egg Parasite of Bollworm and Cabbage Looper in Arizona Cotton (Dec.) 1148
STONER, ADAIR, see GEORGE D. BUTLER, JR. (Aug.) 664
STONER, ADAIR, and G. T. BOTTGER—*Spanogonicus albofasciatus* and *Rhinacloa forticornis* on Cotton in Arizona (April) 314
STRAUSS, WALTER G., see ABDUL A. KHAN (Aug.) 694
STREAMS, FREDERICK A., and LEON W. COLES—Wheat Stem Sawfly Parasites, *Collyria calcitrator* and *Pediobius nigritarsis*, in Eastern United States (April) 303
STROEHLEIN, J. L., see G. D. BUTLER, JR. (SN, Aug.) 783

STRONG, R. G., and D. E. SBUR—Evaluation of Insecticides as Protectants Against Pests of Stored Grain and Seeds. II. (Feb.) 18
STRONG, R. G., and D. E. SBUR—Interrelation of Moisture Content, Storage Temperature, and Dosage on the Effectiveness of Diazinon as a Grain Protectant Against *Sitophilus oryzae* (L.) (June) 410
STRUBLE, GEORGE R.—Effect of Aerial Sprays on Parasites of the Lodgepole Needle Miner (April) 226
STRUBLE, GEORGE R.—Field Test of *Bacillus thuringiensis* (Berliner) to Control Lodgepole Needle Miner (SN, Oct.) 1005
SUN, YUN-PEI, and E. R. JOHNSON—Integration of Physico-Chemical and Biological Techniques in Specific Bioassay, with Special Reference to Bidrin Insecticide (Oct.) 838
SUN, YUN-PEI, see W. E. HALL (Oct.) 845
SUTHERLAND, DONALD J., see ROBERT C. RILEY (Feb.) 121
SWAILES, G. E., see N. D. HOLMES (Feb.) 77
SWAILES, G. E., and S. MCDONALD—Susceptibilities of Adults of the Sweetclover Weevil to Certain Insecticides in the Laboratory (Oct.) 988
SZABO, K., see J. J. MENN (Aug.) 734

TAFT, H. M., see A. R. HOPKINS (Aug.) 746
TAFT, H. M., see E. R. MITCHELL (SN, Oct.) 1030
TANAKA, NORIMITSU—Artificial Egging Receptacles for Three Species of Tephritid Flies (SN, Feb.) 177
TAPPAN, WILLIAM B.—Insecticides for Tobacco Flea Beetle Control on Cigar-Wrapper Tobacco (Aug.) 730
TAPPAN, WILLIAM B.—The Decline of Tobacco Hornworm Populations on Cigar-Wrapper Tobacco (Aug.) 771
TASSAN, R. L., see K. S. HAGEN (SN, Oct.) 999
TERRIERE, L. C., see R. D. SCHONBROD (Feb.) 74
THOMPSON, HUGH E.—Residual Effectiveness of DDT Emulsion Sprays with and without Horticultural Oil Against the Smaller European Elm Bark Beetle (SN, Feb.) 165
THOMPSON, L. S.—Aster Yellows Control in Head Lettuce and Carrots in Prince Edward Island (Feb.) 135
THOMPSON, R. K., see A. V. DEARMAN (Dec.) 1050
THORSTEINSON, A. J., see M. SAYEED QURAISHI (April) 185
THORSTEINSON, A. J., see M. SAYEED QURAISHI (June) 400
THURSTON, RICHARD—Effect of Insecticides on the Green Peach Aphid, *Myzus persicae* (Sulzer), Infesting Burley Tobacco (Dec.) 1127
TILTON, ELVIN W., WENDELL E. BURKHOLDER, and ROBERT R. COGBURN—The Effects of Confining Confused Flour Beetles in Gelatin Capsules Before, During, and After Gamma Irradiation (SN, Feb.) 175
TILTON, ELVIN W., WENDELL E. BURKHOLDER, and ROBERT R. COGBURN—Notes on the Effect of Preconditioning Confused Flour Beetles with Temperature Variations or Carbon Dioxide Prior to Gamma Irradiation (SN, Feb.) 179
TIPPINS, H. H.—The Sawfly *Atomacera decepta*, a Pest of *Hibiscus* (SN, Feb.) 161
TOPPOZADA, A., see M. E. ELDEFRAWI (Feb.) 93
TOPPOZADA, A., see M. E. ELDEFRAWI (Dec.) 1106
TRAMMEL, KENNETH—Properties of Petroleum Oils in Relation to Toxicity to Citrus Red Mite Eggs (Aug.) 595
TRAMMEL, KENNETH, see WILLIAM A. SIMANTON (SN, June) 576
TREECE, R. E., and G. W. WARE—Lindane Residues on Alfalfa and in Milk (April) 218
TREECE, ROBERT E., see M. CURTIS WILSON (Feb.) 11
TRIPLEHORN, CHARLES A.—Insects Found in Ohio Grain Elevators and Feed Mills (SN, June) 578
TUCKER, H., see A. W. WOODROW (Dec.) 1094
TURNER, E. C., JR.—Area Control of the Face Fly Using Self-Applicating Devices (Feb.) 103
TURNER, E. C., JR., see JAKIE A. HAIR (SN, Feb.) 159
TURNER, E. C., JR., and R. R. GERHARDT—A Material for Rapid Marking of Face Flies for Dispersal Studies (SN, June) 584
TURNIPSEED, SAM G., and ROBERT L. RABB—Effects of Temperature and Moisture on Survival of Eggs of the Tobacco Wireworm (SN, Dec.) 1155

UCHIDA, TETSUO, H. S. RAHMATI, and R. D. O'BRIEN—The Penetration and Metabolism of H^3-Dimethoate in Insects (Oct.) 831

VAIL, P., see A. F. HOWLAND (Aug.) 635
VAN DEN HEUVEL, MICHAEL J., and DONALD G. COCHRAN—Cross Resistance to Organophosphorus Compounds in Malathion- and Diazinon-Resistant Strains of *Blattella germanica* (Oct.) 872
VINCENT, L. E., see D. L. LINDGREN (June) 551
VINCENT, L. E., and D. L. LINDGREN—Influence of Fumigation and Age on Carbon Dioxide Production of Some Stored-Product Insects (Aug.) 660
VINSON, S. BRADLEIGH, and W. J. LEWIS—A Method of Host Selection by *Cardiochiles nigriceps* (Oct.) 869
VIRAY, MANUEL S., see ROY J. PENCE (Oct.) 916

WAGNER, ROBERT E., see WALTER EBELING (April) 240
WAGNER, ROBERT E., WALTER EBELING, and WILLIAM R. CLARK—Controlled Environment Chambers for the Biological Laboratory (April) 236
WALTER, E. V.—Northern Corn Rootworm Resistance in Sweet Corn (Dec.) 1076
WALTON, R. R., see KENNETH W. STEWART (SN, June) 579
WARE, G. W., see R. E. TREECE (April) 218
WARE, GEORGE W., see ERNEST E. GOOD (Aug.) 754
WARE, GEORGE W., see PRAYOON DEEMA (Oct.) 904
WARE, GEORGE W., see WILLIAM W. BARNES (April) 286
WASSON, W. D., see G. W. WOOD (SN, Dec.) 1166
WATERS, R. M., and M. JACOBSON—Attractiveness of Gyplure Masked by Impurities (SN, April) 370
WATSON, T. F.—Influence of Thrips on Cotton Yields in Alabama (Dec.) 1118
WATSON, T. F., and M. C. SCONYERS—Comparison of Insecticide Application Schedules for Control of Cotton Insects (Dec.) 1124
WEIBEL, R. O., see J. H. BIGGER (Dec.) 1083
WEIDEN, MATHIAS H. J., HERBERT H. MOOREFIELD, and LINWOOD K. PAYNE—*O*-(methylcarbamoyl) oximes: A New Class of Carbamate Insecticide-Acaricide (SN, Feb.) 154
WELLSO, S. G., see W. L. STERLING (Oct.) 867
WENE, GEORGE P., and L. W. SHEETS—Migration of Beet Armyworm Larvae (SN, Feb.) 168
WENE, GEORGE P., and L. W. SHEETS—Cotton-Insect Control with Low-Volume Concentrates of Malathion Applied by Aircraft (SN, Dec.) 1170
WHETSTONE, T. M., see R. O. DRUMMOND (SN, Oct.) 1017
WHITNEY, W. K., see E. E. KENAGA (Dec.) 1043
WILBUR, DONALD A., see ROBERT L. KIRKPATRICK (Oct.) 979
WILKINSON, R. C.—A Method for Candling Pine Sawfly Cocoons (SN, June) 587
WILLARD, J. R., and H. H. CROWELL—Biological Activities of the Harvester Ant, *Pogonomyrmex owyheei*, in Central Oregon (June) 484
WILSON, G. B., see A. NETHERY (June) 511
WILSON, LOUIS F., see IMANTS MILLERS (Oct.) 942
WILSON, M. CURTIS, ROBERT F. RUPPEL, and ROBERT E. TREECE—Low-Volume Concentrate Sprays Ap-

plied by Aircraft for Control of the Cereal Leaf Beetle (Feb.) 11
WOLF, WAYNE W., see RALPH A. KILLOUGH (Aug.) 711
WOLFENBARGER, DAN A.—Tomato, *Lycopersicon esculentum*, and *Lycopersicon* Species and Genetic Markers in Relation to Mite, *Tetranychus marianae*, Infestations (Oct.) 891
WOLFENBARGER, DAN A., and J. G. DARROCH—A Sequential Sampling Plan for Determining the Status of Corn Earworm Control in Sweet Corn (Aug.) 651
WONG, TIM T. Y., see JOHN L. NICHEL (Oct.) 970
WOOD, E. A., JR.—Effect of Foliage Infestation of the English Grain Aphid on Yield of Triumph Wheat (SN, Aug.) 778
WOOD, F. A., see C. W. MAXWELL (April) 272
WOOD, G. W.—Note on the Activity of Native Pollinators in Relation to the Bloom Period of Lowbush Blueberry (SN, Aug.) 777
WOOD, G. W., J. W. MCALLAN, and W. D. WASSON—An Improved Electronic Counting Apparatus for Use in Olfactometers (SN, Dec.) 1166
WOODHAM, D. W., see R. A. BYERS (SN, Feb.) 160
WOODROW, A. W., NATHAN GREEN, H. TUCKER, M. H. SCHONHORST, and K. C. HAMILTON—Evaluation of Chemicals as Honey Bee Attractants and Repellents (Dec.) 1094
WRIGHT, C. G.—Identification and Occurrence of Cockroaches in Dwellings and Business Establishments in North Carolina (SN, Oct.) 1032

YADAV, R. P., H. L. ANDERSON, and W. H. LONG—Sugarcane Borer Resistance to Insecticides (Dec.) 1122
YAMADA, T., see S. NAKAGAWA (SN, Aug.) 796
YATES, HARRY O., III, and WILLIAM G. LEWIS—A New Material to Secure Cage Entrances (SN, Aug.) 787
YEOMANS, A. H., see VICTOR E. ADLER (SN, Aug.) 780
YOUNG, H. C., see M. C. BOWMAN (Oct.) 896
YOUNG, J. R., and H C COX—Evaluation of Apholate and Tepa as Chemosterilants for the Fall Armyworm (Oct.) 883
YUN, Y. MOK, see ROBERT F. RUPPEL (Feb.) 41

ZEID, M., see M. E. ELDEFRAWI (Feb.) 93
ZIENER, W. H., see C. T. SMITH (SN, Dec.) 1160
ZSCHINTZSCH, JUERGEN, R. D. O'BRIEN, and E. H. SMITH—The Relation Between Uptake and Toxicity of Organophosphates for Eggs of the Large Milkweed Bug (Aug.) 614
ZUBAIRI, M. YAMEED, and JOHN E. CASIDA—Detoxication of Dimetilan in Cockroaches and House Flies (June) 403